Tender Fee :- **Rs: 28000/-** (25000 + GST)



KSRTC SWIFT LTD., ANAYARA, THIRUVANANTHAPURAM KERALA-695029

e- TENDER DOCUMENT

for

Supply of Fully Built AC Seater 10.5 Mtr 4-Cylinder
Diesel Propelled Premium Superfast Buses of BSVI Norms
or Latest as per CMVR Norms, Comprehensive warranty 3
year / 4 lakh km

(TENDER NO: KS-GL01/114/2024-GL-K-SWIFT dt 03.01.2025)

For details;

www.etenders.kerala.gov.in / www.keralartc.com / www.ksrtcswift.kerala.gov.in

E-mail: gm.swift@kerala.gov.in / gm.ksrtcswift@gmail.com/sr@kerala.gov.in

INDEX

S1. NO.	DESCRIPTION		
1		NOTICE INVITING TENDER	5-7
2	SECTION – I	INTRODUCTION	8-9
3	SECTION – II	SCOPE AND DISCRIPTION OF CONTRACT	10-13
4	SECTION – III	DETAILS OF ITEM TENDERED	14
5	SECTION - IV	SPECIFIC CONDITIONS OF CONTRACT	15-21
6	SECTION - V	GENERAL CONDITION OF TENDER / CONTRACT	22-54
7	APPENDIX – I	SPECIFICATIONS OF FULLY BUILT DIESEL BUS	55-69
8	APPENDIX- II	SAMPLE PRICE EVALUATION	70
9	ANNEXURE -A	GENERAL INFORMATION ABOUT THE TENDERER	71-72
10	ANNEXURE -B	DECLERATION FORM	73
11	ANNEXURE - C	OFFER FORM	74
12	ANNEXURE -D	PERFORMANCE EVALUATION SHEET	75
13	ANNEXURE -E	SPECIFICATIONS COMPLIANCE STATUS OF FULLY BUILT DIESEL BUS	76-92
14	ANNEXURE – F	Body Paneling Material	93-94
15	ANNEXURE – G	RATE FIRMNESS	95

16	ANNEXURE – H	LOWER RATE DECLARATION	96
17	ANNEXURE - I	GENERAL TERMS AND CONDITIONS	97-99
18	ANNEXURE - J	ANTI BLACK LISTING CERTIFICATE	100
19	ANNEXURE - K	POWER OF ATTORNEY	101
20	Appendix-III	AGREEMENT	102-106

NOTICE INVITING TENDER



KSRTC SWIFT LTD ANAYARA

THIRUVANTHAPURAM 695023

Ph: 0471-2465000

website: www.keralartc.com / www.ksrtcswift.kerala.gov.in

Email: gm.swift@kerala.gov.in /gm.ksrtcswift@gmail.com

e-TENDER NOTICE

S1.No	ITEM	DESCRIPTION	QUANTITY (NUMBERS)	
1	Fully Built AC Seater 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Buses of BSVI Norms or Latest as per CMVR Norms	a) CMVR and KMVR requirements to operate as stage carrige. b) Certificate issued by ARAI c) Type approval certificate by any authorized agency in CMVR 126 d) Compliance to strength of super structure- AIS 031	27	
		e) Compliance to Bus Body Code AIS 052, and with ITS AIS: 140 IRNSS Based VLT Device.		

f) Compliance of Flammability
requirements as per IS
15061:2002
For Specification see Appendix -I

S1 NO	Particulars	Date and time
1	Date of release of tender	09.01.2025, (06:00 pm)
2	Date of Pre Bid Meeting	15.01.2025, (03:00 pm)
3	Mode of Pre bid meeting	Through video conference
4	Online tender submission Start Date	09.01.2025, (06:00 pm)
5	Online tender submission End Date	27.01.2025, (06:00 pm)
6	Date of online Technical bid opening	29.01.2025, (11:00 am)
7	Date of opening of the price bid	Will be informed to the qualified bidders after technical-bid evaluation

TENDER SCHEDULE

1.	Tender No.	KS-GL01/114/2024-GL-K-SWIFT dtd 03.01.2025
	Tender Fees	Rs.28,000/- (Rs.25000+GST@12%)
2.	(Non Refundable)	(Rupees Twenty Eight thousand only)
	Earnest Money Deposit	Rs.5,00,000 /-
3.		(Rupees Five Lakh only)
4	Performance Security for supply (For successful tenderer)	5% of the total value offered price for the buses
5	e-Tender site	www.e-tenders.kerala.gov.in
6	e-mail for communication	sr@kerala.gov.in/ gm.ksrtcswift@gmail.com

Chairman and Managing Director, KSRTC SWIFT Ltd.
(Tender Inviting Authority)

SECTION I

INTRODUCTION

- 1.1. The Kerala State Road Transport Corporation is one of the ageold state-run Transport Corporation in India, with headquarters at Thiruvananthapuram.
- 1.2. KSRTC SWIFT LTD., is a Government undertaking Company, (hereinafter referred as 'Company') provides buses to KSRTC under a lease agreement. 444 buses is the current strength of KSRTC SWIFT Ltd., which comprises of Sleeper Class, AC Seater, Deluxe Seater, Super Fast and Electric Buses.
- 1.3. KSRTC have a fleet strength of 5200 buses. KSRTC connects every nook and corner of state and major destinations in south India.
- 1.4. KSRTC SWIFT Ltd., intend to introduce 27 Nos. of BS VI model AC AIR SUSPENSION 4- CYLINDER DIESEL PROPLLED PREMIUM SUPERFAST buses with a warranty of 3 year /4,00,000 kms whichever is earlier confirming to the prevailing ARAI, CMVR and KMVR rules which is applicable.
- 1.5. In this tender, the lowest price is not the sole criteria for selection. The two bid system, which is followed, has been designed to eliminate those which do not match the technical specifications / Qualifications or not having the proven experience and to eliminate firms that do not have the financial or technical capability to design, manufacture, supply, testing and commissioning of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Bus conforming to BS VI norms or latest as per CMVR.

1.6. **Delivery Period:**

The successful bidder shall effect the delivery of the offered model within 75 days from the date of purchase order including prototype inspection.

1.5 Transparency: It is assured that the KSRTC SWIFT Ltd will uphold highest level of transparency in the procurements being made. The decisions/results at the two stages of the tender process will be published on our website and e-tender portal for enabling the prospective offerers to submit their remarks/objections. Canvassing or involving in fraudulent practices in any form, at any stage, will lead to automatic disqualification of the tenderers. Visits to the offices/officers without written permission of the CMD will not be entertained Phone calls to officers during the tender process will not be entertained. All queries/clarifications on the tender documents/process/ specifications etc shall only be through the email ID given.

1.6 KSRTC SWIFT Ltd is gearing up to reduce cost to make the Public Transport affordable to common man.

Looking forward for a long standing relation with you

Best wishes,

Date: 03.01.2025 Chairman and Managing Director, KSRTC SWIFT(Tender Inviting Authority)

SECTION II

SCOPE AND DESCRIPTION OF CONTRACT

2.1 General Definitions

- **2.1.1 Government** means Government of Kerala, represented by the Secretary to Transport Department, Government of Kerala.
- **2.1.2 Purchase Committee** is a Committee of officers authorized by the Board of Directors to decide on the purchase of the stores and equipments procured by the KSRTC SWIFT LTD.
- **2.1.3 Tender Inviting Authority** is the Chairman and Managing Director of the KSRTC SWIFT Ltd, who finalize tenders and ensure supply under this tender document.
- 2.1.4 Blacklisting/debarring the event occurring by the operation of the conditions under which the tenderers will be prevented for a period of 1 to 5 years from participating in the future tenders of Tender Inviting Authority, more specifically mentioned in the Specific Conditions of Contract (Section IV) and General Conditions of Contract (Section V) of this tender document, the period being decided on the basis of number of violations in the tender conditions and the loss/hardship caused to the Tender Inviting Authority on account of such violations

2.2 Scope

- 2.2.1 The tenders are invited for the design, manufacture, supply, testing and commissioning of 27 Nos. Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms. The bidder shall offer the warranty for a period of 3 years or 4,00,000 Kms which ever is earlier from the date of registration. The bus design shall be of Type II.
- 2.2.2 The specification covers design, manufacture, supply, testing and commissioning of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms for operations in Kerala and near by States. The bus design

shall be of Type II. The bus design shall be energy efficient, environmentally friendly, safe and secured for transportation of passengers besides the following main attributes amongst others:

- 2.2.2.1 Ergonomically designed driver's work area
- 2.2.2.2 Ease of repair and maintenance
- 2.2.2.3 Aesthetically designed interiors and exteriors
- 2.2.2.4 Ease of boarding and alighting for all passengers
- 2.2.2.5 Safety, reliability and durability
- 2.2.2.6 Fuel Efficient
- 2.2.2.7 Passenger comfort
- **2.3** The Bidder shall comply with all applicable Central, State and local laws (including Acts, Rules and Regulations).
- 2.4 The DIESEL propelled bus shall meet all applicable Central Motor Vehicles Rules, 1989 (hereinafter referred to as "CMVR"), norms for safety and emissions applicable on the date of manufacture and Bus Code AIS 052 and any revisions thereof [hereinafter called Bus Code]
- 2.5 Where there is conflict between the requirement as per any applicable law in force and the requirement emanating from these specifications whichever of these two is of superior/ higher standard shall prevail. Also, any specifications superior to the ones set out as Minimum Technical Specifications shall meet requirements of the contract.
- 2.6 The bus design shall be suitable for minimum daily operation of 16 to 20 hours under all load, different terrains and operating conditions. Tyre rating should be such that it meets the requirement of peak hour loading.
- 2.7 The bus design shall be eco-friendly, energy efficient, safe, and comfortable with exhaust emissions maintained at specified levels [Bharat Stage VI] subject to meeting additional requirement, if any of any further standards as imposed by law and further improved standard as applicable on the date of manufacture]. Bus and complete aggregates shall comply with the rules and regulation

with respect to safety and emission notified and mandated time to time by the government and applicable at the time of the delivery and the registration of the buses. To ensure compliance, type approval certificate from the approved test agency under CMVR will be necessary for the complete bus for the applicable rules, regulation and specifications laid herein.

- **2.8** Detailed drawings of bus structure along with complete dimensions, its components, seats, interior/ exterior fittings, electrical systems, wiring harness and other accessories along with complete details of materials used, their specification, manufacturing tolerances, complete catalogue etc. shall be provided to the Purchaser by the bidder.
- **2.9** Seats sample: 3 sets of 2 seater which is offered to be fitted in the bus should be given as sample to KSRTC SWIFT LTD, Thiruvananthapuram before fitment for assessing the suitability, if required.
- **2.10** General appearance, seating layout and structural details of roof, floor, sides, front and rear show and driver's cab shall be provided by the Bidder along with their bids.
- **2.11** Any other provisions/ fitments required for safe and efficient operation and/ or for fulfilling statutory requirements shall be provided in the offered bus.

2.12 COLOUR SCHEME and Inspection

The color shade for interior and exterior, logo, graphics (to be painted not stickers), information details etc. have to be confirmed from KSRTC SWIFT LTD., and shall incorporate the painting scheme on prototype bus and shall be approved by KSRTC SWIFT LTD. One of the offered model of prototype Bus has to be demonstrated before a team of technical officers of Kerala SRTC/KSRTC SWIFT by the qualified bidder after the issue of Purchase Order.

The officers of KSRTC / KSRTC SWIFT will have the right to conduct inspection of the Bus Chassis / Bus Body at any stage of the construction / operation to ascertain its conformance

to the performance standards, specifications and dimensions vide Appendix— I. The representatives of the vehicle manufacturer should be part of the inspection of bus along with the officers of KSRTC/ KSRTC SWIFT LTD. The delivery of the buses shall be effected only after getting the approval for prototype from KSRTC SWIFT LTD.

- 2.13 CERTIFICATION: The bidder should obtain the required certification of the model of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norm and should submit at the time of proto. While participation, base chassis of similar variant to be uploaded along with declaration.
- 2.14 The responsibility of the successful bidder includes supply of 27 Nos. of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms.
- **2.15** The bidder has to properly maintain all records of data pertaining to the maintenance / replacement of spares of the vehicle during the warranty period.
- **2.16** DATA SECURITY/CONFIDENTIALITY: All the data pertaining to maintenance of these vehicles shall be stored securely keeping the confidentiality. These data should not be shared in full or part with any other agencies.

SECTION - III

DETAILS OF ITEM TENDERED

3.1 Item Tendered

Description of Work	Tendered Quantity (Nos.)	Delivery Period
Design, Manufacture, Supply, Testing, & Commissioning of Fully Built AC Air Suspension 10.5 Mtr 4- Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms with warranty. a) CMVR and KMVR requirements b) Certificate issued by ARAI c) Type approval certificate by any authorized agency in CMVR 126 d) Compliance to strength of super structure-AIS 031 e) Compliance to Bus Body Code AIS 052, and with ITS AIS: 140 IRNSS Based VLT Device. f) Compliance of Flammability requirements as per IS 15061:2002	27	2 Months including prototype inspection, for delivery of ordered quantity.
For Specification see Appendix -I		

3.2 Technical specifications:

The detailed technical specifications and other quality parameters of the above item is contained in Appendix - I

SECTION-IV

SPECIFIC CONDITIONS OF CONTRACT

4.1 Time Limits prescribed

<u>S1. No</u>	<u>Activity</u>	<u>Time Limit</u>
4.1.1.	Supply & Delivery period	As mentioned in Section 3.1
4.1.2.	Warranty period	3 years or 4,00,000 kms which ever is earlier.
4.1.3.	Submission of Performance Security and entering into contract	Within 15 days from the date of issuance of LOA / Purchase Order.
4.1.5	Payment Installments	a. Chassis 1. On request of the bidder along with the invoice of the chassis, when the chassis is billed in favour of KSRTC SWIFT Ltd., and transferred for body building, a part payment of 60% of the total agreed price of the chassis will be made for which an unconditional bank guarantee @110% to be submitted by the successful bidder.

- 2. 30% of the balance payment of agreed price of the chassis will be made within 30 days of delivery of bus and acceptance at delivery point specified in the Purchase order.
- 3. 10% of the balance of agreed price of chassis will be made after 30 days from the date of registration of the bus and its satisfactory performances.

b. Bus Body

- 1. 90% of the agreed price of the bus body will be made within 30 days of delivery of bus and acceptance at delivery point specified in the Purchase order.
- 2. 10% of the balance of agreed price of bus body will be made after 30 days from the date of registration of the bus and its satisfactory performances.

4.2 Pre- Qualification of Tenderers:

4.2.1 Only Vehicle Manufacturers having a place of business in any of the States of India are eligible to participate in this tender. Vehicle 'Manufacturers should upload a certificate in this regard. However the vehicle Manufacturers have the liberty to construct the bus body at their authorised body builder. The Vehicle Manufacturer should declare (upload) their authorised body builder such as

name, statutory registration details, authorisation by vehicle manufacturers approval for body building for the class of vehicles along with the tender. The vehicle manufacturer and their authorised body builder should comply all the mandatory certifications for the body building and vehicle manufacturer shall upload necessary documents of the authorised body builders. The Invoice for chassis shall be raised by the Vehicle Manufacturer and the invoice for body shall be raised by the authorised body builder with applicable GST.

- 4.2.2 The tenderer should be in the business of manufacturing and supply of Diesel buses / chassis for the last 5 financial years within the country. Notarized documentary proofs shall be uploaded.
- 4.2.3 The tenderer should have supplied minimum 50 Nos. of Diesel buses/ Chassis of length 10.5 mtr or above of BS IV / BS VI to STU's/private companies in India during last 5 (Five) financial years ending on 31.03.2024 and shall be performing satisfactorily as on date. Such prescribed quantity can include the vehicles supplied to any STUs in India for hiring on wet lease based on the confirmation from the concerned STU. The bidder should upload sufficient proof of supply such as invoice / Acceptance letter to confirm the supply of 50 Nos. of above mentioned bus / chassis. The tenderer shall furnish the copies of certificate from the purchaser for satisfactory performance of Diesel buses along with Annexure D to be uploaded.
- 4.2.4 Tenderers who have been blacklisted/ debarred by Tender Inviting Authority or blacklisted / debarred by any State Government or Central Government department/Organization should not participate in the tender during the period of blacklisting. (Affidavit as per format in Annexure J should be submitted along with the technical bid)
- 4.2.5 **Litigation**: Bidders who have been blacklisted by KSRTC /KSRTC SWIFT / Government Department / other STU will not be eligible / other for consideration.

- 4.2.6 Bidders should remit the required Tender Fee and Earnest Money Deposit (EMD) in 'Online mode' through SBI/NEFT, as per the Notice Inviting Tender. No exemption in the case of EMD and Tender Fee. Bidders should ensure and convince themselves that the online payments made by them have been successfully transferred. KSRTC/ KSRTC SWIFT shall under no circumstances be responsible for failed transaction of the payments due to noncompliance of any online banking procedure and consequent rejection of tender.
- 4.2.7 Tenderer should deploy one service coordinator at Thiruvananthapuram to advice KSRTC and co-ordinate with OVM on preventive maintenance system of Diesel buses of BSVI norms and for the warranty settlement of this buses

4.3 Documents to be uploaded

- 4.3.1 The bidder should obtain the required certification of the model of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms. The bidder shall submit certification for the fully built bus at the time of proto inspection and to participate with similar chassis certification along with declaration while bidding if certification is not available for offered model. (Scanned copy should be uploaded)
- 4.3.2 Documents to prove that the offered DIESEL Chassis is having the approval from ARAI. (Scanned copy should be uploaded)
- 4.3.3 This Notice Inviting Tender, all pages should be filled, signed and stamped by the bidder should be scanned and uploaded.
- 4.3.4 An undertaking to the effect that the type approval as per CMVR and STA, Thiruvananthapuram should be provided at the time of delivery. (Scanned copy should be uploaded)
- 4.3.5 Specifications of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms as per <u>Appendix</u> -

- <u>I</u> duly signed and stamped by the bidder with full address and date (Scanned copy should be uploaded).
- 4.3.6 Certificate in <u>Annexure G</u> regarding the firmness of rate throughout the period of supply of Buses as per purchase order schedule should be signed and stamped by the bidder with full address and date should be uploaded.
- 4.3.7 Declaration as per Annexure H to be furnished in an Indian Stamp Paper of Rs.200/-, duly signed and stamped by the bidder with full address and date should be uploaded. The original declaration should be submitted in hard form to this office on or before the time of opening of Financial Bid.
- 4.3.8 General Terms and Conditions as per <u>Annexure-I</u> duly signed and stamped by the bidder with full address and date (Scanned copy should be uploaded).
- 4.3.9 Specification Comparison Table as per <u>Annexure-E</u> to be filled signed and stamped by the bidder with full address and date should be uploaded.
- 4.3.10 The bidder should upload the anti black listing certificate as per <u>Annexure-J</u>
- 4.3.11 The bidder should upload the performance evaluation sheet as per <u>Annexure-D</u>
- 4.3.12 The bidder should upload the General Information about the tenderer as per Annexure A
- 4.3.13 The bidder should upload the Declaration Form about the tender as per Annexure B
- 4.3.14 The bidder should upload the Offer Form about the tender as per Annexure C
- **4.4** Specifications of the Vehicle:

Total package: The tender is invited for a total package as mentioned in Section III including of the following

- 4.4.1 Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms The tenderers are required to supply 27 Nos. of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms as per CMVR Norms as per CMVR Norms as per the specifications mentioned in Appendix I as per Clause 3.1.
- 4.4.2 Data Sharing All the maintenance data should have facility to share to KSRTC/ KSRTC SWIFT Ltd.
- 4.4.3 Human Resource Give suitable training to the technical officers and staff to familiarize the technical features and maintenance as in house and at the bidders training centers and also as per Clause 5.32

4.5 TENDER PROCESS:

The tender evaluation will be undertaken in two rounds.

Round 1- Opening of technical bid documents / evaluation.

Round 2 - Opening of Price Bid.

4.5.1 Round 1- Opening of technical bid documents / Technical evaluation.

- 4.5.1.1 The documents submitted shall be opened at the time and date mentioned. The prospective bidders or their authorized representatives can present if required by them.
- 4.5.1.2 The format for submission of the technical bid is as per annexures and submission in any other format or absence of requisite information will lead to rejection of bids in the Round 1 evaluation itself. The prospective bidders are advised to submit all information and supporting documents that are required to prove their competency and claims for technical evaluation.

- 4.5.1.3 The commercial terms and documents submitted as part of the bids shall be scrutinized by a Bid Evaluation Committee constituted by the Tender Inviting Authority.
- 4.5.1.4 The Tender Inviting Authority may call for additional documents/clarifications through e-tender portal.
- 4.5.1.5 The list of those who come out of the evaluation of the documents successfully as well as those rejected (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com) / KSRTC SWIFT LTD (www.ksrtcswift.kerala.gov.in) and objections/remarks against the list will be invited. The objections / remarks received before the date and time specified in the notice will be considered by the concerned committee and the final list of successful bidders of round 1 will be published.
- 4.5.2 The successful bidder in Round –1 (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com)

 / KSRTC SWIFT (www.keralartc.com)

 and in the e-tender portal www.e-tender.kerala.gov.in

4.6. Round 2 - Opening of Price Bid.

- **4.6.1** The qualified bidder in round -1 shall be considered for Round -2.
- **4.6.2** The price bid shall be in the BOQ format submitted along with the tender notice in the e-tender portal.
- **4.6.3** The evaluation of the price bid is mentioned in Appendix II. An illustration of the method of arriving at the L1 rate/bidder is also shown in Appendix II.
- 4.6.4 The list of those who come out of the evaluation of the Price bids successfully as well as those rejected (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com) / KSRTC SWIFT LTD (www.ksrtcswift.kerala.gov.in) and in the e-tender portal www.e-tender.kerala.gov.in
- **4.6.5** The successful bidder has to furnish performance security with in 15 days from the date of issuance of purchase order.

SECTION V

GENERAL CONDITION OF TENDER / CONTRACT

5.1 Contents of the Tender Document:

This 'Tender Document' contains the following:

- a. Introduction (Section I)
- b. Scope and Description of Contract (Section II)
- c. Details of Equipments tendered (Section III)
- d. Specific Conditions of Contract (Section IV)
- e. General Conditions of Contract (Section V)
- f. Appendix- documents supplied by the tender inviting authority
- g. Annexures–formats for submission of tenders by the tenderers
- **5.2.** Conditions of Tender / Contract
- **5.2.1** Tender Document:

The detailed technical specifications and terms and conditions governing the supply and the after sales service of the equipments tendered are contained in this "Tender Document".

- **5.2.2** The tender document is to be downloaded from website www.keralartctender.com Tenderer shall remit Tender Document cost online in the e-tender portal and non- submission of sufficient Tender documents will lead to rejection of the tender in the first round.
- **5.2.3** The online documents shall be submitted through the e-tender portal www.etenders.kerala.gov.in Tenderers have to enroll themselves in the e-tender portal and digital signature certificate is required. The details can be obtained from the e-tender portal under the menu 'downloads'
- **5.2.4** The general guidelines on e-tender process is as below;

- Information Technology Act, 2000 for digitally signing their electronic bids. Bidders can procure the same from any of the license certifying authority of India. For more details, please visit the e-GP website www.etenders.kerala.gov.in or contact Kerala State IT Mission, e-Government procurement PMU & Help desk, Saankethika, Near EPF Office, Vrindavan Gardens, Pattom, Thiruvananthapuram. Ph: 0471 2577088, 2577188; Toll free No.18002337315; e-mail: etendershelp@kerala.gov.in.
- 5.2.6 Bidders may contact e-Procurement help desk of Kerala State IT Mission over telephone at 0471-2577088/188/388 or 0484-2336006, 2332262 or 0497-2764788, 2764188 or 0483-273294 or through email: etendershelp@kerala.gov.in or helpetender@gmail.comfor assistance in this regard.
- 5.2.7 online tender process comprises the stages viz. downloading the tender document, prebid meeting (as applicable to each tender), bid submission (technical cover and financial cover), opening of technical bid and opening of financial bids.
- **5.2.8** The blank price bid should be downloaded and saved on bidder's computer without changing file-name otherwise price bid will not get uploaded. The bidder should fill the details in the same file and upload the same back to the e-tender portal.
- **5.2.9** Prices quoted by the Bidder shall be fixed during the bidder's performance of the contract and not subject to variation on any account. But any change in statutory levies shall be variable. A bid submitted with an adjustable/ variable price quotation will be treated as non responsive and summarily rejected.
- **5.2.10** Online Payment modes: The tender document fees and EMD can be paid through e-Payment facility provided by the e-Procurement system:
- 5.3 Responsibility of verification of contents of tender document:

- **5.3.1** The purchaser of the tender form shall examine all instructions, forms, terms and specifications in the Tender Document and verify that all the contents mentioned under clause 6.1, are contained in the 'Tender Document'.
- **5.3.2** Failure to furnish any information required by the tender documents and submission of an offer not substantially responsive to it in every respect shall be at the tenderer's risk and may result in the rejection of the bids, without any further notice.

5.4 Guidelines for preparation of Tender

- **5.4.1** The Tenderer shall bear all costs associated with the preparation and submission of its bid and KSRTC SWIFT Ltd, Thiruvananthapuram, hereinafter referred to as "Tender Inviting Authority", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.
 - 5.4.2 In the event of documentary proof as required being not uploaded, the Tender shall be liable to be rejected. All pages of the bid, except for unamendable printed literature, shall be signed by the authorized person or persons signing the bid along with the stamp of the tenderer.
- 5.4.3 This Notice Inviting Tender, all pages should be filled, signed and stamped by the bidder should be scanned and uploaded.
- 5.4.4 Language of Bid:- The Bid prepared by the tenderer and all correspondence and documents relating to the bid exchanged by the Tenderer and the Tender Inviting Authority, shall be in English language. Supporting documents and printed literature furnished by the Tenderer may be written in another language provided they are accompanied by an authenticated accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the English translation shall govern.
- 5.4.5 The tender (in English Language only) for the supply of item mentioned in Section III shall be submitted along with detailed

specifications. A technical leaflet /brochure / literature in original shall be enclosed along with list of names of government departments/offices/ organizations to whom the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms with the same specifications or higher have been supplied in India during the last five financial years and shall be performing satisfactorily as on date. In case of submission of copy of earlier work orders and the performance certificates supporting the claim of past performance of the tenderer, it shall be attested (only if requested by tender inviting authority) by a gazette officer or the client institution/organization where the same have been supplied.

- 5.4.6 The documentary evidence (other than those regarding supply and past performance) submitted along with the Tender shall be produced duly attested by the tenderer on every page and serially numbered. Any interlineations, erasures or over writing shall be valid only if they are initialed by the person (s) signing the offer.
- 5.4.7 Tenderer shall submit a declaration letter as per the format given as Annexure B and copy of amendments published if any signed by the tenderer or the authorized representative shall be enclosed as part of the technical bid as a proof of having read and accepted the terms and conditions of the tender document.
- 5.4.8 An offer submitted in vague /ambiguous financial terms and the like, shall be termed as non-responsive and shall be summarily rejected.
- 5.4.9 Clarifications to specific requests received on email (gm.swift@kerala.gov.in / gm.ksrtcswift@gmail.com/sr@kerala.gov.in) shall be responded through e-mail and general clarifications, affecting all the tenderers shall be published in the official website of the Tender Inviting Authority (www.etenders.kerala.gov.in).

- 5.4.10 Any clarification on the e-tender procedure shall be obtained from KERALA IT mission and the contact numbers are 0471-2577088, 2577188, 18002337315.
- 5.4.11 No telephonic enquiry / visits to any Office / Officer regarding the tender will be entertained all queries / correspondences by the aforesaid email only, which will be acknowledged / answered in time.

5.5 Online payment for e-Tenders

- 5.5.1 Bidders while participating in online tenders published in Government of Kerala's e-procurement website www.etenders.kerala.gov.in, should ensure the following:
- 5.5.1.1 Single transactions for remitting tender document fee & EMD. Bidders should ensure that the tender document fee and EMD are remitted on single transactions and not separate. Separate or split remittance for tender document fee and EMD shall be treated as invalid transactions.
- 5.5.1.2 The tender document fees and EMD shall be paid through e-Payment facility provided by the e-Procurement system.
- 5.5.2 The bids will not be considered for further processing if bidders fail to comply on clauses above and tender fees and EMD will be reversed to the account from which it was received.

5.5.3 Tender Document Cost

- 5.5.4 Tenderer shall remit Tender document cost online in the e-tender portal and non remittance of Tender Document Cost as mentioned in the e-tender notice shall be one of the primary reasons for rejection of the offer in the first round itself.
- 5.5.5 Tenderers shall pay tender document cost as per Notice Inviting Tender.

5.6 Earnest Money Deposit (EMD):

5.6.1 Tenderer shall remit EMD online in the e-tender portal and non- remittance of sufficient EMD shall be one of the primary reasons for rejection of the offer in the first round.

- None of the bidders are exempted from the remittance of EMD, in any case.
- 5.6.3 EMD of unsuccessful tenderers will be discharged/returned as promptly through online transfer.
- 5.6.4 The successful tenderer's EMD will be discharged upon the tenderers signing the contract and furnishing the performance security.
- 5.6.5 No interest will be paid for the EMD remitted.
- 5.6.6 The EMD will be forfeited, if a tenderer;
- 5.6.6.1 Misrepresents facts or submit fabricated / forged / tempered / altered / manipulated documents during verification of tender process.
- 5.6.6.2 Withdraws its bid after the opening of technical bid;
- 5.6.6.3 A successful tenderer, fails to sign the contract after issuance of Letter of Intent / Purchase Order.
- 5.6.6.4 Fails to furnish performance security after issuance of Letter of Intent / Purchase Order.

5.7 Deadline for submission of tender.

- 5.7.1 Tenderers shall upload all the necessary documents in the e tender portal before the last date and time for online submission and the Tender Inviting Authority shall not be held liable for the delay.
- 5.7.2 The Tender Inviting Authority may, at its discretion, extend the deadline for submission of Tender by amending the Tender Document, in which case, all rights and obligations of the Tender Inviting Authority and the tenderers previously subjected to the deadline shall thereafter be subjected to the same deadline so extended.

5.8 Modification and Withdrawal of Bids

5.8.1 The tenderer can modify or withdraw bids submitted online before the last date and time for online submission.

5.9 Period of Validity of Tender

- 5.9.1 The tender must remain valid for minimum 180 days (six months) from the date of opening of price bid. A bid valid for a shorter period shall be rejected by the Tender Inviting Authority as non-responsive.
- 5.9.2 Withdrawal or non-compliance of agreed terms and conditions after the execution of agreement or issuance of Supply Order will lead to invoking of penal provisions and may also lead to black listing/debarring of the successful tenderer.

5.10 Acceptance / Rejection of tenders:

- 5.10.1 It is also not necessary that the offer of the firm quoting the lowest rates shall be accepted. Usually the lowest offers of tenderers qualified for the price bid opening shall be accepted, unless one sided condition unacceptable to the Tender Inviting Authority are provided in such price bid.
- 5.10.2 At any point of time, the Tender Inviting Authority reserves the right to cancel or modify the supply order even after it is awarded to the successful tenderer in the event the firm deviates from the agreed terms and conditions.

5.11 Notices

- **5.11.1** The Tender Inviting Authority will publish the following information on its website or etender portal at the appropriate time as part of ensuring transparency in the tender process;**The tender notices, documents, corrigendum, addendum etc if any.**
- 5.11.1.1 Amendments to the tender conditions, if any, especially after the pre-bid meeting.
- 5.11.1.2Results of the responsiveness of the technical bids and minor infirmities/clarifications sought.
- 5.11.1.3 Final List of technically qualified bidders.
- 5.11.1.4 Summary of Online price bid opening.
- 5.11.2 Notice, if any, relating to the contract given by one party to the other, shall be sent in writing by email or fax and confirmed by

post. The procedure will also provide the sender of the notice, the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract

5.11.3 The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

5.12 Other terms and Conditions

- 5.12.1 All the terms and conditions in respect of warranty, Training of Staff etc shall be complied with.
- 5.12.2 Technical Specifications and Standards:- The Goods and Services to be provided by the successful tenderer under this contract shall conform to the technical specifications and quality control parameters.
- 5.12.3 The tenderer shall be responsible for payment of any charges due to any statutory authorities such as Income Tax, CGST, SGST, IGST, Customs Duties etc.
- 5.12.4 **Rejection of supplied bus:** On rejection of any bus subject to inspection or assessment of performance during commissioning at KSRTC SWIFT premises, such buses shall be rectified or replaced by the manufacturer at its own cost within 15 days of the date of intimation of rejection.
- 5.12.5 If the GST is left blank, then it will be considered as zero (inclusive in the basic price) or not applicable and BOQ will be considered for evaluation.
- 5.12.6 In the event, if it found that there is some statutory deduction to be made at the source, the Tender Inviting Authority will have the authority to do so.

5.13 Tendering System

5.13.1 The tenders / bids are to be submitted on-line in the e-tender portal.

- 5.13.2 PART-I entitled as TECHNICAL BID. The technical bid shall be submitted in the e-tender portal. The technical bid shall contain the complete technical specification, details on competency and financial stability of the tenderer, delivery and after sales conditions.
- 5.13.3 PART II titled as PRICE BID (BOQ) has to be submitted online only. The BOQ (excel sheet available in e-tender portal) is specific to a tender and is not interchangeable. The BOQ file shall be downloaded from the e-tender portal and quote the prices in the respective fields before uploading it. The Price bids submitted in any other formats will be treated as non-responsive and not considered for tabulation and comparison.
- Bidders have to procure legally valid Digital Certificate as per 5.13.4 Information Technology Act, 2000 for digitally signing their electronic bids. Bidders can procure the same from any of the license certifying authority of India. For more details, please visit the e-GP website www.etenders.kerala.gov.in or contact Kerala State IT Mission, e-Government procurement PMU & Help desk, Saankethika, Near EPF Office, Vrindavan Gardens, Pattom, Thiruvananthapuram 695004. Ph: 0471 - 2577088, 2577188; Tol1 free No.18002337315.; e-mail: etendershelp@kerala.gov.in.
- 5.13.5 The tenderer shall enroll and register in the e-tender portal. The tenderer shall issue DSC to only the responsible person who is authorized to submit online bids.
- 5.13.6 The tenderers who do not submit the technical bid which reaches beyond the stipulated date and time will be treated non-responsive.
- 5.13.7 If the bids are not submitted as per the requirement of the above clauses, the Tender Inviting Authority shall assume no responsibility for the offer's misplacement and consequential rejection.

5.14 Amendment of tender documents:

- 5.14.1 At any time prior to the dead line for submission of Tender, the Tender Inviting Authority may, for any reason, modify the tender document by amendment.
- 5.14.2 The amendments shall be published in e-tender portal, and the tenderer shall submit copy of amendments published if any signed by the tenderer or the authorized representative shall be enclosed as part of the technical bid as a proof of having read and accepted the terms and conditions of the tender document.
- 5.14.3 The Tender Inviting Authority shall not be responsible for failure to inform the prospective tenderers for any notices published related to each tender. Tenderers are requested to browse etender portal or website of the Tender Inviting Authority for information/general notices/amendments to tender document etc on a day to day basis till the tender is concluded.

5.15 Contents of online Bid submission.

- 5.15.1 Tender Document cost
- 5.15.2 Earnest Money Deposit
- 5.15.3 General information about the tenderer as per ANNEXURE- A.
- 5.15.4 Declaration Form as per Annexure B and copy of amendments if any duly signed in all pages by the tenderer or the authorized signatory.
- 5.15.5 Blank Price Bid format as per the format available in e tender portal.
- 5.15.6 Power of Attorney as per format in Annexure -K
- 5.15.7 Documents showing service facilities in Kerala.
- 5.15.8 Technical literature, product data sheet.
- 5.15.9 Offer Form As per Annexure C should be uploaded.
- 5.15.10 The tenderer should upload the copy of Type Approval certificate for the offered model.

- 5.15.11 Copy of certificate as per Clause No. 4.2.4
- 5.15.12 The documents proving that the tenderer is a vehicle manufacturer should upload a certificate
- 5.15.13 A certificate in prescribed format as per Annexure F for price firmness.
- 5.15.14 Lower Rate Declaration as per Annexure G
- 5.15.15 Specification Details as per Annexure E
- 5.15.16 Anti black listing certificate as per Annexure I
- 5.15.17 Performance evaluation sheet as per Annexure D
- 5.15.18 All documents as per clause 4.2
- 5.15.19 The documents such as notarized supply orders showing that the tenderer and manufacturer having previous experience in the business of the supply of the buses offered. The notarized copies shall be scanned and uploaded in the e-tender portal and the original notarized copy shall be submitted to KSRTC SWIFT Office only if requested.

5.16 Opening of Tender

- 5.16.1 The technical bid opening will be online. The date of technical bid opening is only published in advance.
- 5.16.2 The on-line opening of the technical bid and the price bid shall be done by the Tender Inviting Authority or his authorized representatives. The prospective tenderers or his/her representative who choose to attend the on-line bid opening can be a part by logging in to the e-tender portal with the registered digital signature. Tenderers or his/her representative shall not come to the office of the Tender Inviting Authority for the opening of either technical or price bids.
- 5.16.3 In the event of the specified date for opening of Tender being declared holiday, the Tender shall be opened at the appointed time and venue on the next working day.

- 5.16.4 In the event of the tender and claims in the on-line documents are materially missing or of substantial error or unqualified for want of required qualifications, shall stand disqualified and rejected. However, minor infirmities in the submission of documents will be allowed to be rectified so as to ensure qualification of maximum number of competitive offers to the final round.
- 5.16.5 The tenderer shall be responsible for properly uploading the relevant documents in the format specified in the e-tender portal in the specific location and the Tender Inviting Authority shall not be held liable for errors or mistakes done while uploading the on-line bid.
- 5.16.6 The date and time of Price Bid opening will be intimated only to the bidder qualified in stage I ie, after the opening of the Technical Bid etc of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms by the tenderers.

5.17 Evaluation of tender

- **5.17.1** The bid evaluation will consist of two stages viz, (i) Technical bid evaluations, (ii) Evaluation of price bid.
- 5.17.1.1 The commercial terms and documents submitted as part of the technical bids shall be scrutinized by a Bid Evaluation Committee constituted by the Tender Inviting Authority.
- 5.17.1.2 The Bid Evaluation Committee may also verify the veracity of claims in respect of the known performance of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms offered, the experience and reputation of tenderer in the field, the financial solvency etc.
- 5.17.1.3 The decisions of the Bid Evaluation Committee on whether the tenders are responsive or non-responsive or requiring clarifications will be published.

- 5.17.1.4 A tenderer, at any stage of tender process or thereafter, in the event of being found after verification by the Tender Inviting Authority, to indulge in concealment or misrepresentation of facts, in respect of the claims of the offer, shall be debarred/black listed.
- 5.17.1.5 The Tender Inviting Authority's decisions on the tender submitted shall be based on the decisions taken by the various committees and otherwise as per the clauses as mentioned above.

5.17.2 Evaluation of Price Bids

- 5.17.3 The Price bids (BOQ) of the short-listed technically qualified tenderer(s) will be opened only after evaluation of Technical Bids. The short-listing of the tenderer(s) will be carried out on the basis of the technical evaluation.
- 5.17.4 The opening of the price bid shall be done online by the Tender Inviting Authority or his authorized representative and only the Price Bids of those firms qualified in the detailed scrutiny and evaluation of the Technical bid, conducted by the Technical Committee/Tender Inviting Authority shall be opened in the second round.
- 5.17.5 Tenderer shall download the available price bid format in etender portal, and quote the prices in the respective fields before uploading it. The Price bids submitted in any other formats or with conditions will be treated as non-responsive and not considered for tabulation and comparison.
- 5.17.6 Price Offered shall be all inclusive and in Indian Rupees. Price should be quoted for the supply, training and successful commissioning of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms to the fulfillment of the satisfaction of KSRTC SWIFT Ltd.
- 5.17.7 Prices quoted by the Tenderer for the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium

Superfast Bus conforming to BS VI norms or latest as per CMVR Norms shall be firm for one year from the date of financial bid opening or for the complete delivery of the buses whichever is later. But any change in statutory levies shall be made applicable.

- 5.17.8 There shall also be no hidden costs.
- 5.17.9 Tenderer shall quote prices in all necessary fields in the available format. All white/green areas of the BOQ file shall be filled up. The grey areas of the BOQ file shall not be edited. The price shall be entered separately in the following manner:
- 5.17.9.1 Basic Price: The price of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms, accessories quoted shall be for the delivery of the buses at the specified location of KSRTC SWIFT Ltd. The prices shall be inclusive of Transit \insurance, Transportation Charges or any other charges as applicable for door delivery.
- 5.17.9.2 GST shall be quoted in this column in numeric values and in Rupees (If the field is left blank, value will be taken as zero).
- 5.17.9.3 The total amount will be calculated as per the bid evaluation criteria which included the prices of Chassis and Bus Body as per Appendix – II and will be taken for evaluation and bid ranking.
- 5.17.9.4 The tenderers shall offer prices of the accessories inclusive of all the accessories mentioned in the technical specification under Appendix I.
- 5.17.9.5 The tenderers shall offer prices of the accessories inclusive of all the accessories mentioned in the technical specification under Appendix I. The price bid evaluation shall be based on

the total end rate of bus chassis and bus body together (ie, as fully built bus) (as per Appendix-II). A sample calculation is shown in Appendix - II wherein the period of warranty is assumed as 3 years / 4,00,000 km which ever is earlier. The firm whose effective value is the lowest will be awarded the contract.

5.18 Clarification of Bids

- 5.18.1 During evaluation of bids, the Tender Inviting Authority may, at its discretion, give opportunity to the tenderer(s) for clarification of points raised by the bid evaluation committee on its bids submitted.
- 5.18.2 The request for clarification and the response shall be in writing, either through email or fax or by post.

5.19 Award of Contract

- 5.19.1 Criteria: The contract will be awarded to the lowest evaluated responsive tenderer qualifying to the final round after scrutiny of the technical bids of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms, i.e. after price bid opening.
- 5.19.2 Variation of Quantities at the Time of Award/ Currency of Contract:-At the time of awarding the contract, the Tender Inviting Authority reserves the right to increase or decrease by up to Thirty (30%) per cent, without any change in the unit price and other terms & conditions quoted by the tenderer.

5.20 Notification of Award/Letter of Intent (LOI)

5.20.1 Before expiry of the tender validity period, the Tender Inviting Authority will notify the successful tenderer(s) in writing, by registered / speed post or by fax or by email (to be confirmed by registered / speed post immediately afterwards) that its tender for accessories, which have been selected by the Tender Inviting Authority, has been accepted, also briefly indicating

there in the essential details like description, specification and quantity of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms and corresponding prices accepted. This notification is undertaken by issuing a Letter of Intent (LOI) by the Tender Inviting Authority.

- 5.20.2 The successful tenderer, upon issuance of the LOA, shall furnish the required security deposit and submit an agreement in the prescribed format within 15 (fifteen) days, failing which the EMD will be forfeited and the award will be cancelled.
- 5.20.3 The Notification of Award shall constitute the conclusion of the Contract.

5.21 Signing of Contract

- 5.21.1 The vehicle manufacturer shall be solely responsible for the execution of whole contract, whether the bus body is built in house or through their authorized body builder. The vehicle manufacturer shall execute an agreement for ensuring after sales support as well as supply of spares for an additional period of minimum 10 years. The period to be decided by the Tender Inviting Authority and shall be binding on the successful tenders. The Draft Agreement will be provided after issuing LOA. The successful tenderer shall submit bank guarantee of required validity period.
- 5.21.2 Promptly after notification of award, within fifteen (15) days from the date of the letter of intent, the successful tenderer shall submit the Agreement in two copies, both on Rs. 200/-Kerala state stamp paper purchased in the name of the successful tenderer, duly signed and dated, to the Tender Inviting Authority by registered / speed post or in person.
- 5.21.3 Assignment: -The Successful tenderer shall not assign, either in whole or in part, its contractual duties, responsibilities and

- obligations to perform the contract, except with the Tender Inviting Authority's prior written permission.
- 5.21.4 **Sub Contracts:** The Successful tenderer shall not sub contract the execution of the contract. Such action, if done without the knowledge of the Tender Inviting Authority prior to the entering of the contract, shall not relieve the Successful tenderer from any of its liability or obligation under the terms and conditions of the contract.
- 5.21.5 **Modification of contract:** If necessary, the Tender Inviting Authority may, by a written order given to the successful tenderer at any time during the currency of the contract, amend the contract by making alterations and modifications within the general scope of contract in any one or more of the following:
- 5.21.6 Specifications, designs etc. where Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms to be supplied under the contract are to be specifically manufactured for the Tender Inviting Authority.
- 5.21.6.1 Incidental services to be provided by the successful tenderer
- 5.21.6.2 Place of delivery

5.22 Performance Security

5.22.1 There will be a security deposit amounting to 5% of the total value for supply of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms, as mentioned in Section III excluding taxes, which shall be submitted by the successful vehicle manufacturer to the Tender Inviting Authority within 15 days from the date of issuance of Letter of Acceptance'. The performance security for supply of buses shall be released on 6 (Six) months after successful completion of warranty period. The agreement duly signed and returned to the tender inviting authority shall be accompanied

- by the security deposit amount in the form of demanded draft / bank guarantee valid after 6 months from the date of expiry of contract period in the prescribed format.
- 5.22.2 Upon receipt of such agreement and security deposit the tender inviting authority shall issue purchase order containing the terms and conditions for the execution of the order.
- 5.22.3 Failure of the successful tenderer in providing security deposit mentioned in as per the first pages of NIT and/or in returning agreement copy duly signed in time shall make the tenderer liable for forfeiture of its EMD.
- 5.22.4 The security deposit shall be denominated in Indian Rupees only.
- 5.22.5 Liquidated damages for non supply and performance:- The successful bidders shall supply the ordered quantity of vehicle as per the delivery schedule given by KSRTC SWIFT Ltd. If buses are not supplied as per supply schedule given by KSRTC SWIFT Ltd, liquidated damages will be realised from the supplier at the rate of 0.5% of the Cost of item per week for each week or part there of, up to a maximum deduction of 10% of the Contract prices and there after the Company will consider the termination of the contract at the risk and cost of the contractor.

5.23 Delivery

- 5.23.1 The successful tenderer will have to arrange transportation of the ordered buses as per its own procedure and pay necessary insurance against loss or damage incidental to manufacture or acquisition, transportation, delivery and pay all necessary charges incidental till it is satisfactorily delivered. It shall be ensured that the buses arrive at the destination(s) in good condition within the delivery period mentioned and as per the other requirements of the Tender Document.
- 5.23.2 If at any time during the currency of the contract, the successful tenderer encounters conditions hindering timely

delivery of the Fully Built AC Air Suspension 10.5 Mtr 4-Diesel Propelled Premium Superfast conforming to BS VI norms or latest as per CMVR norms and performance of services, the successful tenderer shall inform the Tender Inviting Authority in writing within a week about the same and its likely duration and make a request to the Tender Inviting Authority for extension of the delivery schedule accordingly. On receiving the successful tenderer's communication, the Tender Inviting Authority shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of successful tenderer's contractual obligations by issuing an amendment to the contract.

- 5.23.3 The successful tenderer is required to deliver the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms within the time specified as per the delivery schedule from the date of issue of the 'Purchase Order' and demonstrate individually the specification/features as well as operation / performance of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR norms to the satisfaction of the institution head or his/her representative.
- 5.23.4 The invoice shall be submitted for effecting stock entry at the respective location.
- 5.23.5 The Fully Built AC Seater 10.5 Mtr Diesel Propelled Premium SuperFast Buses of BSVI Norms as per CMVR Norms will not be accepted after the date of issuance of notice of termination, even if the bus are ready or dispatched following the termination. For the remaining Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per

- CMVR norms and services, the Tender Inviting Authority/may decide:
- 5.23.5.1 To get any portion of the balance completed and delivered at the contract terms, conditions and prices.
- 5.23.5.2 To place orders for the unexecuted portion of the order or even the increased quantity with the next lowest qualified tenderer at the risk and cost of L1 bidder.

5.24 Payment

- 5.24.1 The payment of the price agreed will be made as per clause No. 4.1.5.
- 5.24.2 The original invoice submitted shall be in the name of the Tender Inviting Authority and the name of the consignee shall also be mentioned in it.
- 5.24.3 Requests for advance payment, payment against delivery or payment through Bank against dispatched documents will not be considered.
- 5.24.4 The successful tenderer shall not claim any interest on payments under the contract.
- 5.24.5 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other taxes as applicable will be made from the bills payable to the Successful tenderer at rates as notified from time to time.
- 5.24.6 The successful tenderer shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to Tender Inviting Authority.
- 5.24.7 While claiming reimbursement of duties, taxes etc. (like CGST, SGST, IGST, custom duty) from the Tender Inviting Authority as and if permitted under the contract, the successful tenderer shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date,

it (the successful tenderer) shall refund to the Tender Inviting Authority forthwith.

5.25 After Sales Service conditions:

- 5.25.1 The successful tenderer should setup/to have service centres for satisfactory execution of the contract and the details shall be provided to the Tender Inviting Authority in writing.
- 5.25.2 The company attaches paramount importance to the after sales service of the buses supplied to ensure smooth operation afterwards. The successful tenderer is required to undertake and attend all repairs, if any, that may arise during the warranty period free of cost including all spare parts and material as per the terms and conditions.
- 5.25.3 The after sales terms and conditions will be strictly enforced and those tenderers who are willing to support the Tender Inviting Authority in its endeavor to provide trouble free operation/performance of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms for the prescribed period need only participate in the tender.

5.26 Guarantee/Warranty terms:

Marranty Conditions.- Warranty Conditions.- The Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms offered should have a warranty period of 3 Years / 400000 km which ever is earlier from the date of registration. Any premature failure of aggregates and accessories of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms within the warranty period shall be replaced free of cost on intimation from KSRTC SWIFT Ltd. The bidder should provide warranty for all value added services as per AIS:140/ BIS:

16833 such as Vehicle Tracking System (VLT Device), Security Camera Network (CCTV) with Panic Button, Led Destination Board System (LDBS) as per IS: 16490. If the warranty attentions are not done in the above stipulated time and consequently KSRTC SWIFT will realize the penalty as per section 5.29.12 of this NIT and this amount will be realized from the security deposit. If the security deposit is not sufficient to meet this, the same will be realized from any other payment due to them or legal steps will be initiated against the Tenderer, including revenue recovery.

- **5.26.2** The successful tenderer has to warrant that the Goods supplied under this Contract are new, of the most recent or current models and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.
- 5.26.3 The successful tenderer further have to warrant that the buses supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the successful tenderer, that may develop under normal use of the supplied goods.
- 5.26.4 All the buses including the accessories supplied as per the technical specification should carry warranty for a period mentioned under cl.4.1.2 in the first instance. During this period, the successful tenderer shall replace all defective accessories / aggregates of Bus Chassis components, Body and AC parts. The cost of spare parts and material for all replacements has to be borne by the successful tenderer during the period of warranty.
- 5.26.5 On expiration of the warranty period, the successful tenderer shall be willing to provide after sales support in supply of spares for an additional period of minimum 10 years.
- 5.26.6 **Site Visits:** AMC is not in the scope. Preventive maintenance is in the scope of KSRTC. However the vehicle manufacturer shall ensure smooth execution of warranty claims and shall provide proper guidance for preventive maintenance during the warranty period.

- 5.26.7 During every visit, a copy of the service report/break down call report, duly signed by the custodian of the Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms and stamped shall be forwarded by email/fax/post to the KSRTC respective depot within 10 days from the due date.
- 5.26.8 Warranty certificate for the additional equipments fitted as per the tender specifications duly signed and with proper stamp of the institution concerned and also signed by the authorized signatory with the stamp of the successful tenderer shall be submitted to the Tender Inviting Authority for keeping it under safe custody along with the Invoices. A copy of the original warranty papers has to be given to the institution head concerned.
- 5.26.9 The equipment/ aggregates fitted in the bus chassis which requires quality assurance test, statutory test and certification of all the equipments and related components should be renewed in the prescribed intervals from the authority concerned during the entire period as per the prevailing rules shall be done at free of cost during the Warranty period.
- 5.26.10 Any mandatory approval required for satisfactory supply and executing this contract of buses shall be obtained by the successful tenderer in liaison with the respective authorities.
- 5.26.11 The tenderer shall submit the details of activities to be carried out during the preventive maintenance.
- 5.26.12 The tenderer shall submit the parameters which require calibration and the frequency of calibration required and shall carry out during warranty period.
- 5.26.13 There should not be any exclusion of warranty for any spare parts except consumables.
- 5.26.14 The vehicle manufacturer shall ensure speedy release of buses under warranty claims and to ensure minimum down time of buses.
- 5.26.15 All software updates, if any required, should be provided free of cost during Warranty period.

5.27 Training

- **5.27.1** The bidder shall arrange orientation training as and when required for drivers/ technicians/ supervisors/ engineers of the KSRTC/ KSRTC SWIFT Ltd in respect of proper handling of safety critical fitments and their effective use and maintenance aspect of the complete bus system.
- 5.27.2 The number of trainings not limited but shall update the mechanics and supervisory staff on the updated technologies at any time and electrical and electronics (OBD and multiplexing), reconditioning of aggregate such as engine, gear box, rear axle etc free of cost including in house training.
- 5.27.3 As training activity is an integral part of these contract, KSRTC SWIFT Ltd will not make any payment for providing training.

5.28 Intellectual Property Rights (IPR)

- 5.28.1 The successful tenderer shall, at all times, indemnify and keep indemnified the Tender Inviting Authority, free of cost, against all claims which may arise in respect of goods & services to be provided by the successful tenderer under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks.
- 5.28.2 In the event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against the Tender Inviting Authority, the Tender Inviting Authority shall notify the successful tenderer of the same and the successful tenderer shall, at his own expenses take care of the same for settlement without any liability to the Tender Inviting Authority.
- 5.28.3 The Successful tenderer shall at all times, indemnify and keep indemnified the Tender Inviting Authority against all claims/damages etc. for any infringement of any Intellectual Property Rights (IPR) while providing its services under Warranty.

5.29 Corrupt or Fraudulent Practices

It is required by all concerned namely the

Tenderers/ Successful tenderers etc to observe the highest standard of ethics during the procurement and execution of contracts. In pursuance of this policy, the Inviting Authority defines, for the purposes of this provision, the terms set forth below as follows: "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Tender Inviting Authority, and includes collusive practice among Tenderers (prior to or after Tender submission) designed to establish Tender prices at artificial non -competitive levels and to deprive the Tender Inviting Authority of the benefits of free and open competition;

KSRTC SWIFT LTD/ Tender Inviting Authority will reject a proposal for award if it determines that the Tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question; will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the Tender Inviting Authority if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing the contract.

No tenderer shall contact the Tender Inviting Authority or any of its officers or any officers of the government on any matter relating to its bid, other than communications for clarifications and requirements under this tender in writing, with an intention to influence the members of various committees or officials of Tender Inviting Authority. Any such effort by a tenderer to influence the Tender Inviting Authority in the Tender Inviting Authority's bid evaluation committee, bid comparison or contract award decisions may result in rejection of the tenderers bid.

5.30 Force Majeure

For purposes of this clause, Force Majeure means an event beyond the control of the successful tenderer and not involving the successful tenderer's fault or negligence and which is not foreseeable and not brought about at the instance of, the party claiming to be affected by such event and which has caused the non - performance or delay in performance. Such events may include, but are not restricted to, acts of the Tender Inviting Authority either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and embargoes.

If a Force Majeure situation arises, the successful tenderer shall promptly notify the Tender Inviting Authority in writing of such conditions and the cause thereof within twenty one days of occurrence of such event. Unless otherwise directed by the Tender Inviting Authority in writing, the successful tenderer shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event

If the performance in whole or in part or any obligation under this con tract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.

In case due to a Force Majeure event the Tender Inviting Authority is unable to fulfill its contractual commitment and responsibility, the Tender Inviting Authority will notify the successful tenderer accordingly and subsequent actions taken on similar lines described in

above sub- paragraphs.

5.31 Resolution of disputes

If dispute or difference of any kind shall arise between the Tender Inviting Authority and the successful tenderer in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.

If the parties fail to resolve their dispute or difference by such mutual consultation within twenty one days of its occurrence, then, unless otherwise provided in the tender document, either the Tender Inviting Authority/ User Institution or the successful tenderer may give notice to the other party of its intention to commence arbitration, as provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India.

Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued, i.e., Trivandrum, Kerala.

Disputes if any shall be settled through mediation and the Company will notify mediating official from time to time and only when mediation is failed, litigation with in the jurisdiction of the courts at Thiruvananthapuram and Ernakulam need to be sought.

5.32 Applicable Law & Jurisdiction of Courts

- 5.32.1 The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.
- 5.32.1 All disputes arising out of this tender will be subject to the jurisdiction of courts of law in Thiruvananthapuram and Ernakulam.

5.33 general/ Miscellaneous Clauses

5.33.1 Nothing contained in this Contract shall be construed as establishing or creating between the parties, i.e. the Successful

tenderer on the one side and the Tender Inviting Authority on the other side, a relationship of master and servant or principal and agent.

- 5.33.2 Any failure on the part of any Party to exercise right or power under this Contract shall not operate as waiver thereof.
- 5.33.3 The Successful tenderer shall notify the Tender Inviting Authority of any material change would impact on performance of its obligations under this Contract.
- 5.33.4 The Successful tenderer shall, at all times, indemnify and keep indemnified the Tender Inviting Authority against any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its employees or agents or by any other third party resulting from or by any action, omission or operation conducted by or on behalf of the successful tenderer/its associate/affiliate etc.
- 5.33.5 All claims regarding indemnity shall survive the termination or expiry of the contract.

5.34 Penalties for non-performance

The penalties to be imposed, at any stage, under this tender are; imposition of liquidated damages, forfeiture of EMD termination of the contract, blacklisting/ debarring of the tenderer, failure to produce the requisite certificates after claiming to possess such certificates or concealment or misrepresentation of facts will not, only lead to rejection of tenders in the first round itself and/ or may lead to forfeiture of EMD as well as result in black listing/ debarring of the tenderer.

The penalties to be imposed on the tenderer, at any stage, will be decided on the basis of the violations of number of tender conditions specifically mentioned in the tender document as that leading to forfeiture of EMD or leading to black - listing/ debarring.

Any unexcused delay by the successful tenderer in maintaining its contractual obligations towards delivery of goods and performance of services shall render the successful tenderer liable to any or all of the following sanctions:

The penalties imposed by the Tender Inviting Authority will be published on the website of the Tender Inviting Authority for a period as decided as appropriate by it with a view to prevent other government institutions from procurement of items from such tenderers.

The decision to impose penalties and finally to black list the defaulting firm will be final and shall be binding on all tenderers participating in this tender. However there will be provision for appeal before the government against the decisions of the Tender Inviting Authority.

5.35 Termination of Contract

Termination for default: The Tender Inviting Authority without prejudice to any other contractual rights and remedies available to it (the Tender Inviting Authority), may by written notice of default sent to the successful tenderer, terminate the contract in whole or in part, if the successful tenderer fails to perform any other contractual obligation(s) within the time period specified in the contract, or with in any extension thereof granted by the Tender Inviting Authority.

Further details could be obtained from the office of the Chairman and Managing Director of KSRTC SWIFT Ltd, Anayara, Thiruvananthapuram during office hours at 0471 – 2465000.

5.36 Fall Clause

The prices charged for the item supplies under the contract by successful tenderer shall in no event exceed the lowest price at which the successful tenderer sells the items of identical description to any other institutions during the period of contract. If any time, during the contract, or get reduction in taxes or other charges the tenderer reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the Tender Inviting Authority and the price payable under the contract of the items supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.

The bidder is expected to maintain all the assemblies/ subassemblies/ items/parts etc. for proper functioning of the Bus in accordance with the technical specifications of the present model and recommendations of the Vehicle Manufacturers with respect to preventive maintenance services and dockings including for consumables.

- **5.37 Spares and After Sales Service:** The bidder shall confirm adequate availability of spare parts and after sales service for the buses offered in the bid during warranty period and further up to 10 years failing which actions will be taken for blacklisting the bidder and other consequent legal formalities.
- **5.38 Service Manuals and Spare parts Catalogue**: Detailed maintenance and service manual / workshop manual, spare parts catalogue etc shall be specially prepared for the supplied bus in soft copy or printed booklet along with the first supply of buses.

5.39 Temporary Registration:

The temporary registration should have a validity of at least 15 days while on delivery of vehicles at destination. If by any instance the vehicle is not accepted by KSRTC SWIFT Ltd due to any reason the renewal of temporary registration has to be made by the bidder until it is accepted by KSRTC SWIFT Ltd.

5.40. **Statutory Compliance**: The Bidder shall obtain himself, at his own expense, all the latest Specifications required for design,

manufacture, and supply and commissioning of Buses in accordance with contract terms. The bidder shall be required to comply with all the latest provisions of the Central Motor Vehicle Rules 1989 (CMVR), Motor Vehicle Act 1988 (MVA) and KMV Rules 1989,AIS: 052 Bus body code along with all amendments therein and other Statutory and legal requirement as applicable on the date of delivery / registration of Buses and any retro fitments done during the contract period the bidder shall obtain necessary certificates from the competent authorities. Modifications with regard to emission norms as and when issued by the Government should be incorporated and shall obtain necessary certificates for the entire period from the competent authorities.

- 5.41. Inspection of buses at destination station: The manufacturer shall be responsible and liable to deliver fully built buses in accordance with the technical specifications, terms and conditions at KSRTC SWIFT Ltd, Anayara, Thiruvananthapuram. On receipt of buses at the place of delivery, along with the valid required documents, these shall be jointly inspected by the supplier and the authorised official of the Company for the completeness and satisfactory condition of all equipment / components. Damages, defects and deficiency, if any, shall be noted and the supplier shall initiate immediate action for making good same under advice from the Company within mutually agreed time period. Any delay for commissioning of these buses due to any such reason shall be to supplier's account and shall be dealt with by the Company as per conditions of the contact.
- 5.42. Liquidated damage for supply performance The successful Tenderers shall supply the ordered quantity of Fully built Buses as per the delivery schedule given by KSRTC SWIFT Ltd. If Fully built Buses are not supplied as per supply schedule given by KSRTC SWIFT Ltd, liquidated damages will be realised from the supplier at the rate of 0.5% of the cost of item per week for each week or part there of, up to a maximum deduction of 10% of the contract prices and there after the Company will consider the

termination of the contract at the risk and cost of the bidder, as per the provisions of Kerala Store Purchase Manual.

5.43 Specific Conditions

Letter Of Award (LOA) will be given to L1 Bidder upon receipt of the 'Letter of Acceptance', the successful Bidder shall return two copies of the Letter of Acceptance duly signed and stamped by his authorized signatory within 7 (Seven) days from the date of dispatch of Letter of Intent. However, the Contract shall be deemed to be concluded on the date of dispatch of the 'Letter of Acceptance' by the Purchaser. Upon return of 'Letter of Acceptance' from the successful Bidder, the purchase order will be issued by KSRTC SWIFT Ltd.

The routine preventive maintenance of the vehicle shall be carried out at the premises of KSRTC SWIFT Ltd without interrupting the service operations.

5.44 The vehicle manufacturer who have after sale service / performance / spare parts related issue for the earlier supply of buses to KSRTC shall have to give additional performance security @Rs.500000 per bus in the form of DD / Bank Guarantee during the entire period of contract with KSRTC SWIFT Ltd.

CHAIRMAN AND MANAGING DIRECTOR	
I/We hereby accept all the above terms and conditions in its entirety.	
Signature:	
Name:	
Address:	
Telephone No.	
Mobile No.	
Place:	
Date	

Appendix - I

SPECIFICATIONS OF Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR

S1 No.	CHARACTERIS	STICS	SPECIFICATION DETAILS
1.	Propulsion System		High Speed Diesel 4-Cylinder BS6 Engine
2.	Overall length		10 - 11 mtr (Maximum)
3.	Floor height		Minimum 900 mm, approval as per AIS 052 with sufficient luggage space beneath the platform
4.	Angle of approa	ch (unladen)	As per AIS:052
5.	Angle of departs	ure (unladen)	As per AIS:052
6.	Ramp over anglo	e (half of break-	As per AIS:052
7.	Overall width		2600 mm Max
8.	Front over hang	g	As per CMVR
9.	Rear over hang		As per CMVR
10.	Wheel base		As per CMVR
11.	No. of axles		Two
12.	Emission Norm		Should comply the latest BSVI norms.
13.	Transmission		Manual
14.	Brake System		Full air Dual line with ABS or advanced version
15.	Steering		Hydraulic power Steering
16.	Steering wheel height adjustment and angle adjustment		With height and angle adjustment provision desirable. Adjustable steering column desirable.
17.	Engine		Position at Front, Minimum 145 HP
18.	Suspension	Front Rear	Weveller / Parabolic Spring Weveller / Parabolic Spring
		ICai	wevener / rarabone opring

19.	Fuel Tank	Minimum 160 Litres
20.	Warranty	The Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms offered should have a warranty period of 3 Years / 400000 km which ever is earlier from the date of registration. Two 12V batteries of 150Ah
21.	Battery	capacity or above. Maintenance free batteries with minimum one year warranty as per battery manufacturer.
22.	Battery box	As per AIS 052
23.	Electric Horn	24 V as per IS.1884:1993 Matched Pair (Low & High tone)
24.	Public Addressing System with USB type speakers	CMVR approved PA system shall be provided with USB type amplifier. Speakers of good quality shall be mounted in the interior roof audible to the passengers. The PA system shall be connected with TV also.
25.	Speed limiting device	Required as per type of Engine. There shall be provisions for limiting the vehicle speed at any value as per relevant KMVR and as required by KSRTC SWIFT Ltd. One Scan tool should be provided to KSRTC SWIFT for 10 buses.
26.	Dash Board Camera with wi-fi for real time monitoring and storage facility	Suitable camera shall be provided in the front, to have full front view. Dash board camera with wifi for real time monitoring and storage facility for minimum 15 days to be provided with all accessories,

		supporting softwares and monitors
		as required.
		a.To interior view
		b.To view driver
		c. Reverse Camera
		d.Left side view camera
	Destination Board	3 Nos. of Destination Board to be
		provided with single control. Full
		length LED Display board in front of
		the bus with 3 lines display in multi
27.		colour. 2 LED board in two lines at
		Rear side and left side. All
		programmable through transfer of
		data through blue tooth and Wi-fi
		as per AIS:052
		In-built IRNSS based VLT Device for
		Automatic Vehicle Location System
		which is approved by Kerala Motor
		vehicle Department (with
		compliance of AIS 140 with
		minimum 5 Nos. of emergency
		buttons for access to every
		passenger in the bus , preferably
	GPS and Panic button	inbuilt box). This VLT Device shall
28.		be integrated with other VLT
20.		System implemented by KSRTC/
		KSRTC SWIFT and shall also
		provide suitable software or to
		share the API for Vehicle Tracking,
		Input to PIS System, Kmpl and
		other performance reports
		No additional payment will be made
		by KSRTC –SWIFT for activation
		and subscription for mandatory 2
		years as per AIS 140.
29.	Entertainment System	Minimum 1 units TV, Minimum
47.		32/24" good guality LCD TV wi-fi

		enabled with rugged fittings and also the Public Information System shall be displayed and compact with the software platform of KSRTC/KSRTC SWIFT, DVD player, Speakers, Power Inverter, Public addressing System.
		If 32" TV can't be accommodated as per bus body design, 24 inch TV can be considered.
30.	Lights	As per CMVR / AIS
31.	Safety and Emergency door	The bus body design shall be of Type II and hence applicable requirements as per stipulations need to be included.
32.	No. of passenger door	No. of passenger door - 1 No. positioned ahead of the front axle / behind of the front axle between the wheelbase.
33.	Reading Lights & AC Vents	Shall be provided with individual control for each seats
34.	A/C	A/C system as approved as per AIS 052 shall be provided. The A/C manufacturer should have sufficient service support within Kerala and the nearby states.
35.	Night light	Shall be provided with individual control for each seats.
36.	Roof Hatch	Roof hatch 2 Nos. shall be provided in saloon area.
37.	Tyres	Minimum 235/75R17.5, 14PR Or Suitable Tyre Size as per standards. Tubeless Radial Tyres – 6 +1 (Spare wheel & carrier.
38.	Spare wheel carrier	Winch type/ Chain type spare wheel carrier as per OEM design.
39.	Fire Extinguisher	Should be provided as per CMVR/ KMVR rules

set of head rest covers, Fully equipped tool kit containing Tommy bar, Wheel spanner, Screw driver (heavy duty), cutting pliers, pipe wrench and Hydraulic Bottle Jack (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses. Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 41. Paint and Graphics ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AlS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AlS 052 Prescription of driver water and passenger for driver. Power controlled as per AlS 052 Prover controlled as per AlS 052 Prover controlled as per AlS 052 Power controlled as per AlS 052 Power controlled as per AlS 052			2-set-of side curtains, Floor Mats, 2
bar, Wheel spanner, Screw driver (heavy duty), cutting pliers, pipe wrench and Hydraulic Bottle Jack (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses. Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AlS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AlS 052 Power controlled as per AlS 052 Power controlled as per AlS 052			set of head rest covers, Fully
40. Accessories (heavy duty), cutting pliers, pipe wrench and Hydraulic Bottle Jack (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 41. Paint and Graphics ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. 43. Mobile Charging unit As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver			equipped tool kit containing Tommy
wrench and Hydraulic Bottle Jack (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 41. Paint and Graphics ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. Not applicable Operating mechanism of passenger door by driver			bar, Wheel spanner, Screw driver
40. Accessories (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 41. Paint and Graphics ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. 43. Mobile Charging unit As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			(heavy duty), cutting pliers, pipe
40. Accessories (Capacity 15 Ton - 1 No.). Seperate bottle holder for driver seat. Front Wind Shield Glass - 1 No. each for every 10 buses. Side and emergency glass - 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 41. Paint and Graphics ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports - Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. 43. Mobile Charging unit As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			wrench and Hydraulic Bottle Jack
Front Wind Shield Glass – 1 No. each for every 10 buses. Side and emergency glass – 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC / KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052 Power controlled as per AIS 052	40.	Accessories	(Capacity 15 Ton - 1 No.). Seperate
each for every 10 buses. Side and emergency glass – 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			bottle holder for driver seat.
each for every 10 buses. Side and emergency glass – 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			Front Wind Shield Glass – 1 No.
Side and emergency glass – 1 set each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC / KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			
each for every 10 buses Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 42. ETM Box ETM Box One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 44. Floor material Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052 Power controlled as per AIS 052 Power controlled as per AIS 052			·
Colour Scheme, Logo / Graphics to be painted will be intimated to the successful bidder. 42. ETM Box ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052 Power controlled as per AIS 052			
be painted will be intimated to the successful bidder. 42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC / KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			,
successful bidder. 42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC / KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052	4.1	Daint and Chaphica	
42. ETM Box ETM Box of suitable size with lock and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC / KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052	41.	Paint and Graphics	_
42. ETM Box and key facility for keeping ETM One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			
One each (with two charging ports – Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052	42.	ETM Box	
Two USB / one USB & one C port) in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			
43. Mobile Charging unit in each seat row on both sides, which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Power controlled as per AIS 052			, , , , , , , , , , , , , , , , , , , ,
which should be concealed and tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052	_		· ·
tamper proof. As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052	43.	Mobile Charging unit	· I
As per AIS 052 Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable 48. Operating mechanism of passenger door by driver Power controlled as per AIS 052			
44. Floor material Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Preferably Aluminium chequered sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. Preferably Aluminium chequered sheets of 3mm thickness			
sheets of 3mm thickness The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052			As per AIS 052
The details to be made available at KSRTC/ KSRTC SWIFT control room Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052	44.	Floor material	-
45. OBD KSRTC / KSRTC SWIFT control room Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Nose Power controlled as per AIS 052			sheets of 3mm thickness
Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052			The details to be made available at
Wifi Wifi access to the passengers to be given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052	45.	OBD	KSRTC/ KSRTC SWIFT control
46. given. Wifi router to be provided by the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052			room
the vehicle manufacturer. 47. ITS Not applicable Operating mechanism of passenger door by driver Power controlled as per AIS 052		Wifi	Wifi access to the passengers to be
47. ITS Not applicable Operating mechanism of passenger door by driver Not applicable Power controlled as per AIS 052	46.		given. Wifi router to be provided by
48. Operating mechanism of passenger door by driver Power controlled as per AIS 052			the vehicle manufacturer.
48. passenger door by driver	47.	ITS	Not applicable
passenger door by driver		Operating mechanism of	Power controlled as per AIS 052
40 Desitions of door control. Charact to a desired for daily	48.	passenger door by driver	
79. Positions of door controls Should be on dashboard for driver	49.	Positions of door controls	Should be on dashboard for driver

		control and emergency switch
		inside & outside of doors as per AIS
		052
	Minimum clear door width	As per AIS 052
50.	excluding grab handle in fully	
	opened position	
51.	Maximum first step height	As per AIS 052
	Power operated service door-	As per AIS 052
	construction & control system of a	
52.	power operated service door to be	
02.	such that a passenger is unlikely	
	to be injured/ trapped between	
	the doors	
53.	Door components	As per AIS 052
54.	Door locks/locking systems/door	As per AIS 052
J-1.	retention items	
55.	Door hinges	As per AIS 052, GI preferred
56.	Design type approval	As per AIS 052
57.	Bus structure- materials specs	GI/Anti corrosion treated ERWCR
	etc.	Steel Materials as per Type approval
		Stainless steel pipe Gr.304 or
		equivalent of 32mm & 2mm thick
		for Grab rail, Centre post and
58.	Grab rails, Centre posts and	should provide sufficient passenger
36.	passenger slings	slings at necessary points.
		Each passenger sling should have
		advertisement space.
59.	Foot step	Foot step shall be provided as per
		AIS-052.
60.	Panel beading	
61.	Roof grab rail brackets	
62.	Side Glass	Sliding Glass as per AIS052/CMVR.
63.	Glass specifications	Toughened tinted glass IS 2553
		(part-2)-1992/latest

	Glass thickness:	As per AIS 052
	Colour of glass	Tinted Glass As per CMVR
64.	Rear view mirrors	As per AIS 052
65.	Fitment of Rear view mirror	Stainless steel / MS powder coated -brackets, Left side rear view mirror should visible to driver through Front Wind Screen glass.
66.	Passenger Seating Capacity	35 High Back Rest Reclining seats + 5 High Back Rest seats in last row can be provided (last row seats non-reclining shall be provided, if semi-reclining not possible in the last row as per OEM design). Minimum 40 Nos. semi-reclinable seats, 2X2 layout with foot step.
67.	(Seats sample: 2 sets of seater which is offered to be fitted in the bus should be given as sample to KSRTC SWIFT, Anayara, Thiruvananthapuram before fitment for assessing the suitability).	As per AIS-023, seat lay out 2 X 2 Every seat must have its suitable advertisement space with open able acrylic cover / Shall have suitable advertisement space.
68.	Dash board lighting/control lighting	As per AIS 052
69.	Seat area /seat space per passenger (width* depth)	As per AIS 052
70.	Seat pitch-minimum	As per AIS 052
71.	Torso angle (degrees)	As per AIS 052
72.	Passenger seating	As per AIS 052 & AIS 023. Preferably Fabric and the colour shall be intimated later.
73.	Seat materials	As per AIS 052 & AIS 023
74.	Seat arm (Arm rest)	Required for all seats
75.	Sun visor	Required
76.	Seat belts & their anchorage	As per AIS 052. Should be provided

		to all seats.	
77.	Driver seat belt & anchorage duly type approved.	4 way adjustable driving seat with high back rest & Head Rest as per CMVR & AIS 052 conforming to AIS 005 & 015	
78.	Driver's working space	As per AIS 052.	
79.	Bottle Holder	A bottle holder of minimum 1 Ltr size should be provided on the driver door in such a way that it is easily accessible.	
80.	Heat resistance	Bonnet of the engine compartment should be PUF insulated and noise free as per CMVR / Industry standards. The frint grill shall be of suitale design to provede air circulation to engine.	
81.	Corrosion prevention treatment		
82.	Internal surfaces of structural members	As per clause 3.17 of AIS 052	
83.	External surfaces of structural members	ris per clause 5.17 of rife 602	
84.	After drilling holes/welding		
85.	Primer coating	As per clause 3.17 of AIS 052	
86.	Body Painting:	PU Paint to be used	
87.	Body Colour and Design	Will be given by KSRTC SWIFT Ltd.	
88.	Electrical system, electrical cables and conductor cross section	BIS marked, copper conductors with fire retardant insulation as per IS/ISO: 6722:2006. Conductor cross-section varying as per circuit requirements, minimum cross-section 0.5 sq mm.	
89.	Fuse	As per AIS 052	
90.	Isolation switches for electrical circuits where RMS value of voltage exceeds 100 volts		

91.	Location of cables away from heat	
	Sources True ammoved of singuit diagram	
00	Type approval of circuit diagram	
92.	as per standards related to electric	
	equipment/wiring	
	Battery cut – off switch (isolator	Shall be positioned near driver seat
93.	switch):	for easy and quick operation by
	,	driver.
94.	Wind screen wiper:	As per table 22 of AIS 007
95.	Wiper motor:	Variable speed with time delay relay
95.	wiper motor.	as per AIS 11
96.	Wiper arm/blade:	As per AIS 019/AIS 011
		Requires one ETM charging point
97.	Power ports	with ETM holder in driver cabin. DC
		to AC converter should be provided.
		As per AIS 052 and all interior
98.	Lighting- internal & external and	lights should be LED Type, OE
96.	illumination	fitting preferred in case of head
		lamp and tail lamp.
00	D:	1 number fixed metallic / PP make
99.	First aid box:	First Aid Box with required items.
100.	Handholds:	As per AIS 052, fixed type preferred.
		As per AIS 052.Stainless steel 38 x
101.	Stanchions:	2mm All stanchion brackets should
		be of metallic type.
		As per AIS 052, step well guards
		made of stainless steel pipe of
	Entrance/exit guard/step well guard:	25mm x 2mm. No seats shall be
		fitted obstructing the free access to
102.		emergency door. One grab rail
		above the emergency door is
		required. Foot rest come guard to
		be provided in front of seats behind
		emergency door.
100	Front/rear door, step well lights,	LED bulb as per AIS 008
103.	door open sign	

104.	Mirrors right/left side exterior	Convex as per AIS 001 & 002.
104.	/interior:	interior with double curvature
105.	Towing device front/rear	As per CMVR & IS 9760-ring type
106.	Warning triangle	As per AIS 052/CMVR
107.	Bumpers-front and rear	As per AIS 052, Detachable type, easily removable in order to support the engine. Construction of bumper should be in such a way that it can be easily removable to access the units for repair & maintenance and for towing of bus, if required. If the design type approval is FRP bumpers integrated with Front and Rear fascia will be provided with tow hook arrangement, this can be accepted. Support shall be provided for repair and maintenance of bumper.
108.	Luggage Box / Courier Box	As per AIS 052 and mutually agreed by the purchaser and bidder with scope for maximum space for the provision of courier supply.
109.	Inside luggage carrier	As per AIS 052
110.	Stay box for crew	Stay Box of sufficient size for crew to be provided with locking facility Accessible from driver cabin
111.	Driver Cabin Separation	Should be separated from passenger saloon as per AIS 052 Stainless steel tube structure, fencing type this separation should not restrict the driver seat position adjustments and a suitable fan may be provided. Bonnet of the engine compartment should be PUF insulated and noise

		free as per CMVR / Industry
		standards.
		There shall be easy and quick
		access to all under chassis
	Proper access to repair and	components which require repair
112.	maintenance points of various	and maintenance such as
	vehicle components	suspension, P-hafts, Air filters, Gear
	_	box, Air drier, DB Valve, Power
		steering units Radiator etc.
		1. Out side Roof : Aluminium
		Coil Sheet (minimum 0.9mm)
		Bitumin tape should be used
		at all joint areas to arrest
		water leakages)
		2. Inside roof: Suitable heat
		resistant material to avoid
	Paneling Materials	heat transfer to the
		passenger saloon area. Fire
		retardant insulation material
		shall be used in between the
		roof inside and outside
113.		panels.
		3. Inside below window sill:
		Aluminium Beading with
		PVC sleeve.
		4. Window sill flaps : ABS sill
		flaps.
		5. Inside window pillar flaps:
		PP/ABS window pillars.
		6. Front and Rear face paneling
		: FRP
		7. All remaining paneling :
		Aluminium / GI Sheets
		Iron – Nickel plated type with
114.	Conductor bell	mounting bracket and lever.with
		good quality string.

115.	Safety bracket for propeller shaft	As per KMVR			
116.	Safety bracket for diesel Tank	Required (Fully covered Grill type)			
117.	Positioning of switches	All light control switches shall be positioned on the top of the driver seat / on the dash board. The flip grill should have sturdy telescopic shock absorber support in opened condition as per OEM design.			
118.	Front grill opening				
119.	Gear box inspection cover	Preferably 75x50mm size inspection cover shall be provided or suitable size as per OEM design			
120.	Vehicle location tracking device and emergency button	by KMVD with IRNSS, models with minimum 5 panic buttons necessary software shall also be supplied for Vehicle Tracking, KMPL monitoring, PIS and other performance reports and must be integrated with KSRTC / KSRTC SWIFT applications. No additional payment will be made by KSRTC – SWIFT. No other changes in the clause.			
121.	Certifications	Comply with a) CMVR and KMVR requirements b) Type approval certificate by any authorized agency in CMVR 126 c) Compliance to strength of super structure- AIS 031 d) Compliance to Bus Body Code AIS 052 & ITS AIS:140 e) Compliance of flammability requirements as per IS 15061:2002 f) Certificate issued by ARAI g) The Gross Vehicle Weight shall be as per the Vehicle Manufacturer design to meet the specifications as			

		per the NIT.				
		1. After the completion of super				
		structure (before paneling and				
	Stage inspection of prototype bus	fixing of platform)				
122.	by KSRTC / KSRTC SWIFT team	1.After completion of whole work.				
	at the production site	The supplier should make				
		arrangements for the inspection				
		timely.				
123.	Electronic Stability Control	Electronic Stability Control (ESC) to				
125.	Electronic Stability Control	be included in the buses.				
		One good quality dustbin of				
124.	Duathia	suitable size shall be provided in				
124.	Dustbin	the saloon area in a convinent				
		location.				

GENERAL REQUIREMENT AND SPECIFICATION

- 1. FIRE SAFETY: The bus shall be designed and manufactured with all applicable fire safety regulations under CMVR/ Bus Code for safety of DIESEL buses including prescribed upholstery material, fire retardant cable, connectors etc. These provisions shall also include the use of fire retardant material, fire detection system, fire walls and facility for passenger evacuation [doors, windows and escape hatches] as per statutory requirements besides Bus Code.
- 2. All Diesel system items shall conform to the relevant CMVR/Government of India/ BIS/ AIS024 & 028 and other applicable standards.

3. PROTECTION AGAINST FIRE RISK

4. All wires shall be routed away from heat zone areas and shall be properly fitted in fire retardant sleeves additionally and adequately shielded from heat. Also, these wires shall be prevented from sharp edges and grommets shall be used wherever unavoidable.

5. UNDER FRAME AND STRUCTURE

- 6. The entire surface of bus under floor and sides exposed to ground shall be covered with appropriate corrosion prevention and flame retardant paint coating for protection against harmful effects of water, mud etc and to retard flames, if any.
- 7. Sufficient clearance and air circulation shall be provided around the tyres, wheels and brakes to preclude over-heating when the bus is operating.
- 8. All exterior surfaces shall be smooth and free of wrinkles and dents. Finished painted surface of the bus should be free from any imperfections.

9. SERVICE DOORS

- 10. No. of service doors one, front of the front axle. Door opening mechanism shall be power operated. Door opening and closing time per opening shall be 4 second max. Door aperture should be conforming to CMVR and KMVR. It shall comply the provisions prescribed for power operated doors as in AIS 052.
- 11. The entrance and exit doors shall be power operated controlled by the driver and/or the conductor with internal and external emergency open controls. In the event of an emergency, it shall be possible to open the

doors manually. Doors, door hinges and locks shall comply with safety requirements as per Indian/ standards. A suitable indication system shall be provided on driver's dashboard to warn that the door is 'Open' or not fully closed. Also there should be switch/ button at suitable location near passenger doors accessible to passenger to sent request signal to driver for stopping bus at the forthcoming stop or in case any if there is any emergency. Entrance and Exit doors shall be provided with suitable support in the form of grab handles for boarding/ alighting passengers.

- 12.A warning electronic chime shall be installed at the doors. This chime is activated before opening or closing.
- 13.A red "DOOR CLOSING" sign shall be installed above exit door. The sign will blink when exit door is closing.

14. EMERGENCY EXIT

- 15. Emergency exits shall be provided in the bus as per the provisions of the Bus Code/ CMVR. For emergency exit purpose, service doors equipped with power operated system shall be provided with mechanism to be readily operable by hand.
- 16. The bus will have Passenger Information System (PIS System) at front, rear, side and internal display board with integrated voice announcement system as per requirement, in-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT and shall also provide suitable software for Vehicle Tracking, Input to PIS System, KM/KG and other performance reports.
- 17. **Material Inspection:** The materials to be used for the manufacturing of buses shall conform to the specified Automotive Industry Standards (AIS)/Bureau of Indian Standard(BIS) surpassing the performance and other requirements as given in the Bus Body Code AIS 052. Bidder shall be required to obtain type approval of all safety critical items/materials from the authorised testing agencies before use. The manufacturer shall be required to provide a list of such items along with their Certificates to KSRTC SWIFT Ltd.

	Battery cut off/ isolation switch shall be provided near the driver seat.							
	Signature:							
	Name & Address of the Tenderer							
Place:								
Date:								
	(Seal of the Tenderer)							

18. **Maintenance of Bus:**- Towing of arrangements to be provided. Accessories / Assemblies are easily maintainable and replaceable.

APPENDIX: II

KSRTC SWIFT LTD.

SAMPLE PRICE EVALUATION

The price bid evaluation will not be on the basis of price quoted for the Bus chassis and the Body Building.

Description	Firm I	Firm II	Firm III	Firm IV
END RATE OF CHASSIS FOR FULLY BUILT AC- SEATER DIESEL PROPELLED BUSES - X	6,45,000	7,00,000	6,00,000	6,50,000
END RATE OF BUS BODY FOR FULLY BUILT AC-SEATER DIESEL PROPELLED BUSES AND AS PER CMVR NORMS - Y	3,50,000	3,90,000	4,50,000	3,50,000
Effective value for calculating L1=(X + Y)	9,95,000	10,90,000	10,50,000	10,00,000
Status	L1	L4	L3	L2

Annexure -A

(Proforma of Certificate be furnished along with Technical Bid)

$\frac{\text{KSRTC SWIFT LTD}}{\text{GENERAL INFORMATION ABOUT THE TENDERER}}$

	Name of the								
	Tenderer								
1	Registered address								
	of the firm with								
1	GSTIN								
	State				Distr	rict			
	Telephone No.				Fax				
	Email				Webs	site			
		Con	tact Pe	erson	Details				
2	Name				Design	ation			
	Telephone No.				Mobile	No.			
		Com	munica	ation	Address				
	Address								
	ridareos								
3	State				District				
	Telephone No.				Fax				
	Email			Website					
	Туре	of the I	irm (F	Please	√ relev	ant bo	x)		
	Private Ltd.	Publi	c Ltd.			Propr	ietorship		
4	Partnership		iety			Ot	hers,		
	Registration No.	& Date	of						
	Nature	of Bus	iness (Pleas	$\mathbf{e} \ \sqrt{\mathbf{relev}}$	vant b	ox)		
	Original Equipme	ent			Azztla a mi	and Do	-1-m		
	Manufacturer			Authorized Dealer					
5				/Representative					
	Direct Importer			Others, specify.					
Key personnel Details									

(Chairman, CEO, Directors, Managing Partners etc.)									
		in c	in case of Directors, DIN Nos. are required						
6	Name			Designati	Designation				
	Name	ame		Designati	ion				
Bank Details									
	Bank Acc	ount No.		IFSC C	ode				
7	Bank N	lame &		Branch Name					
'	Addr	ress							
	Tel	No	Email ID						
8	Whether any criminal case was registered against the company						Yes / No		
	or any of its promo				ers in the past?				
	Other relevant Information provided *								
9	(here encl	(here enclose the details such as presentation on the details of the tenderer in							
	a CD preferably, please avoid submission of detailed leaflets/brochures etc, if								
	possible.)								
					Signat	ure of the			
Date	<u>.</u>	Office			ten	derer /			
Date	·•	Seal			Aut	horised			
					sig	natory			

Annexure - B

(Proforma of Certificate be furnished along with Technical Bid)

KSRTC SWIFT LTD DECLARATION FORM

I/We I	M/s	represen	ted by its
Proprietor /	Managing Partner /Chairm	an and Managing Direct	or having
its	Registered	Office	at
do hereby d	eclare that I/We have ca	refully read all the con	ditions of
tender	DATED	for supply of	
invited by th	e KSRTC SWIFT Ltd., This	ruvananthapuram and a	ccepts all
conditions of	Tender.		

Signature of the Tenderer

Name in capital letters with Designation

Annexure - C

(Proforma of Certificate be furnished along with Technical Bid)

KSRTC SWIFT LTD OFFER FORM

H	Iaving	examined	and	acceptin	g the	condi	tions	of	the	ten	der
d	ocume:	nt no	•••••		• • • • • • • • • • • • • • • • • • • •	we	here	by	subm	iit t	his
0	ffer	for	the	supp	ly	&	ins	talla	ation		of
II		ing the det			_						
S1.	Nan	ne of the			C	riginal			Count	ry o	of
No.			M	odel	Eq	uipmer	nt		Orig	gin	
INO.	Equ	iipment			Mar	ufactu	rer				

Data		Signature of the
Date:	Office seal	tenderer/Authorized
		signatory

1

Annexure -D

(Proforma of Certificate be furnished along with Technical Bid)

PERFORMANCE EVALUATION SHEET

Sl	Parameter	Remarks
No.	1 arameter	
1	Model / Type	
2	HP of the vehicle	
3	Seating capacity	
4	No. of Buses supplied	
5	Supplied STU's Name	
	Performance evaluation for	or the last financial year
1	No. of Buses	
1	performance evaluated	
2	Total Km covered	
2	during last one year	
3	Average KMPL	
4	Break down rate for	
-	10000 km	
5	Off road rate in %	

Place:-	
Date:-	

Signature

Name & Address of the Tenderer

Seal

ANNEXURE - E

(Proforma of Certificate be furnished along with Technical Bid)

Specifications Of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR NORMS

SI No.	CHARACTERISTICS	SPECIFICATION	Compliance	Remarks,
51 NO.	CHARACTERISTICS	DETAILS	Status Y/N	if any
	Propulsion System	High Speed Diesel 4-		
	Propulsion System	Cylinder BS6 Engine		
2.	Overall length	10 - 11 mtr (Maximum)		
		Minimum 900 mm,		
		approval as per AIS 052		
3.	Floor height	with sufficient luggage		
		space beneath the		
		platform		
4.	Angle of approach	As per AIS:052		
т,	(unladen)			
5.	Angle of departure	As per AIS:052		
5.	(unladen)			
	Ramp over angle (half	As per AIS:052		
6.	of break-over angle)			
7.	Overall width	2600 mm Max		
8.	Front over hang	As per CMVR		
9.	Rear over hang	As per CMVR		
10.	Wheel base	As per CMVR		
11.	No. of axles	Two		
10	D : M	Should comply the		
12.	Emission Norm	latest BSVI norms.		
13.	Transmission	Manual		
		Full air Dual line with		
14.	Brake System	ABS or advanced		
		version		
15.	Stooring	Hydraulic power		
15.	Steering	Steering		

		With height	and angle	
	Steering wheel height	adjustment	provision	
16.	adjustment and angle	desirable. Adjustable		
	adjustment	steering col	umn	
		desirable.		
4		Position at	Front,	
17.	Engine	Minimum 1	45 HP	
		Front	Weveller	
1.0			Full air	
18.	Suspension	Rear	Suspension	
			on rear axle	
19.	Fuel Tank	Minimum 3		
		3 years or 4	00000 kms	
20.	Warranty	whichever i	s earlier	
		Low maint	enance type	
		lead acid	batteries for	
		24V sy	ystem –	
		(performano	e as per	
		BIS:14257-	1995	
21.	Battery	(latest))	Two 12V	
		batteries o	of 180 Ah	
		capacity	or above.	
		Maintenand	ee free	
		batteries wi	th minimum	
		three years	warranty.	
22.	Battery box	As per AIS (052	
		24 V	as per	
00		IS.1884:199	93	
23.	Electric Horn	Matched P	air (Low &	
		High tone)		
		PA system t	o be	
		provided wi	th USB type	
	Public Addressing	speakers to	attract the	
24.	System with USB type	attention of	passengers	
	speakers	waiting to b	oard the	
		bus in vario	ous bus	
		stops as we	ll as	

		information to the	
		boarded passenger.	
		Required as per type of	
		Engine. There shall be	
		provisions for limiting	
		the vehicle speed at any	
		value as per relevant	
25.	Speed limiting device	KMVR and as required	
		by KSRTC SWIFT Ltd.	
		For this one tool each	
		should be provided to	
		KSRTC SWIFT for 10	
		buses.	
	Dash Board Camera	1. 360° view	
	with wi-fi for real time	Camera 1 No. to	
	monitoring and storage	be provided at	
	facility	front.	
		2. Dash board camera	
		to be provided with	
		all accessories,	
		supporting	
		softwares and	
		monitors as	
26.		required.	
		a. To view interior	
		b. To view driver	
		c. Reverse Camera	
		d. Left side view	
		camera (Visibility	
		left side including	
		passenger door)	
		Storage capacity should	
		be for at least 15 days.	
	Destination Board	3 Nos. of Destination	
27.		Board to be provided	
		with single control.	

Display board in front of size 1800 x370mm with 3 lines in multi colour. Should be fitted close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Full length LED
with 3 lines in multi colour. Should be fitted close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Display board in front
colour. Should be fitted close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through transfer of data through transfer of data through true footh and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			of size 1800 x370mm
close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			with 3 lines in multi
shield glass in such a way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			colour. Should be fitted
way that reflection from the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			close to the front wind
the LED board should not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			shield glass in such a
not distract the driver. 2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			way that reflection from
2 LED board in two lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			the LED board should
lines at Rear side and left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			not distract the driver.
left side. All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			2 LED board in two
All programmable through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			lines at Rear side and
through transfer of data through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			left side.
through blue tooth and Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			All programmable
Wi-fi as per AIS:052 In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			through transfer of data
In-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			through blue tooth and
VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Wi-fi as per AIS:052
Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			In-built IRNSS based
Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			VLT Device for
is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Automatic Vehicle
Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Location System which
Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			is approved by Kerala
compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Motor vehicle
with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			Department (with
28. GPS and Panic button emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			compliance of AIS 140
28. GPS and Panic button access to every passenger in the bus, preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			with minimum 5 Nos. of
access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT	28	GPS and Panic button	emergency buttons for
preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT	20.	GIS and Fame button	access to every
This VLT Device shall be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			passenger in the bus,
be integrated with other VLT System implemented by KSRTC/ KSRTC SWIFT			preferably inbuilt box).
VLT System implemented by KSRTC/ KSRTC SWIFT			This VLT Device shall
implemented by KSRTC/ KSRTC SWIFT			be integrated with other
KSRTC/ KSRTC SWIFT			VLT System
			implemented by
,			KSRTC/ KSRTC SWIFT
and shall also provide			and shall also provide
suitable software for			suitable software for

		Vehicle Tracking, Input	
		to PIS System, Kmpl	
		and other performance	
		reports.	
		Minimum 1 units TV,	
		Minimum 32" LCD TV	
		wi-fi enabled with	
		rugged fittings and also	
		the Public Information	
		System shall be	
29.	Entertainment System	displayed and compact	
		with the software	
		platform of KSRTC/	
		KSRTC SWIFT, DVD	
		player, Speakers, Power	
		Inverter, Public	
		addressing System	
30.	Lights	As per CMVR / AIS	
		As per AIS 052	
31.	Safety and Emergency	FDSS shall be	
	door	provided and 1 No.	
		emergency door in RHS	
32.	No. of passenger door	1 No. positioned ahead	
32.	ivo. of passefiger door	of the front axle.	
	Reading Lights & AC	Shall be provided with	
33.	Vents	individual control for	
	Vents	each seats	
		Approved AC system as	
		per AIS 052. The	
		certificate showing the	
		efficiency of germ	
34.	A/C with air purifying	control is to be	
01.	system	submitted by the	
		successful bidder.	
		The A/C manufacturer	

		should have sufficient	
		service support within	
		Kerala and the nearby	
		states.	
		Shall be provided with	
35.	Night light	individual control for	
		each seats.	
		Minimum 2 nos. to be	
		provided in the	
36.	Roof Hatch	passenger saloon area	
		& 1 No. above the driver	
		seat.	
		Minimum 235/75R17.5	
		14 PR Or Suitable Tyre	
27	T	Size as per standards.	
37.	Tyres	Tubeless Radial Tyres –	
		6 +1 (Spare wheel &	
		carrier.	
38.	Chara whas a comica	Winch type spare	
36.	Spare wheel carrier	wheel carrier	
39.	Fire Extinguisher	Should be provided as	
39.	Fire Extinguisher	per CMVR/ KMVR rules	
		2-set-of side curtains,	
		Floor Mats, 2 set of	
		head rest covers, Fully	
		equipped tool kit	
		containing Tommy bar,	
		Wheel spanner, Screw	
		driver (heavy duty),	
40.	Accessories	cutting pliers, pipe	
		wrench and Hydraulic	
		Bottle Jack (Capacity	
		20 Ton - 1 No.).	
		Seperate bottle holder	
		for driver seat.	
		Front Wind Shield	
		Glass - 1 No. each for	
L			

		every 10 buses.	
		Side and emergency	
		glass - 1 set each for	
		every 10 buses	
		Colour Scheme, Logo /	
		Graphics to be painted	
41.	Paint and Graphics	will be intimated to the	
		successful bidder.	
		Must provide lock and	
42.	ETM Box	key facility for keeping	
		ETM	
		One each (with two	
		charging ports – one	
		USB & one C port) in	
43.	Mobile Charging unit	each seat row on both	
		sides, which should be	
		concealed and tamper	
		proof.	
		As per AIS 052	
44.	Floor material	Preferably Aluminium	
44.	Floor material	chequered sheets of	
		3mm thickness	
		The details to be made	
45.	OBD	available at KSRTC/	
75.	ODD	KSRTC SWIFT control	
		room	
	Wifi	Provision for wifi facility	
46.		for the passengers is to	
		be given	
47.	ITS	With suitable version	
	Operating mechanism	Power controlled as per	
48.	of passenger door by	AIS 052	
	driver		
		Should be on	
49.	Positions of door	dashboard for driver	
	controls	control and emergency	

		switch inside & outside	
		of doors as per AIS 052	
	Minimum clear door	As per AIS 052	
50.	width excluding grab		
50.	handle in fully opened		
	position		
F1	Maximum first step	As per AIS 052	
51.	height		
	Power operated service	As per AIS 052	
	door- construction &		
	control system of a		
52.	power operated service		
32.	door to be such that a		
	passenger is unlikely to		
	be injured/ trapped		
	between the doors		
53.	Door components	As per AIS 052	
	Door locks/locking	As per AIS 052	
54.	systems/door retention		
	items		
55.	Door hinges	As per AIS 052, GI	
	Door imiges	preferred	
56.	Design type approval	As per AIS 052	
		GI/Anti corrosion	
57.	Bus structure-	treated ERWCR Steel	
	materials specs etc.	Materials as per Type	
		approval	
		Stainless steel pipe	
		Gr.304 or equivalent of	
		32mm & 2mm thick for	
	Grab rails, Centre posts	Grab rail, Centre post	
58.	and passenger slings	and should provide	
		passenger slings at	
		necessary points.	
		Each passenger sling	

		should have	
		advertisement space.	
50	Foot step	Foot step shall be	
59.		provided as per AIS-	
60.	Panel beading	052.	
61.	Roof grab rail brackets		
		As per AIS 052 /	
62.	Side Glass	CMVR.	
		Toughened tinted glass	
	Glass specifications	IS 2553 (part-2)-	
		1992/latest	
63.	Glass thickness:	As per AIS 052	
	0-1	Tinted Glass As per	
	Colour of glass	CMVR	
64.	Rear view mirrors	As per AIS 052	
		Stainless steel C-	
		brackets, Left side rear	
65.	Fitment of Rear view	view mirror should	
03.	mirror	visible to driver through	
		Front Wind Screen	
		glass	
	Passenger Seating	Minimum 40 Nos.	
66.	Capacity	reclinable seats, 2X2	
	1 3	layout with foot step.	
		As per AIS-023, seat lay	
	(Seats sample: 2 sets of	out 2 X 2	
	seater which is offered	Every seat must have	
	to be fitted in the bus	its suitable	
	should be given as	advertisement space	
67.	sample to KSRTC	with open able acrylic	
	SWIFT, Anayara,	cover for putting	
	Thiruvananthapuram	advertisement cards	
	before fitment for	behind the back rest.	
	assessing the	Foot rest shall be	
	suitability).	provided for all	
		passengers. Bottle	

		holder in each seat with		
		magazine pouch on seat		
		back rest.		
	Dash board			
68.	lighting/control lighting	As per AIS 052		
	Seat area /seat space	As per AIS 052		
69.	per passenger (width*			
	depth)			
70.	Seat pitch-minimum	As per AIS 052		
71.	Torso angle (degrees)	As per AIS 052		
		As per AIS 052 & AIS		
		023.		
72.	Passenger seating	Preferably Fabric and		
		the colour shall be		
		intimated later.		
70		As per AIS 052 & AIS		
73.	Seat materials	023		
74.	Seat arm (Arm rest)	Required for all seats		
75.	Sun visor	Required		
7.0	Seat belts & their	As per AIS 052. Should		
76.	anchorage	be provided to all seats.		
		4 way adjustable		
	Driver seat belt &	driving seat with high		
77.	anchorage duly type	back rest & Head Rest		
'''	approved.	as per CMVR & AIS		
	approved.	052 conforming to AIS		
		005 & 015		
78.	Driver's working space	As per AIS 052.		
		A bottle holder of 2 Ltr		
		size should be provided		
79.	Bottle Holder	on the driver door in		
		such a way that it is		
		easily accessible.		
		Bonnet of the engine		
80.	Heat resistance	compartment should be		
		PUF insulated and		
	i .			

		noise free as per CMVR	
		/ Industry standards.	
0.1	Corrosion prevention		
81.	treatment		
00	Internal surfaces of		
82.	structural members	As per clause 3.17 of	
92	External surfaces of	AIS 052	
83.	structural members		
84.	After drilling		
04.	holes/welding		
85.	Primer coating	As per clause 3.17 of	
85.	Trimer coating	AIS 052	
86.	Body Painting:	PU Paint to be used	
87.	Body Colour and	Will be given by KSRTC	
07.	Design	SWIFT Ltd.	
		BIS marked, copper	
		conductors with fire	
	Electrical system,	retardant insulation as	
	electrical cables and	per IS/ISO: 6722:2006.	
88.	conductor cross section	Conductor cross-	
		section varying as per	
		circuit requirements,	
		minimum cross-section	
		0.5 sq mm.	
89.	Fuse		
	Isolation switches for		
90.	electrical circuits where		
	RMS value of voltage		
	exceeds 100 volts		
91.	Location of cables away	As per AIS 052	
	from heat sources		
	Type approval of circuit		
	diagram as per		
92.	standards related to		
	electric		
	equipment/wiring		

93.	Battery cut – off switch	Shall be positioned near driver seat for easy and	
	(isolator switch):	quick operation by driver.	
94.	Wind screen wiper:	As per table 22 of AIS 007	
95.	Wiper motor:	Variable speed with time delay relay as per AIS 11	
96.	Wiper arm/blade:	As per AIS 019/AIS 011	
97.	Power ports	Requires one ETM charging point with ETM holder in driver cabin. DC to AC converter should be provided.	
98.	Lighting- internal & external and illumination	As per AIS 052 and all interior lights should be LED Type, OE fitting preferred in case of head lamp and tail lamp.	
99.	First aid box:	1 number fixed metallic box as per provision of CMVR	
100.	Handholds:	As per AIS 052, fixed type preferred.	
101.	Stanchions:	As per AIS 052.Stainless steel 38 x2mm All stanchion brackets should be of metallic type.	
102.	Entrance/exit guard/step well guard:	As per AIS 052, step well guards made of stainless steel pipe of 25mm x 2mm. No	

		seats shall be fitted		
		obstructing the free		
		access to emergency		
		door. One grab rail		
		above the emergency		
		door is required. Foot		
		rest come guard to be		
		provided in front of		
		seats behind emergency		
		door.		
	Front/rear door, step	LED bulb as per AIS		
103.	well lights, door open	008		
	sign			
		Convex as per AIS 001		
104.	Mirrors right/left side	& 002. interior with		
	exterior /interior:	double curvature		
	Towing device	As per CMVR & IS		
105.	front/rear	9760-ring type		
106.	Warning triangle	As per AIS 052/CMVR		
		As per AIS 052,		
		Detachable type, easily		
107.	Bumpers-front and rear	removable in order to		
		support the engine.		
		As per AIS 052 and		
		mutually agreed by the		
		purchaser and bidder		
108.	Luggage Box / Courier	with scope for		
	Box	maximum space for the		
		provision of courier		
		supply.		
109.	Inside luggage carrier	As per AIS 052		
		To be provided with		
110	Cur to C	locking facility		
110.	Stay box for crew	Accessible from driver		
		cabin		
111.	Driver Cabin	Should be separated		
L	l .	I	I.	

	Separation	from passenger saloon	
		as per AIS 052	
		Stainless steel tube	
		structure, fencing type	
		this separation should	
		not restrict the driver	
		seat position	
		adjustments and a	
		suitable fan may be	
		provided.	
		Bonnet of the engine	
		compartment should be	
		PUF insulated and	
		noise free as per CMVR	
		/ Industry standards.	
		There shall be easy and	
		quick access to all	
	Proper access to repair	under chassis	
		components which	
	and maintenance	require repair and	
112.	points of various	maintenance such as	
	vehicle components	suspension, P-hafts, Air	
	vemere components	filters, Gear box, Air	
		drier, DB Valve, Power	
		steering units Radiator	
		etc.	
		1. Out side Roof :	
		Aluminium Coil	
		Sheet (minimum	
		0.9mm) Bitumin	
		tape should be	
113.	Paneling Materials	used at all joint	
		areas to arrest	
		water leakages)	
		2. Inside roof:	
		Suitable heat	
		resistant	

		material to avoid
		heat transfer to
		the passenger
		saloon area.
		3. Inside below
		window sill:
		stainless steel
		4. Window sill flaps
		: stainless steel
		5. Inside window
		pillar flaps:
		stainless steel.
		6. Front and Rear
		face paneling :
		FRP
		7. All remaining
		paneling :
		Aluminium / GI
		Sheets
		Iron – Nickel plated type
114.	Conductor bell	with mounting bracket
		and lever
115.	Safety bracket for	As per KMVR
113.	propeller shaft	
116.	Safety bracket for diesel	Required (Fully covered
110.	Tank	Grill type)
		All light control
117.	Desitioning of assitables	switches shall be
117.	Positioning of switches	positioned on the top of
		the driver seat.
		The flip grill shall be
		openable for more than
110	Front grill ononing	120° to the vertical
118.	Front grill opening	plane. The flip grill
		should have sturdy
		telescopic shock
<u> </u>		

		absorber support in	
		opened condition.	
		The opening should be	
		sufficient for the easy	
		removal of inter cooler	
		radiator etc and	
		refitting of these items.	
	01	75x50mm size	
119.	Gear box inspection	inspection cover shall	
	cover	be provided	
		Complying AIS 140 and	
		as approved by KMVD	
		with IRNSS, models	
		with minimum 5 panic	
		buttons necessary	
	77.1.1.1.	software shall also be	
100	Vehicle location	supplied for Vehicle	
120.	tracking device and	Tracking, KMPL	
	emergency button	monitoring, PIS and	
		other performance	
		reports and must be	
		integrated with KSRTC	
		/ KSRTC SWIFT	
		applications.	
		Comply with	
		a) CMVR and KMVR	
		requirements	
		b) Type approval	
		certificate by any	
		authorized agency in	
121.	Certifications	CMVR 126	
		c) Compliance to	
		strength of super	
		structure- AIS 031	
		d) Compliance to Bus	
		Body Code AIS 052 &	
		ITS AIS:140	

	e) Compliance of	
	flammability	
	requirements as per IS	
	15061:2002	
	f) Certificate issued by	
	ARAI	
	1. After the	
	completion of	
	super structure	
	(before paneling	
Stage inspection of	and fixing of	
prototype bus by	platform)	
KSRTC / KSRTC SWIFT	2. After completion	
team at the production	of whole work.	
site	The supplier	
	should make	
	arrangements for	
	the inspection	
	timely.	
	prototype bus by KSRTC / KSRTC SWIFT team at the production	flammability requirements as per IS 15061:2002 f) Certificate issued by ARAI 1. After the completion of super structure (before paneling and fixing of prototype bus by KSRTC / KSRTC SWIFT team at the production site flammability requirements as per IS 15061:2002 f) Certificate issued by ARAI 2. After completion of whole work. The supplier should make arrangements for the inspection

Place:-Date:-

Signature

Name & Address of the Tenderer

Sea1



Annexure- F

(Proforma of Certificate be furnished along with Technical Bid)

Make & Brand : Warranty Offered :

The specification of materials, accessories and fittings used for the fabrication of AC bus body.

S1.No	Characteristics	Materials used	Specification of material used	Make & Brand of Material used
1.	Structural Materials			
2.	Inner body panel material			
3.	Interior lining of side walls			
4.	Interior lining of roof			
5.	Interior lining of rear walls			
6.	Separation of walls			
7.	Outer body panel			
8.	Flooring			
9.	Passenger seat			
10.	Seat and its accessories			
11.	Front wind shield glass (Laminated)			
12.	Side Window glasses			
13.	Rear Glasses			
14.	Internal lighting and illumination			
15.	Electrical cables			
16.	Electrical Switches			

17.	Roof lights		
18.	Pneumatic door		
	assembly		
19.	Air conditioner		
20.	Paint		
21.	Entertainment		
	system - TV and		
	Music System		
22.	Cameras		
23.	Reading lights		
24.	Fire Extinguisher		
25.	Mobile charger		
26.	Laptop charger		
27.	First Aid Equipments		
28.	Battery cut off Switch		
29.	Tools		
30.	Destination board		
31.	Vehicle Location Tracking Device		

I/We hereby declare that the information furnished above are true, to the best of my $\!\!\!/$ our knowledge and belief.

Place:	Signature with Name, Address & Sea	al
Date:	of Tenderer.	

ANNEXURE - G

(Proforma of Certificate be furnished along with Technical Bid)

CERTIFICATE

This is to certify that the rate quoted against the e-Tender NIT No. KS-GL01/114/2024-GL-K-SWIFT dtd 03.01.2025 for the supply of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms will be firm for 12 months from the date of offer / entire supply period.

	Signature:
	Name & Address of the Tenderer
Place:	
Date:	
	(Seal of the Tenderer)

ANNEXURE - H

DECLARATION

(Proforma of Certificate be furnished along with Technical Bid)

(Proforma of declaration to be furnished in Government Stamp Paper of Rs.200/-)

To

The Chairman and Managing Director KSRTC SWIFT LTD, Anayara, Thiruvananthapuram,

Kerala

Sir,

Sub:

e-Tender for the Supply of Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms - reg.

Ref: Your **Tender No.** KS-GL01/114/2024-GL-K-SWIFT dtd 03.01.2025

We here by declare that the rate quoted by us against your Tender under reference above are the lowest.

We also declare that we will not supply Buses as per models given under reference, to anybody at a rate lesser than the rate quoted to you against your above cited tender for the next 12 months. In the event of supplying the Buses at the rates lesser than the quoted rate in this tender, we agree to reimburse the difference amount to KSRTC SWIFT Ltd, unconditionally.

Signature:

Name and Address of the Tenderer

Place:

Date:

(Seal of the Tenderer)

KSRTC SWIFT LTD.

(ANNEXURE - I)

(Proforma of Certificate be furnished along with Technical Bid)

GENERAL TERMS AND CONDITIONS

FOR THE SUPPLY OF Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms

NIT No. KS-GL01/114/2024-GL-K-SWIFT Dtd 03.01.2025

- 1. The rate quoted shall be for Fully Built AC Air Suspension 10.5 Mtr 4-Cylinder Diesel Propelled Premium Superfast Bus conforming to BS VI norms or latest as per CMVR Norms for delivery at KSRTC SWIFT, Anayara, Thiruvananthapuram including GST, Transportation charges, Insurance, Road tax Octroi, Cess and all other incidental charges. The rate quoted shall be firm for the entire period of supply as per purchase order schedule and no price increase will be allowed during this period. Any loss, damage etc. while on transit should be borne by the suppliers.
- 2. The price offered should be firm, for a period of 12 months / entire supply period.
- 3. The buses are to be similar, in all respects according to the specifications shown in Notice Inviting Tender and shall be subject to the approval of the Chairman & Managing Director.
- 4. Chairman and Managing Director, KSRTC SWIFT Ltd., does not bind himself to accept the lowest or any offer and reserves the right to select one or more from the offers made as considered expedient.
- 5. The quantities noted in the tender form are approximate only. The Company reserves the right to reduce or increase the quantity at the time of placing the orders and will be paid at the rate agreed in the quotation.
- 6. All orders placed by the Company are to be executed within the time limit specified. In the event of accepting the contact any failure to

- supply the item on or before the specified date or in the event of the supplies being rejected, the orders are liable to be cancelled.
- 7. In case the supply is not made within the stipulated time and as per the P.O. conditions, the Company will cancel the order and procure the bus from any other source at the risk and cost of bidder. The KSRTC SWIFT may deduct the difference in rate between the order rate and the rate actually paid for from the supplier's bill or from any money that may be due or become due to them or by initiating legal steps including revenue recovery.
- 8. The Chairman and Managing Director may reject any or all the supplies made which he consider not suitable for the purpose for which they are ordered for or because they are of inferior quality or not up to or in accordance with the specifications shown in the Tender Notice and his opinion in the matter will be final and not liable to be questioned by the firm or any one on his behalf. Rejected articles should be taken back by the bidder at his own cost.
- 9. There shall not to be more than one financial offer in a financial bid for one item.
- 10. The successful bidder has to execute an agreement as per the Kerala Store Purchase manual after furnishing Security deposit of equivalent to 5% of the total value of purchase of entire order quantity of buses awarded to them.

11. Supply Schedule & Payments :-

- a) Total quantity should be supplied as per the supply schedule mentioned in the Purchase Order.
- b) Payment

Chassis

 On request of the bidder along with the invoice of the chassis, when the chassis is billed in favour of KSRTC SWIFT Ltd and transferred for body building, a part payment of 60% of the total agreed price of the chassis will be made for which an unconditional bank guarantee

@110% to be submitted by the successful bidder.

2. 30% of the balance payment of agreed price of the chassis

will be made within 30 days of delivery of bus and

acceptance at delivery point specified in the Purchase

order.

3. 10% of the balance of agreed price of chassis will be made

after 30 days from the date of registration of the bus and its

satisfactory performances.

Bus Body

1. 90% of the agreed price of the bus body will be made within

30 days of delivery of bus and acceptance at delivery point

specified in the Purchase order.

2. 10% of the balance of agreed price of bus body will be made

after 30 days from the date of registration of the bus and its

satisfactory performances.

This form should be signed, sealed and returned to this office along with

the tender form.

I/We here by accept the above terms and conditions and undertake that

I/ We will comply with the same.

Place:

SIGNATURE AND SEAL OF THE TENDERER

Date:

WITH FULL ADDRESS AND DATE

SEAL

(Authorized signature)

Annexure - J

(Proforma of Certificate be furnished along with Technical Bid)

(Proforma of declaration to be furnished in a Indian Stamp Paper of Rs. 200/-)

{Notarization is Mandatory}

Format of self certificate stating that the Entity/Promoter/s / Director/s of Entity are not blacklisted

Anti-Blacklisting Certificate

Tender No:	Date:
M/s	
(Name of the Bidder), (the names	s and addresses of the
registered office) hereby certify and	confirm that we or any
of our promoter/s / director/s as	re not barred by State
Government / any other Government	ent entity or blacklisted
by any state government or	central government /
department / Local Government /	agency in India or from
abroad from participating in	Project/s, as on
the(Last date of s	ubmission of Bid).
We further confirm that w	e are aware that our
Application for the captioned Proj	ect would be liable for
rejection in case any material misre	epresentation is made or
discovered with regard to the requir	rements of this tender at
any stage of the Biding Process of	or thereafter during the
agreement period. Dated this	Day of
, 2024.	
Name of the Bidder :	
Signature of the Authorized perso	on Name of the Authorized
Person	
(Seal of the Tende	erer)

Annexure - K

(Proforma of Certificate be furnished along with Technical Bid)

POWER OF ATTORNEY

(On a Stamp Paper of relevant value)

I/ We	(name and address of the
registered office) do hereby constitute, ap	ppoint and authorise Sri/Smt
(na	ame and address) who is
presently employed with us and	holding the position of
As our	r attorney, to act and sign on
my/our behalf to participate in the tender	No. for the
procurement of Fully built AC seater 10.5	mtr long Premium Super fast
buses.	
I/ We hereby also undertake that I	/we will be responsible for all
action of Sri/Smt	undertaken by
him/her during the tender process and	l thereafter on award of the
Purchase order & the subsequent contract	t executed with KSRTC SWIFT
Ltd. His / her signature is attested below	
	Dated this theday of
	2024
	For
	(Name, Designation and
	Address)
Accepted	
(Sign	nature)
(Name, Title and Address of th	ne Attorney)
Date:	

<u>Appendix - III</u> KSRTC-SWIFT Ltd

FORM OF AGREEMENT

(For contract for supply of specific quantity)

Agreen	nent executed (date) onbetween
	after called "The Contractor") and the KSRTC-SWIFT Ltd (Herein
after ca	alled "'The Company").
	EAS the Contractor has tendered for the supply of buses for the
use of	the Company as per Tender Notification dated: _
	and LOI No: dated: , Purchase Order No
	dtd: which tender notifications shall form part of this
Agreen	ment as is incorporated herein.
AND W	WHEREAS the Company have been pleased to accept the offer in
respec	t of the articles mentioned in the copy of the order attached.
AND W	WHEREAS the Contractor has as security for the due fulfillment of
	ligations under this deed deposited Rs (Rupees
	being 5% of the estimated value of the contract in
the for	m of the letter of Guarantee BG No. from
	Bank approved by the Company. (scheduled banks)
NOV	V THESE PRESENTS WITNESS AS FOLLOWS:
(1)	The Contractor hereby declares that the Buses sold to the buyer
	under this contract shall be of the best quality and workmanship
	and shall be strictly in accordance with the specifications and
	particulars contained in the copy of the order attached herewith
	the contractor hereby guarantees that the said Buses would
	continue to confirm to the description and quality aforesaid for a
	period as mentioned in clause No. 2 and that notwithstanding the
	fact the Company may have inspected and/or approved the said
	Bus, said Bus be discovered not to conform to the description and

quality aforesaid or have deteriorated (and the decision of the Company in that behalf will be final and conclusive) the Company will be entitled to reject the said goods or such portion thereof as may be discovered not to conform to the said description and quality. On such rejection the Buses will be at the contractor's risk and all the provisions herein contained relating to rejection of Buses etc: shall apply. The contractor shall if so called upon to do, replace the Buses etc. or such portion thereof as is rejected by the Company otherwise the contractor shall pay the Company such damages as may arise by reason of the breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the Company in that behalf under this contract or otherwise.

- (2) The buses offered should have a minimum warranty for a period of 3 years / 4 lakh kilometer whichever comes earlier, ie aggregate and bus body items provided in these buses due to defective design, material or workmanship from thedate of registration of the vehicles. Any premature failure of aggregates and accessories of the Fully Built Buses within the warranty period shall be attended free of cost within 2 days of intimation from the depot/workshop of KSRTC-SWIFT Ltd. If the warranty attentions are not done in the above stipulated time and consequently KSRTC-SWIFT Ltd sustains any loss on account of this, such losses will be realized from the security deposit at the rate of Rs.1000/- per day, which exceeds 48 hours in the event reason for the delay is not justified and convinced to KSRTC-SWIFT Ltd. If the security deposit is not sufficient to meet this, the same will be realized from any other payment due to them or legal steps will be initiated against the Tenderer, including revenue recovery.
- (3) Requests for enhancement of rates once accepted will not be considered. Conditions of the sale or other specified terms and conditions, if any printed on the quotation sheets of the contractor or attached with the Contractor's tender or any other

letter or paper from the contractor will not govern the contract nor bind the Company in any manner what so ever unless such terms have been expressly accepted by the Company in writing.

- (4) The buses and quantities to be supplied are as shown in the copy of the Purchase Order _____ dated: ____ herewith attached, which shall be considered as part of this agreement The contractor agrees to supply the quantities of the articles shown in the order at the rates tendered by him for each articles within the time fixed.
- (5) The contractor agrees that time is the essence of this contract.
- (6) If the contractor defaults in the due supply of all or any of the articles correctly and promptly as above, the Company is at liberty to procure the same from elsewhere without canceling the contract as a whole. If Company incur, in procuring such materials, a higher cost than the agreed rate, such excess cost may be deducted by the Company from the contractor's bill or adjusted or otherwise realized from his security deposit or recovered from him by other means. The Contractor agrees, that he shall not be entitled to claim the excess, if any, or the tendered rate over such cost of Company.
- (7) All payments to the contractor for supplies effected satisfactorily will be made after scrutiny of his bills.
 - i Either by Company cheques payable at the Government Treasuries.
 - ii Or by drafts on the Reserve Bank of India, at any of its principal branches in India
 - iii Or in case of supplies from Abroad by drafts or otherwise as may be agreed to:
- (8) All incidental expenses incurred by the Company for making payment outside the District in which the claim arise shall be borne by the contractor.

- (9) The contractor shall not assign or make over in part or wholly the contract or the benefits of burdens hereof. The contractor shall not underlet or sublet the execution of the contract or any part thereof without the consent in writing of the Company. The Company shall have absolute power to refuse any such consent or rescind such consent (if given) at any time. The contractor shall not be relieved from his obligation duty or responsibility under this contract even if consent to let or sublet is given by the Company.
- (10) NOT WITHSTANDING the provisions contained to clause No.4 the Company shall have the right to cancel contract for any default on the part of the contractor in the due performance thereof.
- (11) It shall be lawful for the Company from and out of any moneys or in the time being payable or due to the contractor from the Company under this contract or otherwise to set off any loss, expense, cost or damages, sustained or incurred by the Company by reason of the cancellation of the contract.
- (12) The security deposit shall subject to the condition specified herein be returned to the contactor within four months after the expiration of the contract.
- (13) The Contractor agrees that any communication addressed to him may be handed over to him or his agent personally or let at his residence or place of business or may be sent by prepaid post to his address as mentioned in this deed.
- (14) The contractor agrees that all sums found due to the Company under or by virtue of these presents shall be recoverable from him and his properties movable and immovable under the provision of the Revenue Recovery Act for the time being in force as though they are arrears of land Revenue or in the other manner as the Company deem fit.

(15) Any dispute arising out of this Tender procedure shall be under
the Jurisdiction of Thiruvananthapuram court.
In witness where of the contractor and Sri,
General Manager, for and on behalf of the KSRTC-SWIFT Ltd have
hereunto set their hands.
Signed, Sealed and delivered by:
Shri
(Signature of Contractor)
In the presence of witnesses:
1
2 (Name) (Signature)
Signed, Sealed and delivered by:
Shri: General Manager, for and on behalf
of the KSRTC-SWIFT Ltd
(Signature)
In the presence of Witnesses:
1 (Name) (Signature)
2 (Name) (Signature)