

Tender Fee :- **Rs: 28000/-**
(25000 + GST)



KERALA STATE ROAD TRANSPORT CORPORATION

TRANSPORT BHAVAN, EAST FORT

THIRUVANTHAPURAM 695023

e- TENDER DOCUMENT

for

**Supply of Bus Chassis and Bus Body for Multi Axle
Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses
of BSVI Norms or Latest with Retarder as per CMVR
Norms**

(TENDER NO: S001-SRA01/38/2025-Store KSRTC-HQ dt: 02.06.2025)

For details;

www.etenders.kerala.gov.in / www.keralartc.com

E-mail: sr@kerala.gov.in

INDEX

Sl. NO.	DESCRIPTION		PAGE NO.
1		NOTICE INVITING TENDER	5
2	SECTION – I	INTRODUCTION	7
3	SECTION – II	SCOPE AND DISCRIPTION OF CONTRACT	9
4	SECTION – III	DETAILS OF ITEM TENDERED	13
5	SECTION – IV	SPECIFIC CONDITIONS OF CONTRACT	14
6	SECTION – V	GENERAL CONDITION OF TENDER / CONTRACT	22
7	APPENDIX – I	SPECIFICATIONS OF FULLY BUILT DIESEL BUS	55
8	APPENDIX- II	SAMPLE PRICE EVALUATION	69
9	ANNEXURE -A	GENERAL INFORMATION ABOUT THE TENDERER	70
10	ANNEXURE –B	DECLERATION FORM	72
11	ANNEXURE - C	OFFER FORM	73
12	ANNEXURE -D	SPECIFICATIONS COMPLIANCE STATUS OF FULLY BUILT DIESEL BUS	74
13	ANNEXURE – E	Body Building Material	88
14	ANNEXURE – F	RATE FIRMNESS	90
15	ANNEXURE – G	LOWER RATE DECLARATION	91
16	ANNEXURE - H	GENERAL TERMS AND CONDITIONS	92
17	ANNEXURE - I	ANTI BLACK LISTING CERTIFICATE	95
18	Annexure - J	Power of Attorney	96
19	Annexure - K	Performance Evaluation sheet	97
20	Appendix-III	AGREEMENT	98

NOTICE INVITING TENDER



KERALA STATE ROAD TRANSPORT CORPORATION
TRANSPORT BHAVAN, EAST FORT
THIRUVANTHAPURAM 695023

Ph: 0471-2471011

website: www.keralartc.com Email: sr@kerala.gov.in

e-TENDER NOTICE

Sl.No	ITEM	DESCRIPTION	QUANTITY (NUMBERS)
1	Bus Chassis and Bus Body for Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms	<p>Bus Chassis and Bus Body for Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms</p> <p>Comply with</p> <ul style="list-style-type: none">a) CMVR and KMVR requirementsb) Certificate issued by ARAIc) Type approval certificate by any authorized agency in CMVR 126d) Compliance to strength of super structure- AIS 031e) Compliance to Bus Body Code AIS 119, and with ITS AIS : 140 IRNSS Based VLT Device.f) Compliance of Flammability requirements as per IS 15061:2002 <p>For Specification see Appendix -I</p>	02 Nos.

SI NO	Particulars	Date and time
1	Date of release of tender	03.06.2025 (02:00 pm)
2	Date of Pre Bid Meeting	05.06.2025 (11.30 am)
3	Mode of Pre bid meeting	Through video conference
4	Online tender submission End Date	10.06.2025 (06:00 pm)
5	Date of online Technical bid opening	12.06.2025 (11:00 am)
6	Date of opening of the price bid	Will be informed to the qualified bidders after technical-bid evaluation

TENDER SCHEDULE

1.	Tender No.	SRA01/38/2025 Dtd: 02.06.2025
2.	Tender Fees (Non Refundable)	Rs.28,000/- (Rs.25000+GST@12%) (Rupees Twenty Eight thousand only)
3.	Earnest Money Deposit	Rs.4,00,000 /- (Rupees Four Lakh only)
4	Performance Security for supply (For successful tenderer)	5% of the total value offered price for the buses
6	e-Tender site	www.e-tenders.kerala.gov.in
7	e-mail for communication	sr@kerala.gov.in

Chairman and Managing Director,
KSRTC, Tender Inviting Authority

SECTION I

INTRODUCTION

1.1. The Kerala State Road Transport Corporation is one of the age-old state-run Transport Corporation in India, with headquarters at Thiruvananthapuram.

1.2. KSRTC have a fleet strength of 5200 buses. KSRTC connects every nook and corner of state and major destinations in south India.

1.3. In this tender, the lowest price is not the sole criteria for selection. The two bid system, which is followed, has been designed to eliminate those which do not match the technical specifications / Qualifications or not having the proven experience and to eliminate firms that do not have the financial or technical capability to design, manufacture, supply, testing and commissioning of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Bus conforming to BS VI norms or latest as per CMVR.

1.4. Delivery Period:

The successful bidder shall effect the delivery of the offered model bus within 60 days from the date of purchase order including prototype inspection

1.5 Transparency: It is assured that the KSRTC will uphold highest level of transparency in the procurements being made. The decisions/results at the two stages of the tender process will be published on our website and e-tender portal for enabling the prospective offerers to submit their remarks/objections. Canvassing or involving in fraudulent practices in any form, at any stage, will lead to automatic disqualification of the tenderers. Visits to the offices/officers without written permission

of the Tender Inviting Authority will not be entertained Phone calls to officers during the tender process will not be entertained. All queries/clarifications on the tender documents/process/specifications etc shall only be through the email ID given.

1.6 KSRTC is gearing up to reduce cost to make the Public Transport affordable to common man.

Looking forward for a long standing relation with you

Best wishes,

Date:02.06.2025

Chairman and Managing Director,
KSRTC (Tender Inviting Authority)

SECTION II

SCOPE AND DESCRIPTION OF CONTRACT

2.1 General Definitions

2.1.1 Government means Government of Kerala, represented by the Secretary to Transport Department, Government of Kerala.

2.1.2 Purchase Committee is a Committee of officers authorized by the Board of Directors to decide on the purchase of the stores and equipments procured by the KSRTC.

2.1.3 Tender Inviting Authority is the Chairman and Managing Director of the KSRTC, who finalize tenders and ensure supply of the buses procured under this tender document.

2.1.4 Blacklisting/debarring – the event occurring by the operation of the conditions under which the tenderers will be prevented for a period of 1 to 5 years from participating in the future tenders of Tender Inviting Authority, more specifically mentioned in the Specific Conditions of Contract (Section IV) and General Conditions of Contract (Section V) of this tender document, the period being decided on the basis of number of violations in the tender conditions and the loss/hardship caused to the Tender Inviting Authority on account of such violations

2.2 Scope

2.2.1 The tenders are invited for the design, manufacture, supply, testing and commissioning of 2 Nos. Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms. The bidder shall offer the Bus Chassis / Bus Body warranty for a period of 3 years or 4,00,000 Kms whichever ever is earlier

2.2.2 The specification covers design, manufacture, supply, testing and commissioning of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses for operation in Kerala and near by States. The bus design shall be energy efficient, environmentally friendly, safe and

secured for transportation of passengers besides the following main attributes amongst others:

2.2.2.1 Ergonomically designed driver's work area

2.2.2.2 Ease of repair and maintenance

2.2.2.3 Aesthetically designed interiors and exteriors

2.2.2.4 Ease of boarding and alighting for all passengers

2.2.2.5 Safety, reliability and durability

2.2.2.6 Fuel Efficient

2.2.2.7 Passenger comfort

2.3 The Bidder shall comply with all applicable Central, State and local laws (including Acts, Rules and Regulations).

2.4 The Diesel propelled bus shall meet all applicable Central Motor Vehicles Rules, 1989 (hereinafter referred to as "CMVR"), norms for safety and emissions applicable on the date of manufacture and Bus Code AIS 119 and any revisions thereof [hereinafter called Bus Code]

2.5 Where there is conflict between the requirement as per any applicable law in force and the requirement emanating from these specifications whichever of these two is of superior/ higher standard shall prevail. Also, any specifications superior to the ones set out as Minimum Technical Specifications shall meet requirements of the contract.

2.6 The bus design shall be suitable for minimum daily operation of 16 to 20 hours under all load, different terrains and operating conditions. Tyre rating should be such that it meets the requirement of peak hour loading.

2.7 The bus design shall be eco-friendly, energy efficient, safe, and comfortable with exhaust emissions maintained at specified levels [Bharat Stage VI] subject to meeting additional requirement, if any, for further standards as imposed by law and further improved standard as applicable on the date of manufacture. Bus and complete aggregates shall comply with the rules and regulation with respect to safety and emission

notified and mandated time to time by the government and applicable at the time of the delivery and the registration of the buses. To ensure compliance, type approval certificate from the approved test agency under CMVR will be necessary for the complete bus for the applicable rules, regulation and specifications laid herein.

- 2.8** Detailed drawings of bus structure along with complete dimensions, its components, seats, interior/ exterior fittings, electrical systems, wiring harness, retarder type and other accessories along with complete details of materials used, their specification, manufacturing tolerances, complete catalogue etc. shall be provided to the Purchaser by the bidder.
- 2.9** On expiration of the warranty period, the successful tenderer shall be willing to provide after sales support including supply of spares for an additional period of minimum 15 years or till the supplied buses are in use subject to a maximum period of 20 years as per existing rules. The period to be decided by the tender Inviting Authority and shall be binding. The parts and components if required for the bus body to be provided by the successful bidder till the buses are in use.
- 2.10** General appearance, seating layout and structural details of roof, floor, sides, front and rear show and driver's cab shall be provided by the Bidder along with their bids.
- 2.11** Any other provisions/ fitments required for safe and efficient operation and/ or for fulfilling statutory requirements shall be provided in the offered bus.

2.12 COLOUR SCHEME and Inspection

The Colour shade for interior and exterior, logo, graphics, lighting inside and outside information details etc. have to be confirmed from KSRTC and shall incorporate the painting scheme on prototype bus and shall be approved by KSRTC.

The officers of KSRTC will have the right to conduct inspection of the Bus Chassis/ Bus Body at any stage of

the construction / operation to ascertain its conformance to the performance standards, specifications and dimensions vide Appendix- I. The representatives of the vehicle manufacturer should be part of the inspection of bus along with the officers of KSRTC. The delivery of the buses shall be effected only after getting the approval for prototype from KSRTC.

2.13 CERTIFICATION: The bidder should obtain the required certification of the model of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI from the approved certification agency as per CMVR and KMVR

2.14 The responsibility of the successful bidder includes supply of ordered quantity of Bus Chassis with Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms.

2.15 DATA SECURITY/CONFIDENTIALITY: All the data pertaining to maintenance of these vehicles shall be stored securely keeping the confidentiality. These data should not be shared in full or part with any other agencies.

SECTION – III

DETAILS OF ITEM TENDERED

3.1 Item Tendered

Description of Work	Tendered Quantity (Nos.)	Delivery Period
Design, Manufacture, Supply, Testing, & Commissioning of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms with warranty a) CMVR and KMVR requirements b) Certificate issued by ARAI c) Type approval certificate by any authorized agency in CMVR 126 d) Compliance to strength of super structure-AIS 031 e) Compliance to Bus Body Code AIS 119, and with ITS AIS : 140 IRNSS Based VLT Device. f) Compliance of Flammability requirements as per IS 15061:2002 For Specification see Appendix -I	02	The successful bidder shall effect the delivery of the offered model bus within 60 days from the date of purchase order including prototype inspection

3.2 Technical specifications:

The detailed technical specifications and other quality parameters of the above item is contained in Appendix - I

SECTION-IV

SPECIFIC CONDITIONS OF CONTRACT

4.1 Time Limits prescribed

<u>Sl. No</u>	<u>Activity</u>	<u>Time Limit</u>
4.1.1.	Supply & Delivery period	As mentioned in Section 3.1
4.1.2.	Warranty period	3 years or 4,00,000 kms which ever is earlier. Engine and driveline warranty : 5 Lakh km
4.1.4.	Submission of Performance Security and entering into contract	Within 15 days from the date of issuance of LOA / Purchase Order.
4.1.5	Payment Installments	a. Chassis 1. On request of the bidder along with the invoice of the chassis, when the chassis is billed in favour of KSRTC KSRTC-SWIFT Ltd and transferred for body building, a part payment of 60% of the total agreed price of the chassis will be made for which an unconditional bank guarantee @110% to be submitted by the successful bidder.

		<p>2. 30% of the balance payment of agreed price of the chassis will be made within 15 days of delivery of bus and acceptance at delivery point specified in the Purchase order.</p> <p>3. 10% of the balance of agreed price of chassis will be made after 30 days from the date of registration of the bus and its satisfactory performances.</p> <p>b. Bus Body</p> <p>1. 90% of the agreed price of the bus body will be made within 30 days of delivery of bus and acceptance at delivery point specified in the Purchase order.</p> <p>2. 10% of the balance of agreed price of bus body will be made after 30 days from the date of registration of the bus and its satisfactory performances.</p>
--	--	--

4.2 Pre- Qualification of Tenderers:

4.2.1 Only Vehicle Manufacturers having a place of business in any of the States of India are eligible to participate in this tender. Vehicle 'Manufacturers should upload a certificate in this regard. However the vehicle Manufacturers have the liberty to construct the bus body at their authorised body builder. The Vehicle Manufacturer should declare (upload) their authorised body builder such as name, statutory registration details, authorisation by vehicle manufacturers approval for body building for the class of vehicles along with the tender. The bidder (Vehicle manufacturers) shall authorise their body builder for the construction of bus body on the chassis as such upload the certification for bus body of their authorised body builder.

4.2.2 The tenderer should be in the business of manufacturing and supply of Diesel buses / chassis for the last 5 financial years within the country.

4.2.3 The tenderer should have supplied minimum 10 Nos. of Diesel buses/ Chassis of length 15 mtr BS VI to STU's/private companies in India during last 5 (Five) years ending on 31.05.2025. Such prescribed quantity can include the vehicles supplied to any STUs in India for hiring on wet lease based on the confirmation from the concerned STU. The bidder should upload sufficient proof of supply such as invoice / Acceptance letter to confirm the supply of 10 Nos. of above mentioned bus / chassis.

4.2.4 Tenderers who have been blacklisted/ debarred by Tender Inviting Authority or blacklisted / debarred by any State Government or Central Government department/Organization should not participate in the tender during the period of blacklisting. (Affidavit as per format in Annexure I should be submitted along with the technical bid)

- 4.2.5 **Litigation:** Bidders who have been blacklisted by KSRTC / Government Department / other STU will not be eligible / other for consideration.
- 4.2.6 Bidders should remit the required Tender Fee and Earnest Money Deposit (EMD) in 'Online mode' through SBI/NEFT, as per the Notice Inviting Tender. No exemption in the case of EMD and Tender Fee. Bidders should ensure and convince themselves that the online payments made by them have been successfully transferred. KSRTC shall under no circumstances be responsible for failed transaction of the payments due to non-compliance of any online banking procedure and consequent rejection of tender.

4.3 Documents to be uploaded

- 4.3.1 The bidder shall upload the copy of manufacturing license for bus chassis or Bus.
- 4.3.2 Copy of type Approval Certificate of the offered model of Bus chassis shall be uploaded.
- 4.3.3 The bidder shall upload documents as per Clause No. 4.2.3 of NIT
- 4.3.4 This Notice Inviting Tender, all pages should be filled, signed and stamped by the bidder should be scanned and uploaded.
- 4.3.5 An undertaking to the effect that the type approval as per CMVR and STA, Thiruvananthapuram shall provided at the time of delivery. (Scanned copy should be uploaded)
- 4.3.6 Specifications of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms as per Appendix - I duly signed and stamped by the bidder with full address and date (Scanned copy should be uploaded).
- 4.3.7 Certificate in Annexure - F regarding the firmness of rate throughout the period of supply of Buses as per purchase order

schedule should be signed and stamped by the bidder with full address and date should be uploaded.

- 4.3.8 Declaration as per Annexure - G to be furnished in an Indian Stamp Paper of Rs.200/-, duly signed and stamped by the bidder with full address and date should be uploaded. The original declaration should be submitted in hard form to this office on or before the time of opening of Financial Bid.
- 4.3.9 General Terms and Conditions as per Annexure- H duly signed and stamped by the bidder with full address and date (Scanned copy should be uploaded).
- 4.3.10 Specification Comparison Table as per Annexure-D to be filled signed and stamped by the bidder with full address and date should be uploaded.
- 4.3.11 The bidder should upload the anti black listing certificate as per Annexure-I
- 4.3.12 The bidder should upload the General Information about the tenderer as per Annexure – A
- 4.3.13 The bidder should upload the Declaration Form about the tender as per Annexure – B
- 4.3.14 The bidder should upload the Offer Form about the tender as per Annexure – C
- 4.3.15 The bidder should upload materials used for fabrication of body as per Annexure-E.
- 4.3.16 The bidder should upload Type Approval Certificate of Bus Body Builder as per AIS : 119.
- 4.3.17 Upload Authorization Certificate issued to the Bus Body Builder by the vehicle manufacturer.
- 4.3.18 The Bidder should upload Power of Attorney as per Annexure – J
- 4.3.19 The bidder shall upload the performance evaluation of offered model of Bus as per Annexure-K

4.3.20 The Bidder should upload document showing Service centre / service facility in Kerala.

4.3.21 The bidder should upload Technical Literature, product data sheet, recommended maintenance schedule etc.

4.4 Specifications of the Vehicle:

Total package: The tender is invited for a total package as mentioned in Section III including of the following

4.4.1 Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms – The tenderers are required to supply 02 Nos. of Bus Chassis with Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms as per the specifications mentioned in Appendix I as per Clause 3.1.

4.4.2 Data Sharing – All the maintenance data should have facility to share to KSRTC.

4.4.3 Human Resource : Give suitable training to the technical officers and staff to familiarize the technical features and maintenance as in house and at the bidder's training centers and also as per Clause 5.29

4.5 TENDER PROCESS:

The tender evaluation will be undertaken in two rounds.

Round 1- Opening of technical bid documents / evaluation.

Round 2 - Opening of Price Bid.

4.5.1 Round 1- Opening of technical bid documents / Technical evaluation.

- 4.5.1.1 The documents submitted shall be opened at the time and date mentioned. The prospective bidders or their authorized representatives can present, if required by them.
- 4.5.1.2 The format for submission of the technical bid is as per annexures and submission in any other format or absence of requisite information will lead to rejection of bids in the Round 1 evaluation itself. The prospective bidders are advised to submit all information and supporting documents that are required to prove their competency and claims for technical evaluation.
- 4.5.1.3 The commercial terms and documents submitted as part of the bids shall be scrutinized by a Bid Evaluation Committee constituted by the Tender Inviting Authority.
- 4.5.1.4 The Tender Inviting Authority may call for additional documents/clarifications through e-tender portal.
- 4.5.1.5 The list of those who come out of the evaluation of the documents successfully as well as those rejected (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com) and objections/remarks against the list will be invited. The objections /remarks received before the date and time specified in the notice will be considered by the concerned committee and the final list of successful bidders of round 1 will be published.
- 4.5.2** The successful bidder in Round -1 (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com)

4.6. Round 2 - Opening of Price Bid.

- 4.6.1** The qualified bidder in round-1 shall be considered for Round-2.
- 4.6.2** The price bid shall be in the BOQ format submitted along with the tender notice in the e-tender portal.

- 4.6.3** The evaluation of the price bid is mentioned in Appendix II. An illustration of the method of arriving at the L1 rate/bidder is also shown in Appendix II.
- 4.6.4** The list of those who come out of the evaluation of the Price bids successfully as well as those rejected (with reasons for rejections) will be published on the website of KSRTC (www.keralartc.com)
- 4.6.5** The successful bidder has to furnish performance security within 15 days from the date of issuance of purchase order.

SECTION V

GENERAL CONDITION OF TENDER / CONTRACT

5.1 Contents of the Tender Document:

This 'Tender Document' contains the following:

- a. Introduction (Section I)
- b. Scope and Description of Contract (Section II)
- c. Details of Bus tendered (Section III)
- d. Specific Conditions of Contract (Section IV)
- e. General Conditions of Contract (Section V)
- f. Appendix- documents supplied by the tender inviting authority
- g. Annexures-formats for submission of tenders by the tenderers

5.2. Conditions of Tender / Contract

5.2.1 Tender Document:

The detailed technical specifications and terms and conditions governing the supply and the after sales service of the Bus tendered are contained in this "Tender Document".

5.2.2 The tender document is to be downloaded from website www.etenders.kerala.gov.in/ www.keralartctender.com Tenderer shall remit Tender Document fee online in the e-tender portal and non- submission of sufficient Tender documents will lead to rejection of the tender in the first round.

5.2.3 The online documents shall be submitted through the e-tender portal www.etenders.kerala.gov.in. Tenderers have to enroll themselves in the e-tender portal and digital signature certificate is required. The details can be obtained from the e-tender portal under the menu 'downloads'

- 5.2.4** The general guidelines on e-tender process is as below;
- 5.2.5** Bidders have to procure legally valid Digital Certificate as per Information Technology Act, 2000 for digitally signing their electronic bids. Bidders can procure the same from any of the license certifying authority of India. For more details, please visit the e-GP website www.etenders.kerala.gov.in or contact Kerala State IT Mission, e-Government procurement PMU & Help desk, Saankethika, Near EPF Office, Vrindavan Gardens, Pattom, Thiruvananthapuram. *Ph: 0471 - 2577088, 2577188; Toll free No.18002337315; e-mail: etendershelp@kerala.gov.in .*
- 5.2.6** Bidders may contact e-Procurement support desk of Kerala State IT Mission over telephone at 0471-2577088/188/388 or 0484-2336006, 2332262 or 0497-2764788, 2764188 or 0483-273294 or through email: etendershelp@kerala.gov.in or helpetender@gmail.com for assistance in this regard.
- 5.2.7** The online tender process comprises the stages viz. downloading the tender document, prebid meeting (as applicable to each tender), bid submission (technical cover and financial cover), opening of technical bid and opening of financial bids.
- 5.2.8** The blank price bid should be downloaded and saved on bidder's computer without changing file-name otherwise price bid will not get uploaded. The bidder should fill the details in the same file and upload the same back to the e-tender portal.
- 5.2.9** Prices quoted by the Bidder shall be fixed during the bidder's performance of the contract and not subject to variation on any account. But any change in statutory levies shall be variable. A bid submitted with an adjustable/ variable price quotation will be treated as non - responsive and summarily rejected.

5.2.10 Online Payment modes: The tender document fees and EMD can be paid through e-Payment facility provided by the e-Procurement system:

5.3 Responsibility of verification of contents of tender document:

5.3.1 The purchaser of the tender form shall examine all instructions, forms, terms and specifications in the Tender Document and verify all the contents mentioned in the 'Tender Document'.

5.3.2 Failure to furnish any information required by the tender documents and submission of an offer not substantially responsive to it in every respect shall be at the tenderer's risk and may result in the rejection of the bids, without any further notice.

5.4 Guidelines for preparation of Tender

5.4.1 The Tenderer shall bear all costs associated with the preparation and submission of its bid and Kerala State Road Transport Corporation, Thiruvananthapuram, hereinafter referred to as "Tender Inviting Authority", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

5.4.2 In the event of documentary proof as required being not uploaded, the Tender shall be liable to be rejected. All pages of the bid, except for unamendable printed literature, shall be signed by the authorized person or persons signing the bid along with the stamp of the tenderer.

5.4.3 This Notice Inviting Tender, all pages should be filled, signed and stamped by the bidder should be scanned and uploaded.

5.4.4 Language of Bid:- The Bid prepared by the tenderer and all correspondence and documents relating to the bid exchanged by the Tenderer and the Tender Inviting Authority, shall be in English language. Supporting documents and printed literature furnished by the Tenderer may be written in

another language provided they are accompanied by an authenticated accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the English translation shall govern.

- 5.4.5 The tender (in English Language only) for the supply of bus mentioned in Section III shall be submitted along with detailed specifications.
- 5.4.6 The documentary evidence (other than those regarding supply and past performance, if any) submitted along with the Tender shall be produced duly attested by the tenderer on every page and serially numbered. Any interlineations, erasures or over writing shall be valid only if they are initialed by the person (s) signing the offer.
- 5.4.7 Tenderer shall submit a declaration letter as per the format given as Annexure B and copy of amendments published if any signed by the tenderer or the authorized representative shall be enclosed as part of the technical bid as a proof of having read and accepted the terms and conditions of the tender document.
- 5.4.8 An offer submitted in vague /ambiguous financial terms and the like, shall be termed as non-responsive and shall be summarily rejected.
- 5.4.9 Clarifications to specific requests received on email (sr@kerala.gov.in) shall be responded through e-mail and general clarifications, affecting all the tenderers shall be published in the official website of the Tender Inviting Authority ([www. etenders.kerala.gov.in](http://www.etenders.kerala.gov.in)).
- 5.4.10 Any clarification on the e-tender procedure shall be obtained from KERALA State IT mission and the contact numbers are 0471-2577088, 2577188, 18002337315.
- 5.4.11 No telephonic enquiry / visits to any Office / Officer regarding the tender will be entertained all queries / correspondences by

the aforesaid email only, which will be acknowledged / answered in time.

5.5 Online payment for e-Tenders

5.5.1 Bidders while participating in online tenders published in Government of Kerala's e-procurement website www.etenders.kerala.gov.in, should ensure the following:

5.5.1.1 Single transactions for remitting tender document fee and EMD. Bidders should ensure that the tender document fee and EMD are remitted on single transactions and not separate. Separate or split remittance for tender document fee and EMD shall be treated as invalid transactions.

5.5.1.2 The tender document fee and EMD shall be paid through e-Payment facility provided by the e-Procurement system.

5.5.2 The bids will not be considered for further processing, if bidders fail to comply on clauses above and tender fee and EMD will be reversed to the account from which it was received.

5.6 Tender Document fee

5.6.1 Tenderer shall remit Tender document fee online in the e-tender portal and non remittance of Tender Document fee as mentioned in the e-tender notice shall be one of the primary reasons for rejection of the offer in the first round.

5.6.2 Tenderers shall pay tender document fee as per Notice Inviting Tender.

5.7 Earnest Money Deposit (EMD):

5.7.1 Tenderer shall remit EMD online in the e-tender portal and non- remittance of sufficient EMD shall be one of the primary reasons for rejection of the offer in the first round.

5.7.2 None of the bidders are exempted from the remittance of EMD, in any case.

5.7.3 EMD of unsuccessful tenderers will be refunded as promptly through online transfer.

5.7.4 The successful tenderer's EMD will be refunded upon the tenderers signing the contract and furnishing the performance security.

5.7.5 No interest will be paid for the EMD remitted.

5.7.6 The EMD will be forfeited, if a tenderer;

5.7.6.1 Misrepresents facts or submit fabricated / forged / tempered / altered / manipulated documents during verification of tender process.

5.7.6.2 Withdraws its bid after the opening of technical bid;

5.7.6.3 A successful tenderer, fails to sign the contract after issuance of Letter of Intent

5.7.6.4 Fails to furnish performance security after issuance of Letter of Intent.

5.8 Deadline for submission of tender.

5.8.1 Tenderers shall upload all the necessary documents in the e tender portal before the last date and time for online submission and the Tender Inviting Authority shall not be held liable for the delay.

5.8.2 The Tender Inviting Authority may, at its discretion, extend the deadline for submission of Tender by amending the Tender Document, in which case, all rights and obligations of the Tender Inviting Authority and the tenderers previously subjected to the deadline shall thereafter be subjected to the same deadline so extended.

5.9 Modification and Withdrawal of Bids

5.9.1 The tenderer can modify or withdraw bids submitted online before the last date & time for online submission.

5.10 Period of Validity of Tender

5.10.1 The tender must remain valid for minimum 180 days (six months) from the date of opening of price bid. A bid valid for a

shorter period shall be rejected by the Tender Inviting Authority as non-responsive.

5.10.2 Withdrawal or non-compliance of agreed terms and conditions after the execution of agreement or issuance of Supply Order will lead to invoking of penal provisions and may also lead to black listing/debarring of the successful tenderer.

5.11 Acceptance / Rejection of tenders:

5.11.1 It is also not necessary that the offer of the firm quoting the lowest rates shall be accepted. Usually the lowest offers of tenderers qualified for the price bid opening shall be accepted, unless one sided condition unacceptable to the Tender Inviting Authority are provided in such price bid.

5.11.2 At any point of time, the Tender Inviting Authority reserves the right to cancel or modify the supply order even after it is awarded to the successful tenderer in the event the firm deviates from the agreed terms and conditions.

5.12 Notices

5.12.1 The Tender Inviting Authority will publish the following information on its website or e-tender portal at the appropriate time as part of ensuring transparency in the tender process;

5.12.1.1 The tender notices, documents, corrigendum, addendum etc if any.

5.12.1.2 Amendments to the tender conditions, if any, especially after the pre-bid meeting.

5.12.1.3 Results of the responsiveness of the technical bids and minor infirmities/clarifications sought.

5.12.1.4 Final List of technically qualified bidders.

5.12.1.5 Summary of Online price bid opening.

5.12.2 Notice, if any, relating to the contract given by one party to the other, shall be sent in writing by email and confirmed by post. The procedure will also provide the sender of the notice,

the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract

- 5.12.3 The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

5.13 Other terms and Conditions

- 5.13.1 All the terms and conditions in respect of warranty, Training of Staff etc shall be complied with.
- 5.13.2 Technical Specifications and Standards:- The Goods and Services to be provided by the successful tenderer under this contract shall conform to the technical specifications and quality control parameters.
- 5.13.3 The tenderer shall be responsible for payment of any charges due to any statutory authorities such as Income Tax, CGST, SGST, IGST, Customs Duties etc.
- 5.13.4 **Rejection of supplied bus:** On rejection of any bus subject to inspection or assessment of performance during commissioning at KSRTC premises, such buses shall be rectified or replaced by the manufacturer at its own cost within 15 days of the date of intimation of rejection.
- 5.13.5 If the GST is left blank, then it will be considered as zero (inclusive in the basic price) or not applicable and BOQ will be considered for evaluation.
- 5.13.6 In the event, if it found that there is some statutory deduction to be made at the source, the Tender Inviting Authority will have the authority to do so.

5.14 Tendering System

- 5.14.1 The tenders / bids are to be submitted on-line in the e-tender portal.

- 5.14.2 PART-I entitled as TECHNICAL BID. The technical bid shall be uploaded in the e-tender portal. The technical bid shall contain the complete technical specification, details on competency and financial stability of the tenderer, delivery and after sales conditions.
- 5.14.3 PART II titled as PRICE BID (BOQ) has to be submitted online only. The BOQ (excel sheet available in e-tender portal) is specific to a tender and is not interchangeable. The BOQ file shall be downloaded from the e-tender portal and quote the prices in the respective fields before uploading it. The Price bids submitted in any other formats will be treated as non-responsive and not considered for tabulation and comparison.
- 5.14.4 Bidders have to procure legally valid Digital Certificate as per Information Technology Act, 2000 for digitally signing their electronic bids. Bidders can procure the same from any of the license certifying authority of India. For more details, please visit the e-GP website www.etenders.kerala.gov.in or contact Kerala State IT Mission, e-Government procurement PMU & Help desk, Saankethika, Near EPF Office, Vrindavan Gardens, Pattom, Thiruvananthapuram 695004. Ph: 0471 - 2577088, 2577188; Toll free No.18002337315.; e-mail: etendershelp@kerala.gov.in .
- 5.14.5 The tenderer shall enroll and register in the e-tender portal. The tenderer shall issue DSC to only the responsible person who is authorized to submit online bids.
- 5.14.6 The tenderers who do not submit the technical bid which reaches beyond the stipulated date and time will be treated non-responsive.
- 5.14.7 If the bids are not submitted as per the requirement of the above clauses, the Tender Inviting Authority shall assume no responsibility for the offer's misplacement and consequential rejection.

5.15 Amendment of tender documents:

- 5.15.1 At any time prior to the dead line for submission of Tender, the Tender Inviting Authority may, for any reason, modify the tender document by amendment.
- 5.15.2 The amendments shall be published in e-tender portal, and the tenderer shall submit copy of amendments published if any signed by the tenderer or the authorized representative shall be enclosed as part of the technical bid as a proof of having read and accepted the terms and conditions of the tender document.
- 5.15.3 The Tender Inviting Authority shall not be responsible for failure to inform the prospective tenderers for any notices published related to each tender. Tenderers are requested to browse e-tender portal or website of the Tender Inviting Authority for information/general notices/amendments to tender document etc on a day to day basis till the tender is concluded.

5.16 Contents of online Bid submission.

- 5.16.1 Tender Document fee
- 5.16.2 Earnest Money Deposit (EMD)
- 5.16.3 General information about the tenderer as per ANNEXURE- A.
- 5.16.4 Declaration Form as per Annexure - B and copy of amendments if any duly signed in all pages by the tenderer or the authorized signatory.
- 5.16.5 Blank Price Bid format as per the format available in e tender portal.
- 5.16.6 Power of Attorney as per format in Annexure -J
- 5.16.7 Documents showing service facilities in Kerala.
- 5.16.8 Technical literature, product data sheet.
- 5.16.9 Offer Form as per Annexure – C should be uploaded.

- 5.16.10 The tenderer should upload the copy of Type Approval certificate for the offered bus model.
- 5.16.11 Copy of certificate as per Clause No. 4.2.3
- 5.16.12 The documents proving that the tenderer is a vehicle manufacturer should upload a certificate
- 5.16.13 A certificate in prescribed format as per Annexure – F for price firmness.
- 5.16.14 Lower Rate Declaration as per Annexure – G
- 5.16.15 Specification Details as per Annexure – D
- 5.16.16 Materials used for fabrication of body as per Annexure – E
- 5.16.17 General Terms and condition as per Annexure -H
- 5.16.18 Anti black listing certificate as per Annexure – I
- 5.16.19 Performance evaluation of offered model of Bus as per Annexure-K
- 5.16.20 All documents as per clause 4.2
- 5.16.21 The documents such as supply orders showing that the tenderer and manufacturer having previous experience in the business of the supply of the buses offered. The copies shall be scanned and uploaded in the e-tender portal.

5.17 Opening of Tender

- 5.17.1 The technical bid opening will be online. The date of technical bid opening is only published in advance.
- 5.17.2 The on-line opening of the technical bid and the price bid shall be done by the Tender Inviting Authority or his authorized representatives. The prospective tenderers or his/her representative who choose to attend the on-line bid opening can be a part by logging in to the e-tender portal with the registered digital signature. Tenderers or his/her representative shall not come to the office of the Tender Inviting Authority for the opening of either technical or price bids.

5.17.3 In the event of the specified date for opening of Tender being declared holiday, the Tender shall be opened at the appointed time and venue on the next working day.

5.17.4 In the event of the tender and claims in the on-line documents are materially missing or of substantial error or unqualified for want of required qualifications, shall stand disqualified and rejected. However, minor infirmities in the submission of documents will be allowed to be rectified so as to ensure qualification of maximum number of competitive offers to the final round.

5.17.5 The tenderer shall be responsible for properly uploading the relevant documents in the format specified in the e-tender portal in the specific location and the Tender Inviting Authority shall not be held liable for errors or mistakes done while uploading the on-line bid.

5.17.6 The date and time of Price Bid opening will be intimated only to the bidder qualified in stage I ie, after the opening of the Technical Bid etc of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms by the tenderers.

5.18 Evaluation of tender

5.18.1 The bid evaluation will consist of two stages viz, (i) Technical bid evaluations, (ii) Evaluation of price bid.

5.18.1.1 The commercial terms and documents submitted as part of the technical bids shall be scrutinized by a Bid Evaluation Committee constituted by the Tender Inviting Authority.

5.18.1.2 The Bid Evaluation Committee may also verify the veracity of claims in respect of the known performance of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as

per CMVR Norms offered, the experience and reputation of tenderer in the field, the financial solvency etc.

5.18.1.3 The decisions of the Bid Evaluation Committee on whether the tenders are responsive or non-responsive or requiring clarifications will be published.

5.18.1.4 A tenderer, at any stage of tender process or thereafter, in the event of being found after verification by the Tender Inviting Authority, to indulge in concealment or misrepresentation of facts, in respect of the claims of the offer, shall be debarred/black listed.

5.18.1.5 The Tender Inviting Authority's decisions on the tender submitted shall be based on the decisions taken by the various committees and otherwise as per the clauses as mentioned above.

5.19 Evaluation of Price Bids

5.19.1 The Price bids (BOQ) of the short-listed technically qualified tenderer(s) will be opened only after evaluation of Technical Bids. The short-listing of the tenderer(s) will be carried out on the basis of the technical evaluation.

5.19.2 The opening of the price bid shall be done online by the Tender Inviting Authority or his authorized representative and only the Price Bids of those firms qualified in the detailed scrutiny and evaluation of the Technical bid, conducted by the Technical Committee/Tender Inviting Authority shall be opened in the second round.

5.19.3 Tenderer shall download the available price bid format in e-tender portal, and quote the prices in the respective fields before uploading it. The Price bids submitted in any other formats or with conditions will be treated as non-responsive and not considered for tabulation and comparison.

5.19.4 Price Offered shall be all inclusive and in Indian Rupees. Price should be quoted for the supply, training and successful

commissioning of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms.

- 5.19.5 Prices quoted by the Tenderer for the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms shall be firm for one year from the date of financial bid opening or for the complete delivery of the buses whichever is later. But any change in statutory levies shall be made applicable.
- 5.19.6 There shall also be no hidden costs.
- 5.19.7 Tenderer shall quote prices in all necessary fields in the available format. All white/green areas of the BOQ file shall be filled up. The grey areas of the BOQ file shall not be edited. The price shall be entered separately in the following manner:
- 5.19.7.1 Basic Price: The price of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms, accessories quoted shall be for the delivery of the buses at the specified location of KSRTC. The prices shall be inclusive of Transit \insurance, Transportation Charges or any other charges as applicable for door delivery.
- 5.19.7.2 GST shall be quoted in this column in numeric values and in Rupees (If the field is left blank, value will be taken as zero).
- 5.19.7.3 The total amount will be calculated as per the bid evaluation criteria Appendix – II and will be taken for evaluation and bid ranking.
- 5.19.7.4 The tenderers shall offer prices of the accessories inclusive of all the accessories mentioned in the technical specification under Appendix – I.
- 5.19.7.5 The tenderers shall offer prices of the accessories inclusive of all the accessories mentioned in the technical specification

under Appendix – I. The price bid evaluation shall be based on the total end rate of bus chassis and bus body together (ie, as fully built bus) (as per Appendix-II). A sample calculation is shown in Appendix - II wherein the period of warranty is taken as 3 years / 4,00,000 km whichever is earlier, also Engine and driveline warranty is 5 Lakh km. The firm whose effective value is the lowest will be awarded the contract.

5.20 Clarification of Bids

5.20.1 During evaluation of bids, the Tender Inviting Authority may, at its discretion, give opportunity to the tenderer(s) for clarification of points raised by the bid evaluation committee on its bids submitted.

5.20.2 The request for clarification and the response shall be in writing, either through email or fax or by post.

5.21 Award of Contract

5.21.1 Criteria: - The contract will be awarded to the lowest evaluated responsive tenderer qualifying to the final round after scrutiny of the technical bids of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms, i.e. after price bid opening.

5.21.2 Variation of Quantities at the Time of Award/ Currency of Contract:-At the time of awarding the contract, the Tender Inviting Authority reserves the right to increase or decrease by up to Thirty (30%) per cent, without any change in the unit price and other terms and conditions quoted by the tenderer.

5.22 Notification of Award/Letter of Intent (LOI)

5.22.1 Before expiry of the tender validity period, the Tender Inviting Authority will notify the successful tenderer(s) in writing, by registered / speed post or by email (to be confirmed

by registered / speed post immediately afterwards) that its tender for accessories, which have been selected by the Tender Inviting Authority, has been accepted, also briefly indicating there in the essential details like description, specification and quantity of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses or Latest with Retarder as per CMVR Norms and corresponding prices accepted. This notification is undertaken by issuing a Letter of Intent (LOI) by the Tender Inviting Authority.

5.22.2 The successful tenderer, upon issuance of the LOA / Purchase order, shall furnish the required security deposit and submit an agreement in the prescribed format within 15 (fifteen) days, failing which the EMD will be forfeited and the award will be cancelled.

5.22.3 The Notification of Award shall constitute the conclusion of the Contract.

5.23 Signing of Contract

5.23.1 The vehicle manufacturer shall be solely responsible for the execution of whole contract, whether the bus body is built inhouse or through their authorized body builder. The vehicle manufacturer shall execute an agreement for ensuring after sales support as well as supply of spares for an additional period of minimum 15 years or till the supplied buses are in use subject to a maximum period of 20 years as per existing rules. The period to be decided by the tender Inviting Authority and shall be binding on the successful tenders. The successful tenderer shall submit bank guarantee of required validity period

5.23.2 Promptly after notification of award, within fifteen (15) days from the date of the letter of intent / purchase order the successful tenderer shall submit the Agreement in two copies, both on Rs. 200/- Kerala state stamp paper purchased in the name of the successful tenderer, duly signed and dated, to the

Tender Inviting Authority by registered / speed post or in person.

5.23.3 Assignment: -The Successful tenderer shall not assign, either in whole or in part, its contractual duties, responsibilities and obligations to perform the contract, except with the Tender Inviting Authority's prior written permission.

5.23.4 **Sub Contracts:** - The Successful tenderer shall not sub contract the execution of the contract. Such action, if done without the knowledge of the Tender Inviting Authority prior to the entering of the contract, shall not relieve the Successful tenderer from any of its liability or obligation under the terms and conditions of the contract.

5.23.5 **Modification of contract:** - If necessary, the Tender Inviting Authority may, by a written order given to the successful tenderer at any time during the currency of the contract, amend the contract by making alterations and modifications within the general scope of contract in any one or more of the following:

5.23.6 Specifications, designs etc. where Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms to be supplied under the contract are to be specifically manufactured for the Tender Inviting Authority.

5.23.6.1 Incidental services to be provided by the successful tenderer

5.23.6.2 Place of delivery – KSRTC, Central Works, Pappanamcode, Thiruvananthapuram.

5.24 Performance Security

5.24.1 There will be a security deposit amounting to 5% of the total value for supply of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses or Latest with Retarder as per CMVR Norms excluding taxes, which shall

be submitted by the successful vehicle manufacturer to the Tender Inviting Authority within 15 days from the date of issuance of 'Letter of Acceptance'. The performance security for supply of buses shall be released on 6 (Six) months after successful completion of warranty period. The agreement duly signed and returned to the tender inviting authority shall be accompanied by the security deposit amount in the form of demanded draft / bank guarantee valid after 6 months from the date of expiry of contract period including warranty period in the prescribed format.

5.24.2 Upon receipt of such agreement and security deposit the tender inviting authority shall issue purchase order containing the terms and conditions for the execution of the order.

5.24.3 Failure of the successful tenderer in providing security deposit mentioned in as per the first pages of NIT and/or in returning agreement copy duly signed in time shall make the tenderer liable for forfeiture of its EMD.

5.24.4 The security deposit shall be denominated in Indian Rupees only.

5.25 Delivery

5.25.1 The successful tenderer will have to arrange transportation of the ordered buses as per its own procedure and pay necessary insurance against loss or damage incidental to manufacture or acquisition, transportation, delivery and pay all necessary charges incidental till it is satisfactorily delivered. It shall be ensured that the buses arrive at the destination(s) in good condition within the delivery period mentioned and as per the other requirements of the Tender Document.

5.25.2 If at any time during the currency of the contract, the successful tenderer encounters conditions hindering timely delivery of the Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses or Latest with

Retarder as per CMVR Norms and performance of services, the successful tenderer shall inform the Tender Inviting Authority in writing within a week about the same and its likely duration and make a request to the Tender Inviting Authority for extension of the delivery schedule accordingly. On receiving the successful tenderer's communication, the Tender Inviting Authority shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of successful tenderer's contractual obligations by issuing an amendment to the contract.

5.25.3 The successful tenderer is required to deliver the Fully Built Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms at the site within time specified as per the delivery schedule from the date of issue of the 'Purchase Order' and demonstrate individually the specification/features as well as operation / performance of the Bus Chassis and Bus Body of Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms to the satisfaction of the institution head or his/her representative.

5.25.4 The invoice shall be submitted for effecting stock entry at the respective location.

5.25.5 The Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms will not be accepted after the date of issuance of notice of termination, even if the bus are ready or dispatched following the termination. For the remaining Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms and services, the Tender Inviting Authority may decide:

- 5.25.5.1 To get any portion of the balance completed and delivered at the contract terms, conditions and prices.
- 5.25.5.2 To place orders for the unexecuted portion of the order or even the increased quantity with the next lowest qualified tenderer at the risk and cost of L1 bidder.

5.26 Payment

- 5.26.1 The payment of the price agreed will be made as per Clause No. 4.1.5 and 4.1.6
- 5.26.2 The original invoice submitted shall be in the name of the Tender Inviting Authority and the name of the consignee shall also be mentioned in it.
- 5.26.3 Requests for advance payment, payment against delivery or payment through Bank against dispatched documents will not be considered.
- 5.26.4 The successful tenderer shall not claim any interest on payments under the contract.
- 5.26.5 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other taxes as applicable will be made from the bills payable to the Successful tenderer at rates as notified from time to time.
- 5.26.6 The successful tenderer shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to Tender Inviting Authority.
- 5.26.7 While claiming reimbursement of duties, taxes etc. (like CGST, SGST, IGST, custom duty) from the Tender Inviting Authority as and if permitted under the contract, the successful tenderer shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the successful tenderer) shall refund to the Tender Inviting Authority forthwith.

5.27 After Sales Service conditions:

- 5.27.1 The successful tenderer should have service centre facility in Kerala for satisfactory execution of the contract / after sales support.
- 5.27.2 The after sales terms and conditions will be strictly enforced and those tenderers who are willing to support the Tender Inviting Authority in its endeavor to provide trouble free operation/performance of Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms only participate in the tender.

5.28 Warranty terms:

- 5.28.1 Warranty Conditions.- The bus chassis and bus body offered should have a warranty period of 3 Years / 4,00,000 km which ever is earlier, in respect of chassis parts and body building materials ie, aggregate and bus body items provided in these buses due to defective design, material or workmanship from the date of registration of the vehicle. Also Engine and driveline warranty 5 Lakh km. Any premature failure of aggregates and accessories of these buses within the warranty period shall be replaced / attended free of cost within 48 hours of intimation from depot / workshop of KSRTC. If the warranty attentions are not done in the above stipulated time and consequently KSRTC sustain any loss on account of this, such losses will be realized from the Security Deposit @ of Rs. 1000/- per day per bus for the delay, which exceeds 48 hours in the event reason for the delay is not justified and convinced to KSRTC. If the security deposit is not sufficient to meet this, the same will be realized from any other payment due to them or legal steps will be initiated against the Tenderer, including revenue recovery.

- 5.28.2 The bidder shall provide warranty for all value added services such as Vehicle Tracking System (VLT Device) AIS:140/ BIS: 16833, Security Camera Network (CCTV) with Panic Button, LED Destination Board System (LDBS) as per IS: 16490, TV etc for a minimum period of two years. The successful tenderer has to warrant that the Goods supplied under this Contract are new, of the most recent or current models and incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The bidder shall ensure that all value added items such as VLTD, Camera, TV, LED Destination Board etc fitted in the bus shall having Service Centre facility in Kerala for after sales support.
- 5.28.3 The successful tenderer further have to warrant that the buses supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the successful tenderer, that may develop under normal use of the supplied Bus.
- 5.28.4 All the buses including the accessories supplied as per the technical specification should carry warranty for a period mentioned under cl.4.1.2 in the first instance. During this period, the successful tenderer shall replace all defective accessories / aggregates Bus Chassis components and AC parts. The cost of spare parts and material for all replacements has to be borne by the successful tenderer during the period of warranty.
- 5.28.5 On expiration of the warranty period, the successful tenderer shall be willing to provide after sales support in supply of spares for an additional period of minimum 15 years or till the supplied buses are in use subject to a maximum period of 20 years as per existing rules. The period to be decided by the tender Inviting Authority and shall be binding.
- 5.28.6 **Site Visits:** The successful tenderer shall visit each depots as part of preventive maintenance during the warranty period.

- 5.28.7 If the successful tenderer, having been notified, fails to rectify the defect(s) within the period specified, the Tender Inviting Authority may proceed to take such remedial action as may be deemed necessary, at the successful tenderer's risk and cost and without prejudice to any other rights which the Tender Inviting Authority may have against the successful tenderer under the contract.
- 5.28.8 Warranty certificate for the additional equipments fitted as per the tender specifications duly signed and with proper stamp of the institution concerned and also signed by the authorized signatory with the stamp of the successful tenderer shall be submitted to the Tender Inviting Authority for keeping it under safe custody along with the Invoices. A copy of the original warranty papers has to be given to the institution head concerned.
- 5.28.9 The equipment/ aggregates fitted in the bus chassis which requires quality assurance test, statutory test and certification of all the equipments and related components should be renewed in the prescribed intervals from the authority concerned during the entire period as per the prevailing rules shall be done at free of cost during the Warranty period.
- 5.28.10 Any mandatory approval required for satisfactory supply and executing this contract of buses shall be obtained by the successful tenderer in liaison with the respective authorities.
- 5.28.11 The tenderer shall submit the details of activities to be carried out during the preventive maintenance.
- 5.28.12 The tenderer shall submit the parameters which require calibration and the frequency of calibration required and shall carry out during warranty period.
- 5.28.13 There should not be any exclusion of warranty for any spare parts except consumables. If any equipment has a preventive maintenance kit recommended by the manufacturer to be replaced at specific time intervals, it shall be done at free of

cost in the warranty period. The rate of the same shall be included in the offered price in warranty period.

- 5.28.14 All software updates, if any required, should be provided free of cost during Warranty period.

5.29 Training

- 5.29.1 The bidder shall arrange orientation training as and when required for drivers/ technicians/ supervisors/ engineers of the KSRTC in respect of proper handling of safety critical fitments and their effective use and maintenance aspect of the complete bus system.
- 5.29.2 The vehicle manufacturer shall provide training to minimum 3 Drivers and 3 Mechanics and 1 Mechanical Supervisor and officers per bus on driving, vehicle maintenance and electrical and electronics (OBD and multiplexing), reconditioning of aggregate such as engine, gear box, rear axle etc free of cost including in house training.
- 5.29.3 As training activity is an integral part of this contract, KSRTC will not make any payment for providing training.

5.30 Intellectual Property Rights (IPR)

- 5.30.1 The successful tenderer shall, at all times, indemnify and keep indemnified the Tender Inviting Authority, free of cost, against all claims which may arise in respect of goods & services to be provided by the successful tenderer under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks.
- 5.30.2 In the event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against the Tender Inviting Authority, the Tender Inviting Authority shall notify the successful tenderer of the same and the successful tenderer shall, at his own expenses take care

of the same for settlement without any liability to the Tender Inviting Authority.

- 5.30.3 The Successful tenderer shall at all times, indemnify and keep indemnified the Tender Inviting Authority against all claims/ damages etc. for any infringement of any Intellectual Property Rights (IPR) while providing its services under Warranty.

5.31 Corrupt or Fraudulent Practices

It is required by all concerned namely the Tenderers/ Successful tenderers etc to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Tender Inviting Authority defines, for the purposes of this provision, the terms set forth below as follows: "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Tender Inviting Authority, and includes collusive practice among Tenderers (prior to or after Tender submission) designed to establish Tender prices at artificial non -competitive levels and to deprive the Tender Inviting Authority of the benefits of free and open competition;

KSRTC/ Tender Inviting Authority will reject a proposal for award if it determines that the Tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question; will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the Tender Inviting Authority if it at any time determines that the firm has engaged in corrupt or fraudulent practices in

competing for, or in executing the contract.

No tenderer shall contact the Tender Inviting Authority or any of its officers or any officers of the government on any matter relating to its bid, other than communications for clarifications and requirements under this tender in writing, with an intention to influence the members of various committees or officials of Tender Inviting Authority. Any such effort by a tenderer to influence the Tender Inviting Authority in the Tender Inviting Authority's bid evaluation committee, bid comparison or contract award decisions may result in rejection of the tenderers bid.

5.32 Force Majeure

For purposes of this clause, Force Majeure means an event beyond the control of the successful tenderer and not involving the successful tenderer's fault or negligence and which is not foreseeable and not brought about at the instance of, the party claiming to be affected by such event and which has caused the non – performance or delay in performance. Such events may include, but are not restricted to, acts of the Tender Inviting Authority either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and freight embargoes.

If a Force Majeure situation arises, the successful tenderer shall promptly notify the Tender Inviting Authority in writing of such conditions and the cause thereof within twenty one days of occurrence of such event. Unless otherwise directed by the Tender Inviting Authority in writing, the successful tenderer shall continue to perform its obligations under the contract as far as

reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event

If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.

In case due to a Force Majeure event the Tender Inviting Authority is unable to fulfill its contractual commitment and responsibility, the Tender Inviting Authority will notify the successful tenderer accordingly and subsequent actions taken on similar lines described in above sub- paragraphs.

5.33 Resolution of disputes

If dispute or difference of any kind shall arise between the Tender Inviting Authority and the successful tenderer in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.

If the parties fail to resolve their dispute or difference by such mutual consultation within twenty one days of its occurrence, then, unless otherwise provided in the tender document, either the Tender Inviting Authority/ User Institution or the successful tenderer may give notice to the other party of its intention to commence arbitration, as provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India.

Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued, i.e., Trivandrum, Kerala.

Disputes if any shall be settled through mediation and the Corporation will notify mediating official from time to time and only when mediation is failed, litigation with in the jurisdiction of the courts at Thiruvananthapuram and Ernakulam need to be sought.

5.34 Applicable Law & Jurisdiction of Courts

- 5.34.1 The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.
- 5.34.2 All disputes arising out of this tender will be subject to the jurisdiction of courts of law in Thiruvananthapuram and Ernakulam.

5.35 General/ Miscellaneous Clauses

- 5.35.1 Nothing contained in this Contract shall be construed as establishing or creating between the parties, i.e. the Successful tenderer on the one side and the Tender Inviting Authority on the other side, a relationship of master and servant or principal and agent.
- 5.35.2 Any failure on the part of any Party to exercise right or power under this Contract shall not operate as waiver thereof.
- 5.35.3 The Successful tenderer shall notify the Tender Inviting Authority of any material change would impact on performance of its obligations under this Contract.
- 5.35.4 The Successful tenderer shall, at all times, indemnify and keep indemnified the Tender Inviting Authority against any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its employees or agents or by any other third party resulting from or by any action, omission or operation conducted by or on behalf of the successful tenderer/its associate/affiliate etc.
- 5.35.5 All claims regarding indemnity shall survive the termination or expiry of the contract.

5.36 Penalties for non-performance

The penalties to be imposed, at any stage, under this tender are; imposition of liquidated damages, forfeiture of EMD, termination of the contract, blacklisting/ debarring of the tenderer, failure to produce the requisite certificates after claiming to possess such certificates or concealment or misrepresentation of facts will not, only lead to rejection of tenders in the first round itself and/ or may lead to forfeiture of EMD as well as result in black listing/ debarring of the tenderer.

The penalties to be imposed on the tenderer, at any stage, will be decided on the basis of the violations of number of tender conditions specifically mentioned in the tender document as that leading to forfeiture of EMD or leading to black - listing/ debarring .

Any unexcused delay by the successful tenderer in maintaining its contractual obligations towards delivery of goods and performance of services shall render the successful tenderer liable to any or all of the following sanctions:

The penalties imposed by the Tender Inviting Authority will be published on the website of the Tender Inviting Authority for a period as decided as appropriate by it with a view to prevent other government institutions from procurement of items from such tenderers.

The decision to impose penalties and finally to black list the defaulting firm will be final and shall be binding on all tenderers participating in this tender. However there will be provision for appeal before the government against the decisions of the Tender Inviting Authority.

5.37 Termination of Contract

Termination for default: The Tender Inviting Authority without prejudice to any other contractual rights and remedies available to it (the Tender Inviting Authority), may by written notice of default sent to the successful tenderer, terminate the contract in whole or in part, if the successful tenderer fails to perform any other contractual obligation(s) within the time period specified in the contract, or with in any extension thereof granted by the Tender Inviting Authority.

Further details could be obtained from the office of the Chairman and Managing Director of KSRTC, Transport Bhavan, Fort, Thiruvananthapuram during office hours at 0471 – 2471011 (Extn : 231/303)

5.38 Fall Clause

The prices charged for the item supplies under the contract by successful tenderer shall in no event exceed the lowest price at which the successful tenderer sells the items of identical description to any other institutions during the period of contract. If any time, during the contract, or get reduction in taxes or other charges the tenderer reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the Tender Inviting Authority and the price payable under the contract of the item s supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.

The bidder is expected to maintain all the assemblies/ subassemblies/ items/parts etc. for proper functioning of the Bus in accordance with the technical specifications of the present model and recommendations of the Vehicle Manufacturers with respect to preventive maintenance services and dockings including for consumables.

5.39 Spares and After Sales Service: The bidder shall confirm adequate availability of spare parts and after sales service for the

buses offered in the bid during warranty period and further up to 15 years failing which actions will be taken for blacklisting the bidder and other consequent legal formalities.

5.40 Service Manuals and Spare parts Catalogue:- Detailed maintenance and service manual / workshop manual, spare parts catalogue etc shall be specially prepared for the supplied bus in soft copy or printed booklet along with the first supply of buses. Owners manual to be provided to each vehicle, Workshop Manual 10 hard copies, Detailed spare parts catalogue Soft copy / Online access required.

5.41 Temporary Registration:

The temporary registration should have a validity of at least 15 days while on delivery of vehicles at destination. If by any instance the vehicle is not accepted by KSRTC due to any reason, the renewal of temporary registration has to be made by the bidder until it is accepted by KSRTC.

5.42. Statutory Compliance: The Bidder shall obtain himself, at his own expense, all the latest Specifications required for design, manufacture, and supply and commissioning of Buses in accordance with contract terms. The bidder shall be required to comply with all the latest provisions of the Central Motor Vehicle Rules 1989 (CMVR), Motor Vehicle Act 1988 (MVA) and KMV Rules 1989, AIS: 119 Bus body code along with all amendments therein and other Statutory and legal requirement as applicable on the date of delivery / registration of Buses and any retro fitments done during the contract period the bidder shall obtain necessary certificates from the competent authorities. Modifications with regard to emission norms as and when issued by the Government should be incorporated and shall obtain necessary certificates for the entire period from the competent authorities.

5.43. Inspection of buses at destination station:- The manufacturer shall be responsible and liable to deliver fully built buses in accordance with the technical specifications, terms and conditions at KSRTC, Central Works, Pappanamcode. On receipt of buses at the place of delivery, along with the valid required documents, these shall be jointly inspected by the supplier and the authorised official of the Corporation for the completeness and satisfactory condition of all equipment / components. Damages, defects and deficiency, if any, shall be noted and the supplier shall initiate immediate action for making good same under advice from the Corporation within mutually agreed time period. Any delay for commissioning of these buses due to any such reason shall be to supplier's account and shall be dealt with by the Corporation as per conditions of the contract.

5.44. Liquidated damage for supply performance – The successful Tenderers shall supply the ordered quantity of Bus chassis and Bus body (Fully Built Bus) as per the delivery schedule given by KSRTC. If Bus chassis and Bus body are not supplied as per supply schedule given by KSRTC, liquidated damages will be realised from the supplier at the rate of 0.5% of the cost of item per week for each week or part thereof, up to a maximum deduction of 10% of the contract prices and thereafter the Corporation will consider the termination of the contract at the risk and cost of the contractor, as per the provisions of Kerala Store Purchase Manual.

5.45 Specific Conditions

Letter Of Acceptance (LOA) will be given to L1 Bidder upon receipt of the 'Letter of Acceptance', the successful Bidder shall return two copies of the Letter of Acceptance duly signed and stamped by his authorized signatory within 7 (Seven) days from the date of dispatch of Letter of Acceptance. However, the Contract shall be deemed to be concluded on the date of dispatch of the 'Letter of Acceptance' by the Purchaser.

Upon return of 'Letter of Acceptance' from the successful Bidder, the purchase order will be issued by KSRTC.

CHAIRMAN AND MANAGING DIRECTOR

I/We hereby accept all the above terms and conditions in its entirety.

Signature:

Name:

Address:

Telephone No.

Mobile No.

Place:

Date:

Appendix – I

BUS CHASSIS AND BUS BODY FOR MULTI AXLE 15 MTR REAR ENGINE AC SLEEPER BUS

Sl. No	Characteristics	Specification Details
1.	Type of Bus	Type IV - ACX
2.	Propulsion system	HIGH SPEED DIESEL
3.	Overall length	Maximum 15 Mtr
4.	Overall width	2600 mm (maximum)
5.	Overall Height (including Air Conditioner Unit)	As per AIS:119
6.	Wheel base	As per CMVR
7.	No. of Rear Axles	Two
8.	Engine Torque	1300 Nm Minimum
9.	Engine	Positioned at Rear, 330 - 360 HP, 24V Electrical System, 6 Cylinder Engine.
10.	GVW	22000 kg Minimum
11.	Emission norms	BS VI or the norms prevailing at the time of delivery of bus.
12.	Engine operational requirements	Engine should perform efficiently at ambient temperatures of approximately -5 ^o to 50 ^o C, humidity level from 5% to 100%, and altitude levels of up to 2000 meters, generally operating in the semi-arid zone/hilly region prevailing in the area.
13.	Transmission	Automated / Automatic
14.	Retarder	Integrated hydrodynamic / As per CMVR
15.	Rear axle	Single reduction hypoid axle / As per CMVR
16.	Front axle	As per CMVR
17.	Tag Axle	Rigid and Steerable
18.	Steering system	Hydraulic power assisted steering with height and angle adjustment provision. Adjustable steering column.
19.	Front Suspension	Air Suspension with electronic control
20.	Rear Suspension	Air Suspension with electronic control
21.	Shock absorbers	As per CMVR
22.	Electric Horn	24 V as per IS.1884:1993 Matched Pair (Low & High tone) Reverse horn of 75-100 db

Sl. No	Characteristics	Specification Details
		shall be provided
23.	Braking system	Electronic braking system (EBS) including Anti-lock braking system (ABS), Hill start Aid and Electronic Vehicle Stability Control (EVSC)
24.	Type of Brake	All disc brakes
25.	Parking brake	Air brake
26.	Additional brake	Engine brake
27.	Electronic Stability Control (ESC) Shall be provided, if required as per CMVR /KMVR for Type III	ESC shall be provided, if made mandatory as per CMVR / KMVR at the time of registration. Bidder shall specify in the tender whether ESC is provided in the offered vehicle.
28.	Electrical system	24 Volt DC
29.	Batteries:	Maintenance free/ Low maintenance type lead acid batteries for 24 V system-performances as per BIS: 14257-1995 (latest). 2x 12V of 150 AH and above. Minimum 2 Years warranty.
30.	Alternator and Self starter	Alternator and Self starter shall be so located as to prevent ingress of oil or rain water into them and to be mounted in such a way that there will not be any difficulty in removing and replacing these items.
31.	Tyres	295/80 R 22.5 Tubeless Tyre – 8 +1 (For Spare carrier). Suitable winch type spare wheel carrier / Body mounted spare wheel carrier /as per OEM design for holding the single spare wheel that can be permanently used on bus.
32.	Fuel tank	Fuel tank capacity minimum 500 Ltrs.
33.	DEF capacity	50 Minimum / As per OEM design
34.	Front overhang	As per CMVR
35.	Rear overhang	As per CMVR
36.	Berth capacity	40+1 (driver) + 1 (Co – driver)
37.	Curtain	Required and only pipe to be fitted with wing nut (3 D curtain)
38.	Air Conditioning system	Engine – driven roof mounted

Sl. No	Characteristics	Specification Details
		unit Cooling capacity -45kW Approved AC System as per AIS:119 AC Duct Type: Centre Duct
39.	Power requirements for ITS	Required
40.	Battery box	It shall comply the provisions as per AIS :119
41.	Public Information System	As per AIS:119
42.	Public Addressing System with USB type speakers	Public Addressing System with micro phone within the driver cabin along with required number of speakers within the saloon area so as to enable the driver to address the passengers. Amplifier with USB compatibility shall also be provided. Speaker orientation inside the saloon shall be in such a way to ensure audibility to all the passengers.
43.	Entertainment system	Minimum 2 unit TV having Minimum 32" size LED TV with minimum 1 year warranty to be provided with USB port wi-fi enabled with rugged fittings and also the Public Information System shall be displayed and compact with the software platform of KSRTC, Speakers, Power Inverter, Public addressing System One TV shall be of foldable type to install in the middle of passenger compartment.
44.	WIFI	Wifi facility with Router required. Sim card for wifi shall be under the scope of KSRTC.
45.	Speed Setting Device	Speed Setting shall be attended by the Vehicle Manufacturers as and when required when the Government amend the speed limit from time to time. One Scan tool with licensed version of programme shall be provided each for diagnosis of complaints and to carry out

Sl. No	Characteristics	Specification Details
		possible rectification and settings, as and when required.
46.	Floor height from ground level	As per AIS:119
47.	Angle of approach (unladen)	As per CMVR
48.	Angle of departure (unladen)	As per CMVR
49.	Ramp over angle (half of break-over angle)	As per CMVR
50.	Bus gates/doors	As per AIS:119
51.	Type of doors /No. of Passenger door	1 No. of Power Operated Door as per AIS:119 CMVR/Approved by Competent Authority, Jack & Knife / Swing door
52.	Operating mechanism of doors	Pneumatic controlled as per AIS:119
53.	Power operated service door- construction & control system of a power operated service door to be such that a passenger is unlikely to be injured/ trapped between the doors	As per AIS:119
54.	Positions of door controls	Should be on dashboard for driver control and emergency switch inside & outside of doors as per AIS:119
55.	Minimum clear door width excluding grab handle in fully opened position	As per AIS:119
56.	Maximum first step height	As per AIS:119
57.	Emergency exits	As per AIS : 119 Type Approval.
58.	Roof escape hatches	Two manual hatches with exhaust fans
59.	FDAS & FDSS /FAPS	FDSS on engine compartment and FPS (Fire Protection System for occupant / Passenger compartment) shall be provided as per CMVR
60.	Protection systems	Front Underrun protection (FUP) Front Impact Protection (FIP) Rear Engine Protection

Sl. No	Characteristics	Specification Details
		Guard (REPG)
61.	Driver Door	As per AIS:119
62.	Door components	As per AIS:119
63.	Door locks/locking systems/door retention items	As per AIS:119
64.	Door hinges	As per AIS:119
65.	Design type approval	As per AIS:119
66.	Grab rails, Centre posts and passenger slings	As per AIS : 119 Type Approval
67.	Foot step	Foot step shall be provided as per AIS:119 with retractable facility for the lower foot step for one door preferably at the front. Foot step side wall material – Stainless steel As per AIS:119
68.	Floor material	Minimum 12mm BWR Plywood having density of minimum 1.1 gm/cm ³ and 3mm vinyl shall be used as per AIS:119
69.	Front windscreen (laminated) glass:	Single piece laminated safety glass, with PVB film interlayer as per IS 2553 (part-2)-1992/latest as per AIS:119
	Glass Fitment	As per AIS : 119
	Size & design of glass	Standard designs and also as per table 22 of AIS 007
70.	Rear glass	Single piece flat toughened glass- IS:2553 (part-2)-1992/latest
	Glass Fitment	As per AIS : 119
71.	Side windows:	As per AIS 119. Fixed glass
72.	Glass specifications of side windows	Toughened tinted glass IS 2553 (part-2)-1992/latest having 50% transparent as per CMVR.
	Glass thickness:	As per AIS: 119
	Colour of glass	As per CMVR 100
73.	Rear view mirrors	As per AIS :119
74.	Fitment of Rear view mirror	As per AIS : 119, Left side rear view mirror should visible to driver through Front Wind Screen glass
75.	Dash board lighting/control lighting	As per AIS:119
76.	Torso angle (degrees)	As per AIS:119

Sl. No	Characteristics	Specification Details
77.	Sun visor	Required
78.	Driver seat	AIS 023 and AIS :119 4 way / 3 way adjustable driving seat (Knitted / any other type approved as per type approval) with high back rest and Head Rest as per CMVR and AIS – 119.
79.	Driver's working space	As per AIS :119.
80.	Bottle Holder	A bottle holder of 2 Ltr size should be provided on the driver door in such a way that it is easily accessible.
81.	Heat resistance	Engine compartment should be PUF insulated and noise free as per CMVR / Industry standards to avoid heat transfer to Saloon area
82.	Corrosion prevention treatment	As per clause 3.17 of AIS :119
	Internal surfaces of structural members	
	External surfaces of structural members	
	After drilling holes/welding	
83.	Primer coating	As per clause 3.17 of AIS :119
84.	Body Painting:	PU Paint to be used Metallic
85.	Body Colour and Design	Will be given by KSRTC
86.	Electrical Equipment and Wiring	As per AIS:119
87.	Fuse	As per AIS :119
88.	Isolation switches for electrical circuits where RMS value of voltage exceeds 100 volts	
89.	Location of cables away from heat sources	
90.	Type approval of circuit diagram as per standards related to electric equipment/wiring	
91.	Battery cut – off switch (isolator switch):	Shall be positioned near driver seat for easy and quick operation by driver.
92.	Wind screen wiper:	As per table 22 of AIS 007

Sl. No	Characteristics	Specification Details
93.	Wiper motor:	Variable speed with time delay relay as per AIS 011
94.	Wiper arm/blade:	As per AIS 011
95.	Power ports	Requires one ETM charging point with ETM holder in driver cabin / near the conductor seat. DC to AC converter should be provided. The capacity of DC to AC converter shall be informed at the time of proto inspection.
96.	Exterior lighting	Signature V shaped lights with DRL
97.	Interior lighting	Lights for gangway with night lamps
98.	Reading light	To be provided separately for each berth with control switch.
99.	Hatrack	Spacious hatrack with integrated saloon lighting
100	Seat belt & anchorage duly type approved.	Driver, Co-driver. As per CMVR & AIS:119 conforming to AIS 005 & 015.
101	Fire extinguisher:	As per AIS :119/CMVR
102	First aid box:	As per AIS :119
103	Door or hatch open indicators	Luggage hatches and emergency door
104	Reverse parking assist (RPAS)	Sensors on rear wall with an indicator on dashboard
105	Entrance/exit guard/step well guard: Emergency alarm system	As per AIS:119
106	Emergency exit doors	As per AIS:119 /CMVR
107	Warning devices	As per CMVR
108	Front door, step well lights, door open sign	LED bulb as per AIS 008
109	Mirrors right/left side exterior /interior:	Convex as per AIS 001 & 002. interior with double curvature
110	Towing device front/rear	Towing device front: As per CMVR & IS 9760-ring type Towing Hook / pin
111	Bumpers-front and rear	As per AIS:119, Detachable type, easily removable in order to carry out maintenance and repair work of buses without difficulty.

Sl. No	Characteristics	Specification Details
112	Luggage Box / Courier Box (Side and rear)	As per AIS:119 Maximum space for keeping passenger luggage and courier items having safety bracket Safe secure courier box to be provided at convenient location near the driver.
113	Electronic Ticketing Machine Box	ETM Box of suitable size with lock and key facility for keeping ETM
114	Inside luggage carrier	As per AIS:119
115	Mobile Charging port	USB with C port (at head side)
116	Stay box for crew	Stay Box of sufficient size for crew to be provided with locking facility Accessible from driver cabin
117	Tool box and location	As per CMVR
118	Destination Board	<p>2 Nos. of Destination Board to be provided as per AIS:119</p> <p>1) Front Destination Board</p> <p>Full length LED Display board of 3 lines in which first and second lines in static with single color (<i>Amber colour</i>) and third line in scrolling type.</p> <p>Length: 197.8 cm Height: 37 cm Width: 5.8 cm with 3 lines with one line big font in multi colour. Should be fitted close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver.</p> <p>2) Rear Destination Board</p> <p>Length: 103 cm Height: 23 cm Width: 5.8 cm</p> <p>LED board is having 3 lines, in which one line with big font and two lines in orange colour. First and second lines in static with single color (<i>Amber colour</i>) and third line in scrolling type.</p> <p>Destination Boards on all two</p>

Sl. No	Characteristics	Specification Details
		sides to be programmable from single point through transfer of data via blue tooth, Wifi and USB port.
119	Dash Board Camera	<p>Dash Board Camera with wi-fi for real time monitoring and storage facility</p> <p>1. Dash board camera to be provided with all accessories, supporting softwares and monitors as required.</p> <p>a. Front road view from the dash board</p> <p>b. To view interior</p> <p>c. To view driver</p> <p>d. Reverse Camera</p> <p>e. Left side view camera (Visibility left side including passenger door)</p> <p>Storage capacity should be for minimum 15 days</p>
120	Driver Monitoring System (DMS)	<p>a) Eyes closing</p> <p>b) Tired yawning</p> <p>c) Looking Around</p> <p>d) Bowing for a long time</p> <p>e) Smoking detection</p> <p>f) Phone calling</p> <p>g) Face detection</p>
121	Driver Cabin Separation	<p>As per AIS:119.</p> <p>Separation should not restrict the driver seat position adjustments and a suitable fan may be provided.</p>
122	Accessories	<p>1. Fully equipped tool kit containing Tommy bar, Wheel spanner, Screw driver (heavy duty), cutting pliers and Hydraulic Bottle Jack 15 Ton (Minimum Capacity).</p> <p>2. One set of Window glasses of each kind used in the bus to be supplied as spare for replacing the glasses as and when required.</p> <p>3. One diagnosing tool</p>

Sl. No	Characteristics	Specification Details
		<p>should be supplied.</p> <p>4. Laptop will be provided by KSRTC. One hand held tool with necessary software will be provided.</p> <p>Full equipped tool kit and suitable hydraulic Bottle jack – 1 No. and separate bottle holder for driver.</p> <p>Rack for hand bag one each per berth. Bottle holder for each berth. News paper / magazine pouch for each berth. AC vent with adjustable AC louvers.</p> <p>Provision for food storage and small parcell shall be arranged near the driver compartment.</p>
123	Proper access to repair and maintenance points of various vehicle components	There shall be easy and quick access to all under chassis components which require repair and maintenance such as suspension, P-shafts, Air filters, Gear box, Air drier, DB Valve, Power steering units Radiator etc.
124	Body structure and Paneling Materials	<p>1. Body structure – High quality GI steel passing Accelerated corrosion test. Structure material strength as specified in the bus body code.</p> <p>2. Side and roof paneling – Stainless steel and Galvanized steel</p> <p>3. Front and rear paneling – High –grade FRP</p>
125	Interior	<p>1. Gangway – Flat floor</p> <p>2. Flooring – Antiskid Vinyl</p> <p>3. Finishing – Premium ABS interiors</p> <p>4. Dashboard – Designed from the driver's perspective with ergonomic access</p>

Sl. No	Characteristics	Specification Details
		5. AC ducts – Optimal flow ducts with proper insulation
126	Safety bracket for propeller shaft	As per KMVR
127	Safety bracket for diesel Tank	Shall comply as per CMVR/ KMVR
128	Positioning of switches	All light control switches shall be positioned on the top of the driver seat. Positioning of switches should be in such a way that it is easy accessible to the driver.
129	Front grill opening	As per AIS : 032
130	Gear box inspection cover	70cmx65cm / suitable size of inspection cover shall be provided
131	Vehicle location tracking device and emergency button	As per AIS :140 /CMVR
132	Certifications	Comply with a) CMVR and KMVR requirements b) Type approval certificate by any authorized agency in CMVR 126 c) Compliance to strength of super structure- AIS 031 d) Compliance to Bus Body Code AIS:119 & ITS AIS:140 e) Compliance of flammability requirements as per IS 15061:2002 f) Certificate issued by ARAI/Competing Authority
133	Stage inspection of prototype bus by KSRTC team at the production site	1).After the completion of super structure (before paneling and fixing of platform) 2)After completion of whole work. The supplier should make arrangements for the inspection timely.
134	Warranty	Bus Chassis / Bus Body offered should have a warranty for a period of 3Years/ 4 Lakh Km which ever comes earlier, in respect of Chassis parts, engine and engine management system, fuel system, suspension, brake system, transmission system,

Sl. No	Characteristics	Specification Details
		<p>any other related systems.</p> <p>Body Building Materials ie, aggregate and bus body items provided in these buses due to defective design, material or workmanship from the date of registration of the vehicle.</p> <p>Chassis / Bus body warranty: 3 year / 4 lakh km whichever comes earlier Engine Warranty: Minimum 5 Lakh km</p>

GENERAL REQUIREMENT AND SPECIFICATION

1. FIRE SAFETY: The bus shall be designed and manufactured with all applicable fire safety regulations under CMVR/ Bus Code for safety of DIESEL buses including prescribed upholstery material, fire retardant cable, connectors etc. These provisions shall also include the use of fire retardant material, fire detection system, fire walls and facility for passenger evacuation [doors, windows and escape hatches] as per statutory requirements besides Bus Code.
2. All Diesel system items shall conform to the relevant CMVR/ Government of India/ BIS/ AIS024 & 028 and other applicable standards.

3. PROTECTION AGAINST FIRE RISK

All wires shall be routed away from heat zone areas and shall be properly fitted in fire retardant sleeves additionally and adequately shielded from heat. Also, these wires shall be prevented from sharp edges and grommets shall be used wherever unavoidable.

4. UNDER FRAME AND STRUCTURE

The entire surface of bus under floor and sides exposed

to ground shall be covered with appropriate corrosion prevention and flame retardant paint coating for protection against harmful effects of water, mud etc and to retard flames, if any.

5. Sufficient clearance and air circulation shall be provided around the tyres, wheels and brakes to preclude over-heating when the bus is operating.
6. All exterior surfaces shall be smooth and free of wrinkles and dents. Finished painted surface of the bus should be free from any imperfections

7. **SERVICE DOORS**

No. of service doors one, front of the front axle. Door opening mechanism shall be power operated. Door opening and closing time per opening shall be 4 second max. Door aperture should be conforming to CMVR and KMVR. It shall comply the provisions prescribed for power operated doors as in AIS 119.

The entrance and exit doors shall be power operated controlled by the driver and/or the conductor with internal and external emergency open controls. In the event of an emergency, it shall be possible to open the doors manually. Doors, door hinges and locks shall comply with safety requirements as per Indian/ standards. A suitable indication system shall be provided on driver's dashboard to warn that the door is 'Open' or not fully closed **(optional)**. Also there should be switch/ button at suitable location near passenger doors accessible to passenger to sent request signal to driver for stopping bus at the forthcoming stop or in case any if there is any emergency. Entrance and Exit doors shall be provided with suitable support in the form of grab handles for boarding/ alighting passengers.

8. A warning electronic chime shall be installed at the doors. This chime is activated before opening or closing.
9. A red "DOOR CLOSING" sign shall be installed above exit door. The sign will blink when exit door is closing.

10.EMERGENCY EXIT

Emergency exits shall be provided in the bus as per the provisions of the Bus Code/ CMVR. For emergency exit purpose, service doors equipped with power operated system shall be provided with mechanism to be readily openable by hand.

11. The bus will have Passenger Information System (PIS System) at front, rear, side and internal display board with integrated voice announcement system as per requirement, in-built IRNSS based VLT Device for Automatic Vehicle Location System which is approved by Kerala Motor vehicle Department (with compliance of AIS 140 with minimum 5 Nos. of emergency buttons for access to every passenger in the bus , preferably inbuilt box). This VLT Device shall be integrated with other VLT System implemented by KSRTC and shall also provide suitable software for Vehicle Tracking, Input to PIS System, KM/KG and other performance reports.

12. **Material Inspection:** The materials to be used for the manufacturing of buses shall conform to the specified Automotive Industry Standards (AIS)/Bureau of Indian Standard(BIS) surpassing the performance and other requirements as given in the Bus Body Code AIS 119. Bidder shall be required to obtain type approval of all safety critical items/materials from the authorised testing agencies before use . The manufacturer shall be required to provide a list of such items along with their Certificates to KSRTC.

13. **Maintenance of Bus:-** Towing of arrangements to be provided. Accessories / Assemblies are easily maintainable and replaceable. Battery cut off/ isolation switch shall be provided near the driver seat.

Signature:

Name & Address of the Tenderer

Place:

Date:

(Seal of the Tenderer)

APPENDIX: II**KERALA STATE ROAD TRANSPORT CORPORATION****SAMPLE PRICE EVALUATION**

The price bid evaluation will not be on the basis of price quoted for the Bus chassis and the Body Building.

Description	Firm I	Firm II	Firm III	Firm IV
END RATE OF 15 Mtr Multi Axle Rear Engine CHASSIS FOR AC- Sleeper DIESEL PROPELLED BUSES - X	645000	700000	600000	645000
END RATE OF 15 Mtr Multi Axle Rear Engine BUS BODY FOR AC- Sleeper DIESEL PROPELLED BUSES AND AS PER CMVR NORMS - Y	350000	390000	450000	350000
Effective value for calculating $L1 = (X + Y)$	9,95,000	10,90,000	10,50,000	10,00,000
Status	L1	L4	L3	L2

Annexure -A

(Proforma of Certificate be furnished along with Technical Bid)

KERALA STATE ROAD TRANSPORT CORPORATION

GENERAL INFORMATION ABOUT THE TENDERER

1	Name of the Tenderer					
	Registered address of the firm with GSTIN					
	State		District			
	Telephone No.		Fax			
	Email		Website			
Contact Person Details						
2	Name		Designation			
	Telephone No.		Mobile No.			
Communication Address						
3	Address					
	State		District			
	Telephone No.		Fax			
	Email		Website			
Type of the Firm (Please ✓ relevant box)						
4	Private Ltd.		Public Ltd.		Proprietorship	
	Partnership		Society		Others,	
	Registration No. & Date of					
Nature of Business (Please ✓ relevant box)						
5	Original Equipment Manufacturer		Authorized Dealer /Representative			
	Direct Importer		Others, specify.			

Key personnel Details (Chairman, CEO, Directors, Managing Partners etc.)					
6	in case of Directors, DIN Nos. are required				
	Name		Designation		
	Name		Designation		
Bank Details					
7	Bank Account No.		IFSC Code		
	Bank Name & Address		Branch Name		
	Tel No		Email ID		
8	Whether any criminal case was registered against the company or any of its promoters in the past?				Yes / No
9	Other relevant Information provided * (here enclose the details such as presentation on the details of the tenderer in a CD preferably, please avoid submission of detailed leaflets/brochures etc, if possible.)				
Date:		Office Seal		Signature of the tenderer / Authorised signatory	

Annexure - B

(Proforma of Certificate be furnished along with Technical Bid)

KERALA STATE ROAD TRANSPORT CORPORATION

DECLARATION FORM

I/We M/s. _____
represented by its Proprietor / Managing Partner /Chairman and
Managing Director having its Registered Office at

_____ do hereby declare that I/We
have carefully read all the conditions of Notice Inviting Tender No:
..... **DATED** for supply of
invited by the Kerala State Road Transport Corporation.,
Thiruvananthapuram and accepts all conditions of Tender.

Signature of the Tenderer
Name in capital letters with Designation

Annexure - C

(Proforma of Certificate be furnished along with Technical Bid)

KERALA STATE ROAD TRANSPORT CORPORATION

OFFER FORM

Having examined and accepting the conditions of the tender document no we here by submit this offer for the supply of conforming the detailed technical specification mentioned in section III of the tender document. The details of the bus offered are as follows.

Sl. No.	Item	Model of bus offered	Vehicle Manufacturer	Country of Origin
1				

Date :

Office seal

Signature of the
tenderer/Authorized
signatory

ANNEXURE - D

(Proforma of Certificate be furnished along with Technical Bid)

SPECIFICATIONS OF Bus chassis and Bus body for Multi Axle Rear Engine AC-SLEEPER 15 Mtr DIESEL PROPELLED BUSES OF BS VI NORMS OR LATEST AS PER CMVR NORMS

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
1.	Type of Bus	Type IV - ACX			
2.	Propulsion system	HIGH SPEED DIESEL			
3.	Overall length	Maximum 15 Mtr			
4.	Overall width	2600 mm (maximum)			
5.	Overall Height (including Air Conditioner Unit)	As per AIS:119			
6.	Wheel base	As per CMVR			
7.	No. of Rear Axles	Two			
8.	Engine Torque	1300 Nm Minimum			
9.	Engine	Positioned at Rear, 330 - 360 HP, 24V Electrical System, 6 Cylinder Engine.			
10.	GVW	22000 kg Minimum			
11.	Emission norms	BS VI or the norms prevailing at the time of delivery of bus.			
12.	Engine operational requirements	Engine should perform efficiently at ambient temperatures of approximately -5 ⁰ to 50 ⁰ C, humidity level from 5% to 100%, and altitude levels of up to 2000 meters, generally operating in the semi-arid zone/hilly region prevailing in the area.			
13.	Transmission	Automated / Automatic			
14.	Retarder	Integrated hydrodynamic / As per CMVR			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
15.	Rear axle	Single reduction hypoid axle / As per CMVR			
16.	Front axle	As per CMVR			
17.	Tag Axle	Rigid and Steerable			
18.	Steering system	Hydraulic power assisted steering with height and angle adjustment provision. Adjustable steering column.			
19.	Front Suspension	Air Suspension with electronic control			
20.	Rear Suspension	Air Suspension with electronic control			
21.	Shock absorbers	As per CMVR			
22.	Electric Horn	24 V as per IS.1884:1993 Matched Pair (Low & High tone) Reverse horn of 75-100 db shall be provided			
23.	Braking system	Electronic braking system (EBS) including Anti-lock braking system (ABS), Hill start Aid and Electronic Vehicle Stability Control (EVSC)			
24.	Type of Brake	All disc brakes			
25.	Parking brake	Air brake			
26.	Additional brake	Engine brake			
27.	Electronic Stability Control (ESC) Shall be provided, if required as per CMVR /KMVR for Type III	ESC shall be provided, if made mandatory as per CMVR / KMVR at the time of registration. Bidder shall specify in the tender whether ESC is provided in the offered vehicle.			
28.	Electrical system	24 Volt DC			
29.	Batteries:	Maintenance free/ Low maintenance type lead acid batteries for 24 V system- performances as per BIS: 14257-			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		1995 (latest). 2x 12V of 150 AH and above. Minimum 2 Years warranty.			
30.	Alternator and Self starter	Alternator and Self starter shall be so located as to prevent ingress of oil or rain water into them and to be mounted in such a way that there will not be any difficulty in removing and replacing these items.			
31.	Tyres	295/80 R 22.5 Tubeless Tyre - 8 +1 (For Spare carrier). Suitable winch type spare wheel carrier / Body mounted spare wheel carrier /as per OEM design for holding the single spare wheel that can be permanently used on bus.			
32.	Fuel tank	Fuel tank capacity minimum 500 Ltrs.			
33.	DEF capacity	50 Minimum / As per OEM design			
34.	Front overhang	As per CMVR			
35.	Rear overhang	As per CMVR			
36.	Berth capacity	40+1 (driver) + 1 (Co - driver)			
37.	Curtain	Required and only pipe to be fitted with wing nut (3 D curtain)			
38.	Air Conditioning system	Engine - driven roof mounted unit Cooling capacity - 45kW Approved AC System as per AIS:119 AC Duct Type: Centre Duct			
39.	Power requirements for ITS	Required			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
40.	Battery box	It shall comply the provisions as per AIS :119			
41.	Public Information System	As per AIS:119			
42.	Public Addressing System with USB type speakers	Public Addressing System with micro phone within the driver cabin along with required number of speakers within the saloon area so as to enable the driver to address the passengers. Amplifier with USB compatibility shall also be provided. Speaker orientation inside the saloon shall be in such a way to ensure audibility to all the passengers.			
43.	Entertainment system	Minimum 2 unit TV having Minimum 32" size LED TV with minimum 1 year warranty to be provided with USB port wi-fi enabled with rugged fittings and also the Public Information System shall be displayed and compact with the software platform of KSRTC, Speakers, Power Inverter, Public addressing System One TV shall be of foldable type to install in the middle of passenger compartment.			
44.	WIFI	Wifi facility with Router required. Sim card for wifi shall be under the scope of KSRTC.			
45.	Speed Setting	Speed Setting shall			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
	Device	be attended by the Vehicle Manufacturers as and when required when the Government amend the speed limit from time to time. One Scan tool with licensed version of programme shall be provided each for diagnosis of complaints and to carry out possible rectification and settings, as and when required.			
46.	Floor height from ground level	As per AIS:119			
47.	Angle of approach (unladen)	As per CMVR			
48.	Angle of departure (unladen)	As per CMVR			
49.	Ramp over angle (half of break-over angle)	As per CMVR			
50.	Bus gates/doors	As per AIS:119			
51.	Type of doors /No. of Passenger door	1 No. of Power Operated Door as per AIS:119 CMVR/Approved by Competent Authority, Jack & Knife / Swing door			
52.	Operating mechanism of doors	Pneumatic controlled as per AIS:119			
53.	Power operated service door- construction & control system of a power operated service door to be such that a passenger is unlikely to be injured/ trapped between the doors	As per AIS:119			
54.	Positions of door	Should be on			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
	controls	dashboard for driver control and emergency switch inside & outside of doors as per AIS:119			
55.	Minimum clear door width excluding grab handle in fully opened position	As per AIS:119			
56.	Maximum first step height	As per AIS:119			
57.	Emergency exits	As per AIS : 119 Type Approval.			
58.	Roof escape hatches	Two manual hatches with exhaust fans			
59.	FDAS & FDSS /FAPS	FDSS on engine compartment and FPS (Fire Protection System for occupant / Passenger compartment) shall be provided as per CMVR			
60.	Protection systems	Front Underrun protection (FUP) Front Impact Protection (FIP) Rear Engine Protection Guard (REPG)			
61.	Driver Door	As per AIS:119			
62.	Door components	As per AIS:119			
63.	Door locks/locking systems/door retention items	As per AIS:119			
64.	Door hinges	As per AIS:119			
65.	Design type approval	As per AIS:119			
66.	Grab rails, Centre posts and passenger slings	As per AIS : 119 Type Approval			
67.	Foot step	Foot step shall be provided as per AIS:119 with retractable facility for the lower foot step for one door preferably at the front. Foot step			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		side wall material – Stainless steel As per AIS:119			
68.	Floor material	Minimum 12mm BWR Plywood having density of minimum 1.1 gm/cm ³ and 3mm vinyl shall be used as per AIS:119			
69.	Front windscreen (laminated) glass:	Single piece laminated safety glass, with PVB film interlayer as per IS 2553 (part-2)-1992/ latest as per AIS:119			
	Glass Fitment	As per AIS : 119			
	Size & design of glass	Standard designs and also as per table 22 of AIS 007			
70.	Rear glass	Single piece flat toughened glass- IS:2553 (part-2)-1992/latest			
	Glass Fitment	As per AIS : 119			
71.	Side windows:	As per AIS 119. Fixed glass			
72.	Glass specifications of side windows	Toughened tinted glass IS 2553 (part-2)-1992/latest having 50% transparent as per CMVR.			
	Glass thickness:	As per AIS: 119			
	Colour of glass	As per CMVR 100			
73.	Rear view mirrors	As per AIS :119			
74.	Fitment of Rear view mirror	As per AIS : 119, Left side rear view mirror should visible to driver through Front Wind Screen glass			
75.	Dash board lighting/control lighting	As per AIS:119			
76.	Torso angle (degrees)	As per AIS:119			
77.	Sun visor	Required			
78.	Driver seat	AIS 023 and AIS :119 4 way / 3 way adjustable driving			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		seat (Knitted / any other type approved as per type approval) with high back rest and Head Rest as per CMVR and AIS - 119.			
79.	Driver's working space	As per AIS :119.			
80.	Bottle Holder	A bottle holder of 2 Ltr size should be provided on the driver door in such a way that it is easily accessible.			
81.	Heat resistance	Engine compartment should be PUF insulated and noise free as per CMVR / Industry standards to avoid heat transfer to Saloon area			
82.	Corrosion prevention treatment	As per clause 3.17 of AIS :119			
	Internal surfaces of structural members				
	External surfaces of structural members				
	After drilling holes/welding				
83.	Primer coating	As per clause 3.17 of AIS :119			
84.	Body Painting:	PU Paint to be used Metallic			
85.	Body Colour and Design	Will be given by KSRTC			
86.	Electrical Equipment and Wiring	As per AIS:119			
87.	Fuse	As per AIS :119			
88.	Isolation switches for electrical circuits where RMS value of voltage exceeds 100 volts				

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
89.	Location of cables away from heat sources				
90.	Type approval of circuit diagram as per standards related to electric equipment/wiring				
91.	Battery cut – off switch (isolator switch):	Shall be positioned near driver seat for easy and quick operation by driver.			
92.	Wind screen wiper:	As per table 22 of AIS 007			
93.	Wiper motor:	Variable speed with time delay relay as per AIS 011			
94.	Wiper arm/blade:	As per AIS 011			
95.	Power ports	Requires one ETM charging point with ETM holder in driver cabin / near the conductor seat. DC to AC converter should be provided. The capacity of DC to AC converter shall be informed at the time of proto inspection.			
96.	Exterior lighting	Signature V shaped lights with DRL			
97.	Interior lighting	Lights for gangway with night lamps			
98.	Reading light	To be provided separately for each berth with control switch.			
99.	Hatrack	Spacious hatrack with integrated saloon lighting			
100.	Seat belt & anchorage duly type approved.	Driver, Co-driver. As per CMVR & AIS:119 conforming to AIS 005 & 015.			
101.	Fire extinguisher:	As per AIS :119/CMVR			
102.	First aid box:	As per AIS :119			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
103.	Door or hatch open indicators	Luggage hatches and emergency door			
104.	Reverse parking assist (RPAS)	Sensors on rear wall with an indicator on dashboard			
105.	Entrance/exit guard/step well guard: Emergency alarm system	As per AIS:119			
106.	Emergency exit doors	As per AIS:119 /CMVR			
107.	Warning devices	As per CMVR			
108.	Front door, step well lights, door open sign	LED bulb as per AIS 008			
109.	Mirrors right/left side exterior /interior:	Convex as per AIS 001 & 002. interior with double curvature			
110.	Towing device front/rear	Towing device front: As per CMVR & IS 9760-ring type Towing Hook / pin			
111.	Bumpers-front and rear	As per AIS:119, Detachable type, easily removable in order to carry out maintenance and repair work of buses without difficulty.			
112.	Luggage Box / Courier Box (Side and rear)	As per AIS:119 Maximum space for keeping passenger luggage and courier items having safety bracket Safe secure courier box to be provided at convenient location near the driver.			
113.	Electronic Ticketing Machine Box	ETM Box of suitable size with lock and key facility for keeping ETM			
114.	Inside luggage carrier	As per AIS:119			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
115.	Mobile Charging port	USB with C port (at head side)			
116.	Stay box for crew	Stay Box of sufficient size for crew to be provided with locking facility Accessible from driver cabin			
117.	Tool box and location	As per CMVR			
118.	Destination Board	<p>2 Nos. of Destination Board to be provided as per AIS:119</p> <p>1) Front Destination Board</p> <p>Full length LED Display board of 3 lines in which first and second lines in static with single color (<i>Amber colour</i>) and third line in scrolling type.</p> <p>Length: 197.8 cm Height: 37 cm Width: 5.8 cm with 3 lines with one line big font in multi colour. Should be fitted close to the front wind shield glass in such a way that reflection from the LED board should not distract the driver.</p> <p>2) Rear Destination Board</p> <p>Length: 103 cm Height: 23 cm Width: 5.8 cm</p> <p>LED board is having 3 lines, in which one line with big font and</p>			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		<p>two lines in orange colour. First and second lines in static with single color (<i>Amber colour</i>) and third line in scrolling type.</p> <p>Destination Boards on all two sides to be programmable from single point through transfer of data via blue tooth, Wifi and USB port.</p>			
119.	Dash Board Camera	<p>Dash Board Camera with wi-fi for real time monitoring and storage facility</p> <p>1. Dash board camera to be provided with all accessories, supporting softwares and monitors as required.</p> <p>a. Front road view from the dash board</p> <p>b. To view interior</p> <p>c. To view driver</p> <p>d. Reverse Camera</p> <p>e. Left side view camera (Visibility left side including passenger door)</p> <p>Storage capacity should be for minimum 15 days</p>			
120.	Driver Monitoring System (DMS)	<p>a) Eyes closing</p> <p>b) Tired yawning</p> <p>c) Bowing for a long time</p> <p>d) Smoking</p>			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		detection e) Phone calling f) Face detection			
121.	Driver Cabin Separation	As per AIS:119. Separation should not restrict the driver seat position adjustments and a suitable fan may be provided.			
122.	Accessories	<ol style="list-style-type: none"> 1. Fully equipped tool kit containing Tommy bar, Wheel spanner, Screw driver (heavy duty), cutting pliers and Hydraulic Bottle Jack 15 Ton (Minimum Capacity). 2. One set of Window glasses of each kind used in the bus to be supplied as spare for replacing the glasses as and when required. 3. One diagnosing tool should be supplied. 4. Laptop will be provided by KSRTC. One hand held tool with necessary software will be provided. 			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		<p>Full equipped tool kit and suitable hydraulic Bottle jack – 1 No. and separate bottle holder for driver.</p> <p>Rack for hand bag one each per berth. Bottle holder for each berth.</p> <p>News paper / magazine pouch for each berth. AC vent with adjustable AC louvers.</p> <p>Provision for food storage and small parcell shall be arranged near the driver compartment.</p>			
123.	Proper access to repair and maintenance points of various vehicle components	There shall be easy and quick access to all under chassis components which require repair and maintenance such as suspension, P-shafts, Air filters, Gear box, Air drier, DB Valve, Power steering units Radiator etc.			
124.	Body structure and Paneling Materials	<ol style="list-style-type: none"> 1. Body structure – High quality GI steel passing Accelerated corrosion test. Structure material strength as specified in the bus body code. 2. Side and roof paneling – Stainless steel and Galvanized steel 3. Front and 			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		rear paneling – High –grade FRP			
125.	Interior	1. Gangway – Flat floor 2. Flooring – Antiskid Vinyl 3. Finishing – Premium ABS interiors 4. Dashboard – Designed from the driver's perspective with ergonomic access 5. AC ducts – Optimal flow ducts with proper insulation			
126.	Safety bracket for propeller shaft	As per KMVR			
127.	Safety bracket for diesel Tank	Shall comply as per CMVR/ KMVR			
128.	Positioning of switches	All light control switches shall be positioned on the top of the driver seat. Positioning of switches should be in such a way that it is easy accessible to the driver.			
129.	Front grill opening	As per AIS : 032			
130.	Gear box inspection cover	70cmx65cm / suitable size of inspection cover shall be provided			
131.	Vehicle location tracking device and emergency button	As per AIS :140 /CMVR			
132.	Certifications	Comply with a) CMVR and KMVR requirements			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		b) Type approval certificate by any authorized agency in CMVR 126 c) Compliance to strength of super structure- AIS 031 d) Compliance to Bus Body Code AIS:119 & ITS AIS:140 e) Compliance of flammability requirements as per IS 15061:2002 f) Certificate issued by ARAI/Competing Authority			
133.	Stage inspection of prototype bus by KSRTC team at the production site	1).After the completion of super structure (before paneling and fixing of platform) 2)After completion of whole work. The supplier should make arrangements for the inspection timely.			
134.	Warranty	Bus Chassis / Bus Body offered should have a warranty for a period of 3Years/ 4 Lakh Km which ever comes earlier, in respect of Chassis parts, engine and engine management system, fuel system, suspension, brake system, transmission system, any other related systems. Body Building Materials ie, aggregate and bus body items			

Sl. No	Characteristics	Specification as per tender	Specification of offered bus	Compliance Status Y/N	Remarks, if any
		<p>provided in these buses due to defective design, material or workmanship from the date of registration of the vehicle.</p> <p>Chassis / Bus body warranty: 3 year / 4 lakh km whichever comes earlier</p> <p>Engine Warranty: Minimum 5 Lakh km</p>			

Place:-

Date:-

Signature

Name & Address of the Tenderer

Seal



Annexure- E

(Proforma of Certificate be furnished along with Technical Bid)

The specification of materials, accessories and fittings used for the fabrication of AC Sleeper bus body.

Sl.No	Characteristics	Materials used	Specification of material used	Make & Brand of Material used
1.	Structural Materials			
2.	Inner body panel material			
3.	Interior lining of side walls			
4.	Interior lining of roof			
5.	Interior lining of rear walls			
6.	Separation of walls			
7.	Outer body panel			
8.	Front outside			
9.	Rear outside			
10.	Flooring			
11.	Passenger seat			
12.	Seat and its accessories			
13.	Front wind shield glass (Laminated)			
14.	Side Window glasses			
15.	Rear Glasses			
16.	Internal lighting and			

	illumination			
17.	Electrical cables			
18.	Electrical Switches			
19.	Roof lights			
20.	Pneumatic door assembly			
21.	Air conditioner			
22.	Paint			
23.	Entertainment system – TV and Music System			
24.	Dash board Cameras			
25.	Driver monitoring system			
26.	Reading lights			
27.	Fire Extinguisher			
28.	Mobile charger			
29.	ETM charger			
30.	First Aid Equipments			
31.	Battery cut off Switch			
32.	Tools			
33.	LED Destination board			
34.	Vehicle Location Tracking Device (VLTD)			

I/We hereby declare that the information furnished above are true, to the best of my / our knowledge and belief.

Place:
Date:

Signature with Name, Address & Seal of
Tenderer.

ANNEXURE - F

(Proforma of Certificate be furnished along with Technical Bid)

CERTIFICATE

This is to certify that the rate quoted against the e-Tender NIT No. **SRA01/38/2025 dtd: 02.06.2025** for the supply of **Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms** will be firm for 12 months from the date of offer / entire supply period.

Signature:

Name & Address of the Tenderer

Place:

Date:

(Seal of the Tenderer)

ANNEXURE - G

DECLARATION

(Proforma of Certificate be furnished along with Technical Bid)

**(Proforma of declaration to be furnished in Government Stamp
Paper of Rs.200/-)**

To

The Chairman and Managing Director
Kerala State Road Transport Corporation,
Transport Bhavan, Thiruvananthapuram,
Kerala

Sir,

Sub: e-Tender for the Supply of **Bus Chassis and Bus Body
for Multi Axle Rear Engine AC Sleeper 15 Mtr
Diesel Propelled Buses of BSVI Norms or Latest
with Retarder as per CMVR Norms** - reg.

Ref: Your **Tender No. SRA01/38/2025 dtd: 02.06.2025**

We here by declare that the rate quoted by us against
your Tender under reference above are the lowest.

We also declare that we will not supply Buses as per models
given under reference, to anybody at a rate lesser than the rate
quoted to you against your above cited tender for the next 12 months.
In the event of supplying the Buses at the rates lesser than the
quoted rate in this tender, we agree to reimburse the difference
amount to KSRTC, unconditionally.

Signature:

Name and Address of the Tenderer

Place:

Date:

(Seal of the Tenderer)

KERALA STATE ROAD TRANSPORT CORPORATION

(ANNEXURE – H)

(Proforma of Certificate be furnished along with Technical Bid)

GENERAL TERMS AND CONDITIONS

FOR THE SUPPLY OF **Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms**

NIT No. SRA01/38/2025

DATE: 02.06.2025

1. The rate quoted shall be for **Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms** for delivery at KSRTC, Central Works, Pappanamcode, Thiruvananthapuram including GST, Transportation charges, Insurance, Road tax Octroi, Cess and all other incidental charges. The rate quoted should be in such a way that the end rate of bus at destination of our Workshop could easily be evaluated. The rate quoted shall be firm for the entire period of supply as per purchase order schedule and no price increase will be allowed during this period. **Any loss, damage etc. while on transit should be borne by the suppliers.**
2. The price offered should be firm, for a period of 12 months / entire supply period.
3. The buses are to be similar, in all respects according to the specifications shown in Notice Inviting Tender and shall be subject to the approval of the Chairman & Managing Director, KSRTC.
4. Chairman and Managing Director, KSRTC does not bind himself to accept the lowest or any offer and reserves the right to select one or more from the offers made as considered expedient.
5. The quantities noted in the tender form are approximate only. The Corporation reserves the right to reduce or increase the quantity at

the time of placing the orders and will be paid at the rate agreed in the quotation.

6. All orders placed by the Corporation are to be executed within the time limit specified. In the event of accepting the contract any failure to supply the item on or before the specified date or in the event of the supplies being rejected, the orders are liable to be cancelled.
7. In case the supply is not made within the stipulated time and as per the P.O. conditions, the Corporation will cancel the order and procure the bus from any other source at the risk and cost of bidder. The KSRTC may deduct the difference in rate between the order rate and the rate actually paid for from the supplier's bill or from any money that may be due or become due to them or by initiating legal steps including revenue recovery.
8. The Chairman and Managing Director, KSRTC may reject any or all the supplies made which he consider not suitable for the purpose for which they are ordered for or because they are of inferior quality or not up to or in accordance with the specifications shown in the Tender Notice and his opinion in the matter will be final and not liable to be questioned by the firm or any one on his behalf. Rejected articles should be taken back by the bidder at his own cost.
9. There shall not to be more than one financial offer in a financial bid for one item.
10. The successful bidder has to execute an agreement as per the Kerala Store Purchase manual after furnishing Security deposit of equivalent to 5% of the total value of purchase of entire order quantity of buses awarded to them
11. Supply Schedule & Payments :-
 - a) Total quantity should be supplied as per the supply schedule mentioned in the Purchase Order.

b) Payment

Chassis

1. On request of the bidder along with the invoice of the chassis, when the chassis is billed in favour of KSRTC and transferred for body building, a part payment of 60% of the total agreed price of the chassis will be made for which an unconditional bank guarantee @110% to be submitted by the successful bidder.
2. 30% of the balance payment of agreed price of the chassis will be made within 30 days of delivery of bus and acceptance at delivery point specified in the Purchase order.
3. 10% of the balance of agreed price of chassis will be made after 30 days from the date of registration of the bus and its satisfactory performances.

Bus Body

1. 90% of the agreed price of the bus body will be made within 30 days of delivery of bus and acceptance at delivery point specified in the Purchase order.
2. 10% of the balance of agreed price of bus body will be made after 30 days from the date of registration of the bus and its satisfactory performances.

This form should be signed, sealed and returned to this office along with the tender form.

I/We here by accept the above terms and conditions and undertake that I/ We will comply with the same.

Place: **SIGNATURE AND SEAL OF THE TENDERER**
Date: **WITH FULL ADDRESS AND DATE**
SEAL
(Authorized signature)

Annexure – I

(Proforma of Certificate be furnished along with Technical Bid)

**(Proforma of declaration to be furnished in a Indian Stamp
Paper of Rs. 200/-)**

{Notarization is Mandatory}

Format of self certificate stating that the Entity/Promoter/s /
Director/s of Entity are not blacklisted

Anti-Blacklisting Certificate

Tender No:

Date:

M/s..... (Name
of the Bidder), (the names and addresses of the
registered office) hereby certify and confirm that we or
any of our promoter/s / director/s are not barred by State
Government / any other Government entity or blacklisted
by any state government or central government /
department / Local Government / agency in India or from
abroad from participating in Project/s, as on
the.....(Last date of submission of Bid).

We further confirm that we are aware that our
Application for the captioned Project would be liable for
rejection in case any material misrepresentation is made
or discovered with regard to the requirements of this
tender at any stage of the Biding Process or thereafter
during the agreement period. Dated this
.....Day of, 202

Name of the Bidder

Signature of the Authorized person Name of the

Authorized Person

(Seal of the Tenderer)

Annexure - J

(Proforma of Certificate be furnished along with Technical Bid)

POWER OF ATTORNEY

(On a Stamp Paper of relevant value)

I/ We.....(name and address of the registered office) do hereby constitute, appoint and authorise Sri/Smt(name and address) who is presently employed with us and holding the position of As our attorney, to act and sign on my/our behalf to participate in the tender No. _____ for the procurement of **Bus Chassis and Bus Body for Multi Axle Rear Engine AC Sleeper 15 Mtr Diesel Propelled Buses of BSVI Norms or Latest with Retarder as per CMVR Norms** .

I/ We hereby also undertake that I/we will be responsible for all action of Sri/Smt..... undertaken by him/her during the tender process and thereafter on award of the Purchase order & the subsequent contract executed with KSRTC. His / her signature is attested below

Dated this the ____ day of 2025

For_____

(Name, Designation and Address)

Accepted

_____ (Signature)

(Name, Title and Address of the Attorney)

Date: _____

Annexure -K

(Proforma of Certificate be furnished along with Technical Bid)

PERFORMANCE EVALUATION OF OFFERED MODEL BUS

Sl No.	Parameter	Remarks
1	Model / Type	
2	HP of the vehicle	
3	Seating capacity	
4	No. of Buses supplied	
5	Supplied STU's Name	
	Performance evaluation for the last financial year	
1	No. of Buses performance evaluated	
2	Total Km covered during last one year	
3	Average KMPL	
4	Break down rate for 10000 km	
5	Off road rate in %	

Place:-

Date:-

Signature

Name & Address of the Tenderer

Seal

Appendix – III

KSRTC

FORM OF AGREEMENT

(For contract for supply of specific quantity)

Agreement executed (date) on _____ between _____
_____ (herein after called "The Contractor") and the **KSRTC** (Herein
after called "The Company").

WHEREAS the Contractor has tendered for the supply of buses for the
use of the Company as per Tender Notification _ _ _ _ _
dated: _ _ _ _ _ and LOI No: _ _ _ _ _ **dated:** _ _ _ _ _ ,
Purchase Order No. _ _ _ _ _ **dtd:** _ _ _ _ _ which tender
notifications shall form part of this Agreement as is incorporated
herein.

AND WHEREAS the Company have been pleased to accept the offer in
respect of the articles mentioned in the copy of the order attached.

AND WHEREAS the Contractor has as security for the due fulfillment of
his obligations under this deed deposited **Rs** _____
(Rupees _____ **)** being 5% of the estimated
value of the contract in the form of the letter of Guarantee **BG No.** _____
_____ from _____ Bank approved by
the Company. (scheduled banks)

NOW THESE PRESENTS WITNESS AS FOLLOWS:

- (1) The Contractor hereby declares that the Buses sold to the buyer
under this contract shall be of the best quality and
workmanship and shall be strictly in accordance with the
specifications and particulars contained in the copy of the order

attached herewith the contractor hereby guarantees that the said Buses would continue to conform to the description and quality aforesaid for a period as mentioned in clause No. 2 and that notwithstanding the fact the Company may have inspected and/or approved the said Bus, said Bus be discovered not to conform to the description and quality aforesaid or have deteriorated (and the decision of the Company in that behalf will be final and conclusive) the Company will be entitled to reject the said goods or such portion thereof as may be discovered not to conform to the said description and quality. On such rejection the Buses will be at the contractor's risk and all the provisions herein contained relating to rejection of Buses etc: shall apply. The contractor shall if so called upon to do, replace the Buses etc. or such portion thereof as is rejected by the Company otherwise the contractor shall pay the Company such damages as may arise by reason of the breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the Company in that behalf under this contract or otherwise.

- (2) The buses offered should have a minimum warranty for a period of 3 years / 4 lakh kilometer whichever comes earlier, ie aggregate and bus body items provided in these buses due to defective design, material or workmanship from the date of registration of the vehicles. Also Engine and driveline warranty 5 lakh km. Any premature failure of aggregates and accessories of the Fully Built Buses within the warranty period shall be attended free of cost within 2 days of intimation from the depot/workshop of KSRTC. If the warranty attentions are not done in the above stipulated time and consequently KSRTC sustains any loss on account of this, such losses will be realized from the security deposit at the rate of Rs.1000/- per day, which exceeds 48 hours in the event reason for the delay is not justified and convinced to KSRTC. If the security deposit is not

sufficient to meet this, the same will be realized from any other payment due to them or legal steps will be initiated against the Tenderer, including revenue recovery.

- (3) Requests for enhancement of rates once accepted will not be considered. Conditions of the sale or other specified terms and conditions, if any printed on the quotation sheets of the contractor or attached with the Contractor's tender or any other letter or paper from the contractor will not govern the contract nor bind the Company in any manner what so ever unless such terms have been expressly accepted by the Company in writing.
- (4) The buses and quantities to be supplied are as shown in the copy of the Purchase Order _ _ _ _ _ **dated:** _ _ _ _ _
_ herewith attached, which shall be considered as part of this agreement The contractor agrees to supply the quantities of the articles shown in the order at the rates tendered by him for each articles within the time fixed.
- (5) The contractor agrees that time is the essence of this contract.
- (6) If the contractor defaults in the due supply of all or any of the articles correctly and promptly as above, the Company is at liberty to procure the same from elsewhere without canceling the contract as a whole. If Company incur, in procuring such materials, a higher cost than the agreed rate, such excess cost may be deducted by the Company from the contractor's bill or adjusted or otherwise realized from his security deposit or recovered from him by other means. The Contractor agrees, that he shall not be entitled to claim the excess, if any, or the tendered rate over such cost of Company..
- (7) All payments to the contractor for supplies effected satisfactorily will be made after scrutiny of his bills.

- i Either by Company cheques payable at the Government Treasuries.
 - ii Or by drafts on the Reserve Bank of India, at any of its principal branches in India
 - iii Or in case of supplies from Abroad by drafts or otherwise as may be agreed to:
- (8) All incidental expenses incurred by the Company for making payment outside the District in which the claim arise shall be borne by the contractor.
- (9) The contractor shall not assign or make over in part or wholly the contract or the benefits of burdens hereof. The contractor shall not underlet or sublet the execution of the contract or any part thereof without the consent in writing of the Company. The Company shall have absolute power to refuse any such consent or rescind such consent (if given) at any time. The contractor shall not be relieved from his obligation duty or responsibility under this contract even if consent to let or sublet is given by the Company.
- (10) NOT WITHSTANDING the provisions contained to clause No.4 the Company shall have the right to cancel contract for any default on the part of the contractor in the due performance thereof.
- (11) It shall be lawful for the Company from and out of any moneys or in the time being payable or due to the contractor from the Company under this contract or otherwise to set off any loss, expense, cost or damages, sustained or incurred by the Company by reason of the cancellation of the contract.
- (12) The security deposit shall subject to the condition specified herein be returned to the contractor within four months after the expiration of the contract.

(13) The Contractor agrees that any communication addressed to him may be handed over to him or his agent personally or let at his residence or place of business or may be sent by prepaid post to his address as mentioned in this deed.

(14) The contractor agrees that all sums found due to the Company under or by virtue of these presents shall be recoverable from him and his properties movable and immovable under the provision of the Revenue Recovery Act for the time being in force as though they are arrears of land Revenue or in the other manner as the Company deem fit.

(15) Any dispute arising out of this Tender procedure shall be under the Jurisdiction of Thiruvananthapuram court.

In witness where of the contractor and Sri,
General Manager, for and on behalf of the **KSRTC** have hereunto set their hands.

Signed, Sealed and delivered by:

Shri. _____

_____ .

..... (Signature of Contractor)

In the presence of witnesses:

1. (Name) (Signature)

2. (Name) (Signature)

Signed, Sealed and delivered by:

Shri: General Manager, for and on behalf of
the **KSRTC**

..... (Signature)

In the presence of Witnesses:

1. (Name) (Signature)

..... (Name) (Signature)